

RESEARCH ARTICLE

SYNTHESIS, CHARACTERIZATION, THERMAL AND ANTIMICROBIAL STUDIES OF SCHIFF BASE M(II) COMPLEXES.

Asha M S¹, Othbert Pinto¹, Joseph N Sebastian¹, Sumana Naik¹ and Shaukath Ara Khanum².

1. Department of Chemistry, St. Philomena's College Bannimantap, Mysuru, Karnataka, India.

2. Department of Chemistry, Yuvaraja's college, Mysuru, Karnataka, India.

-	-	-	_	-			

Manuscript Info	Abstract
Manuscript History	The N, O type Schiff base ligand and its five new metal complexes of
Received: 26 June 2017 Final Accepted: 28 July 2017 Published: August 2017	Co(II), Ni(II), Zn(II), Cd(II) and Cu(II) derivatives of 6-acetyl-7 hydroxy 4,8-dimethyl-2H-chromen-2-one have been synthesized from o-phenylenediamine in alcoholic medium. A series of metal complexes have been characterized quantitatively and qualitatively by using micro
Keywords:- Benzophenone; Schiff base; Metal(II) complexes; Antimicrobial.	elemental analysis, FT-IR, ¹ H NMR, Mass, UV-Vis, TGA/DTG, ESR, magnetic susceptibility data and molar conductance studies. From the spectral study, all the complexes obtained were octahedral in nature. Complexes exhibited enhanced anti-microbial activity in comparison to their ligand

Copy Right, IJAR, 2017,. All rights reserved.

Introduction:-

Schiff bases are capable of forming coordinate bonds with many metal ions via azomethine group, and so they have been used for the synthesis of metal complexes due to their easy formation and strong metal binding ability. The Schiff base ligands and their corresponding metal complexes have expanded enormously and include a vast area of organometallic compounds and various aspects of bioinorganic chemistry [1-3] and have continued to play the role of one of the most important stereo chemical models in main group and transition-metal coordination chemistry due to their preparative accessibility, diversity and structural variability [4, 5].

Schiff base and its metal complexes attract considerable interest and occupy an important role in the development of chemistry of chelate systems [6, 7] due to the fact that especially these with N_2O_2 tetradentate ligands, such systems closely resemble metallo-proteins. Some Schiff base complexes are also used as model molecules for biological oxygen carrier systems [8] as well as having applications in analytical fields [9] and have been reported to show a variety of biological actions by virtue of the azomethine linkage, which is responsible for various antibacterial, antifungal, antiviral, anti-inflammatory, antioxidant, anticancer, herbicidal, clinical and analytical activities [10-12]. On the other hand, azo compounds are very important molecules and have attracted much attention in both academic and applied research [13]. Azo compounds and their metal complexes are known to be involved in a number of biological reactions, such as inhibition of DNA, RNA, and protein synthesis, nitrogen fixation, and carcinogenesis [14, 15]. Also, the azo compounds and their metal-azo complexes are extremely used in dyes and data storage [16-18].

As the continuation interest of our study of transition metal complexes, here we present the synthesis and characterization of new complex derivatives of 6-acetyl-7 hydroxy 4,8-dimethyl-2H-chromen-2-one. The antibacterial screening activities of the complexes obtained are carried out and the results are reported herein.

Experimental section:-

Materials and Methods:-

All the chemicals used in the preparation of the ligand and its metal complexes were of AR grade. The solvents were distilled before use. For the preparation and analyses, distilled water was used. A Perkin-Elmer CHN analyzer (model 2400) was used for C, H and N analyses. The room temperature molar conductance was determined using a Century digital conductivity meter (model cc 601) with a dip type cell and a smooth platinum electrode. The electronic absorption spectra of the complexes were recorded as dilute solutions on a Shimadzu 160A/240A UV-visible spectrophotometer. The ¹H NMR spectra were recorded using Bruker DRX 400 spectrometer at400 MHz with TMS as the internal standard. Mass spectra were obtained with a VG70-70H spectrophotometer. The infrared spectra of the solid samples were recorded in the range 4000-500 cm⁻¹ on a Perkin-Elmer 597/1650 spectro photometer using KBr pellets. The magnetic moments were measured out using gouy balance. The TG-DTG experiments were carried out in air using a Shimadzu DT-40 thermal analyzer. The heating rate employed was 10°C per minute and platinum cups were used to hold about 5 mg of the samples [**19**].

Scheme:- Synthesis of Schiff base and its metal complexes.



General procedure for the synthesis of 2-methyl-4-{phenyl-[3-(-1-phenyl-ethyledeneamino)-propylimino]-methyl}-phenol (iii):-

The compound (iii) was prepared by a modification of reported method [20]. A mixture of 6-acetyl-7hydroxy4,8dimethyl-2H-chromen-2-one (ii) and o-phenylene diamine in 1:1 molar ratio was refluxed in dry ethanol for about 3 hours. Then it was cooled to room temperature. On cooling, the white coloured intermediate solid compound, mono-Schiff base (iii) was obtained. The solid was washed with distilled water (3×40 ml) and recrystallized from ethanol to achieve pure compound.

Yield 87%; M.p. 152° C; IR (Nujol): (C=N) 1662, (O-H) 3510, (-NH₂) 3296 cm⁻¹.¹H NMR (DMSO): $\delta 1.02$ (s, 3H, N=C-CH₃), $\delta 2.35$ (s, 3H, Coumarin CH₃), $\delta 2.57$ (s, 3H, Ar-CH₃), 4.27 (bs, 2H, -NH₂), $\delta 6.25$ (s, 1H, Coumarin - H), 7.93 (s, 1H, Coumarin -H), $\delta 6.57$ -7.01 (m, 4H, Ar-H), 11.63 (bs, 1H, -OH),. MS: m/z 322 (M⁺, 60), 232 (65), relative abundance; 100%. Anal.Calcd. for C₁₉H₁₈N₂O₃ (322): C, 70.79; H, 5.63; N, 8.69. Found: C, 70.50; H, 5.55; N, 8.60 %.

General procedure for the synthesis of ligand 7-hydroxy-6-(1-{2-[(2-hydroxy-5-methyl-benzylidene)-amino]-phenylimino]-ethyl)-4,8-dimethyl-chromen-2-one (iiib):-

Equimolar concentration of 4-methyl-2 hydroxybenzaldehyde (iiia) and intermediate (iii) was refluxed in dry ethanol for 6 hours. The yellow precipitate thus formed (iiib) was filtered, washed with distilled water dried in vaccum over calcium chloride and recrystallized in ethanol.

Yield 89%; M.p. 167°C; IR (Nujol): (C-O) 1236, (C-N) 1384, (C=N) 1676, (C=O) 1746, (O-H) 3512 cm⁻¹. ¹H NMR (DMSO): δ 1.03 (s, 3H, N=C-CH₃), δ 2.34 (s, 3H, coumarin CH₃), δ 2.56 (s, 6H, Ar-CH₃), 6.38 (s, 1H, coumarin - H), δ 6.96 (d, 2H, Ar-H), δ 7.07 (s, H, Ar-H), δ 7.3-7.4 (m, 4H, Ar-H), 7.95 (s, H, coumarin H), δ 8.67 (s, H, N=C-H), δ 11.27(bs, 2H, -OH). MS: m/z 440 (M⁺, 60), 336 (10), 216 (60), 104 (70), relative abundance; 92%. Anal.Calcd. for C₂₇H₂₄N₂O₄ (440): C, 73.62; H, 5.49; N, 6.36. Found: C, 73.52; H, 5.38; N, 6.25%.

General procedure for the synthesis of complexes (iiic M₁-M₅):-

For a solution of ligand (iiib), metal chloride in 1:1 molar ratio in ethanol was added under constant stirring. The pH of the reaction mixture was adjusted to 7-8 by adding 10% alcoholic ammonia solution and refluxed for about 6-9 hours. The colored precipitate (iiic M_1 - M_5) of metal complex was filtered off in hot condition and washed with hot ethanol, and dried over calcium chloride in vacuum desiccators.

 $\begin{array}{l} \text{Co(II): Yield 75\%; M.p. >} 250^{\circ}\text{C; IR (Nujol): (M-O) 430, (M-N) 510, (C-O) 1263, (C-N) 1392, (C=N) 1665, (C=O) 1766, (H_2O) 3263 \text{ cm}^{-1}. \text{ MS: m/z 534 (M}^+, 80), 438 (60), 215 (10), 103 (55), relative abundance; 83\%. Anal.Calcd. for C_{27}H_{26}N_2O_6\text{Co} (534): C, 60.52; H, 4.32; N, 5.01. Found: C, 60.67; H, 4.86; N, 5.24\%. Molar conductance: 21.0, Magnetic moment: 4.68 B M. \end{array}$

Ni(II): Yield 72%; M.p. >250°C; IR (Nujol): (M-O) 440, (M-N) 520, (C-O) 1269, (C-N) 1402, (C=N) 1659, (C=O) 1756, (H₂O) 3280 cm⁻¹. MS: m/z 534 (M⁺, 80), 439 (15), 199 (20), 103 (50), relative abundance; 89%. Anal.Calcd.for $C_{27}H_{26}N_2O_6Ni$ (534): C, 60.35; H, 4.54; N, 5.01. Found: C, 60.42; H, 4.45; N, 5.25%. Molar conductance: 15.5, Magnetic moment: 3.45 B M.

Zn(II): Yield 78%; M.p. >250°C; IR (Nujol): (M-O) 420, (M-N) 527, (C-O) 1272, (C-N) 1412, (C=N) 1657, (C=O) 1764, (H₂O) 3320 cm⁻¹. MS: m/z 540 (M⁺, 80), 439 (10), 341 (65), 199 (25), relative abundance; 88%. Anal.Calcd. for $C_{27}H_{26}N_2O_6Zn$ (540): C, 60.02; H, 4.81; N, 5.18. Found: C, 60.15; H, 4.35; N, 5.05%. Molar conductance: 19.7. Cd(II): Yield 71%; M.p. >250°C; IR (Nujol): (M-O) 445, (M-N) 530, (C-O) 1275, (C-N) 1410, (C=N) 1663, (C=O) 1762, (H₂O) 3375 cm⁻¹. MS: m/z 588 (M⁺, 100), 438 (05), 389 (25), 199 (10), 103 (30), relative abundance; 67%. Anal.Calcd. for $C_{27}H_{26}N_2O_6Cd$ (588): C, 55.25; H, 4.12; N, 4.35. Found: C, 55.10; H, 4.42; N, 4.76%. Molar conductance: 14.2.

Cu(II): Yield 75%; M.p. >250°C; IR (Nujol): (M-O) 425, (M-N) 532, (C-O) 1273, (C-N) 1407, (C=N) 1664, (C=O) 1765, (H₂O) 3403 cm⁻¹. MS: m/z 538(M⁺, 45), 439 (35), 339 (65), 103 (15), relative abundance; 82%. Anal.Calcd. For $C_{27}H_{26}N_2O_6Cu$ (538): C, 60.22; H, 4.83; N, 5.20. Found: C, 60.35; H, 4.53; N, 5.15%. Molar conductance: 18.8, Magnetic moment: 1.91 B M.

General Procedure for the synthesis of ligand di[1,2-7-Hydroxy-6-(1-imino-ethyl)]-4,8-dimethyl-chromen-2-one]benzene(iv):-

A mixture of 6-acetyl-7hydroxy4,8-dimethyl-2H-chromen-2-one (ii) and intermediate (iii) in 1:1 molar ratio was refluxed in dry ethanol for about 4 hours. The yellow precipitate thus formed (iv) was filtered, washed with distilled water (3×30 ml) dried in vaccum over Calcium chloride and recrystallized in ethanol.

Yield 85%; M.p. 152°C; IR (Nujol): (C-O) 1222, (C-N) 1398, (C=N) 1658, (C=O) 1756, (O-H) 3519 cm⁻¹. MS: m/z 536 (M⁺, 80), 320 (60), 216 (25), 104 (100), relative abundance; 88%. Anal.Calcd.forC₃₂H₂₈N₂O₆ (536): C, 71.63; H, 5.26; N, 5.22. Found: C, 71.33; H, 5.58; N, 5.90%.

General procedure for the synthesis of complexes (v M₆-M₁₀):-

For a solution of ligand (iv), metal chloride in 1:1 molar ratio ethanol was added under constant stirring. The pH of the reaction mixture was adjusted to 7-8 by adding 10% alcoholic ammonia solution and refluxed for about 4 hours. The colored precipitate (v M_6 - M_{10}) of metal complex was filtered off in hot condition and washed with hot ethanol, and dried over calcium chloride in vacuum desiccator.

Co(II): Yield 75%; M.p. >250°C; IR (Nujol): (M-O) 415, (M-N) 510, (C-O) 1256, (C-N) 1410, (C=N) 1645, (C=O) 1766, (H₂O) 3230 cm⁻¹. MS: m/z 630 (M⁺, 80), 534 (10), 431 (25), relative abundance; 86%. Anal.Calcd. for $C_{32}H_{30}N_2O_8Co$ (630): C, 60.95; H, 4.76; N, 4.44. Found: C, 60.58; H, 4.30; N, 4.21%. Molar conductance: 20.8. Magnetic moment: 4.87 B M.

Ni(II): Yield 72%; M.p. >250°C; IR (Nujol): (M-O) 424, (M-N) 516, (C-O) 1265, (C-N) 1420, (C=N) 1638, (C=O) 1768, (H₂O) 3300 cm⁻¹. MS: m/z 630 (M⁺, 80), 534 (55), 432 (15), 199 (60), 124 (90), relative abundance; 83%. Anal.Calcd. for $C_{32}H_{30}N_2O_8Ni$ (630): C, 61.05; H, 4.82; N, 4.56. Found: C, 61.25; H, 4.62; N, 4.31%.Molar conductance: 16.7, Magnetic moment: 3.39 B M.

Zn(II): Yield 78%; M.p. >250°C; IR (Nujol): (M-O) 425, (M-N) 520, (C-O) 1267, (C-N) 1422, (C=N) 1642, (C=O) 1770, (H₂O) 3310 cm⁻¹. MS: m/z 636(M⁺, 95), 534 (25), 422 (15), 104 (55), relative abundance; 88%. Anal.Calcd. for $C_{32}H_{30}N_2O_8Zn$ (636): C, 60.37; H, 4.71; N, 4.40. Found: C, 60.98; H, 4.90; N, 4.15%. Molar conductance: 20.2 B M.

Cd(II): Yield 74%; M.p. >250°C; IR (Nujol): (M-O) 421, (M-N) 515, (C-O) 1260, (C-N) 1415, (C=N) 1647, (C=O) 1775, (H₂O) 3350 cm⁻¹. MS: m/z 682 (M⁺, 90), 534 (15), 216 (55), 104 (95), relative abundance; 71%. Anal.Calcd. for $C_{32}H_{30}N_2O_8Cd$ (682): C, 56.30; H, 4.39; N, 4.10. Found: C, 56.75; H, 4.50; N, 4.72%. Molar conductance: 14.8. Cu(II): Yield 78%; M.p. >250°C; IR (Nujol): (M-O) 429, (M-N) 525, (C-O) 1273, (C-N) 1437, (C=N) 1637, (C=O) 1776, (H₂O) 3382 cm⁻¹. MS: m/z 634 (M⁺, 98), 534 (20), 418 (35), relative abundance; 81%. Anal.Calcd. for $C_{32}H_{30}N_2O_8Cu$ (634): C, 60.56; H, 4.75; N, 4.41. Found: C, 60.15; H, 4.89; N, 4.79%. Molar conductance: 19.5, Magnetic moment: 1.98 B M.

Biology:-

Tested microbes for antimicrobial activity:-

Streptomycin and ciprofloxacin (Sigma) were used as positive controls against bacteria. fluconazole and ketoconazole (Himedia, Mumbai) were used as positive controls against fungi. The following gram positive bacteria were used for the experiments; *Micrococcus luteus (MTCC 1538), Staphylococcusaureus (MRSA), Staphylococcusaureus (MTCC 7443), (MTCC 84), Enterobacteraerogenes (MTCC 111).* The gram negative bacteria included *Salmonella typhimurium (MTCC 2488), Salmonella paratyphi-B (MTCC 733), Proteus vulgaris (MTCC 321)* and *Klebsiellapneumonia (MTCC 109).* In addition, fungi *Botyritiscinerea (MTCC 2880), Candidaalbicans (MTCC 227), M. pachydermatis* and *Candida krusei (MTCC 231)* were also used for the experiments.

Preparation of inoculums:-

Bacterial inoculums were prepared by growing cells in Mueller Hinton Broth (MHA) (Himedia) for 24 h at 37°C. These cell suspensions were diluted with sterile MHA to provide initial cell counts of about 104 CFU/ml. The filamentous fungi were grown on sabouraud dextrose agar (SDA) slants at 28°C for 10 days and the spores were collected using sterile doubled distilled water and homogenized.

Disc diffusion assay:-

Antibacterial activity was carried out using a disc diffusion method [21]. Petri plates were prepared with 20 ml of sterile Mueller Hinton Agar (MHA) (Himedia, Mumbai). The test cultures were swabbed on the top of the solidified media and allowed to dry for 10 mins. The tests were conducted at 1000 μ g/disc. The loaded discs were placed on the surface of the medium and left for 30 min at room temperature for compound diffusion. Negative control was prepared using respective solvent. Streptomycin (10 μ g/disc) was used as positive control. The plates were incubated for 24 h at 37° C for bacteria and 48 h at 27° C for fungi. A zone of inhibition was recorded in millimeters and the experiment was repeated twice.

Minimum inhibitory concentration (MIC):-

Minimum inhibitory concentration studies of synthesized compounds were performed according to the standard reference method for bacteria [22] and filamentous fungi [23] (CLSI 2008). Required concentrations (1000 μ g/ml, 500 μ g/ml, 250 μ g/ml, 125 μ g/ml, 62.5 μ g/ml, 31.25 μ g/ml and 15.62 μ g/ml) of the compounds were dissolved in DMSO (2%), and diluted to give serial two fold dilutions that were added to each medium in 96 well plates. An inoculum of 100 ml from each well was inoculated. The antifungal agent's ketoconazole, fluconazole for fungi and streptomycin, ciprofloxacin for bacteria were included in the assays as positive controls. For fungi, the plates were incubated for 48-72 h at 28°C and for bacteria the plates were incubated for 24 h at 37°C. The MIC for fungi was defined as the lowest extract concentration, showing no visible fungal growth after incubation time. 5 ml of tested broth was placed on the sterile MHA plates for bacteria and incubated at respective temperatures. The MIC for bacteria was determined as the lowest concentration of the compound inhibiting the visual growth of the test cultures on the agar plate.

Results and Discussion:-

Chemistry:-

2-methyl-4-{phenyl-[3-(-1-phenyl-ethyledeneamino)-propylimino]-methyl}-phenol (**iii**) was synthesized by the condensation of o-phenylenediamine (**i**) and 6-Acetyl-7 hydroxy 4, 8-dimethyl-2H-chromen-2-one (**ii**) (1: 1 molar ratio), dissolved in dry ethanol. The reaction mixture was stirred for 3hrs. On cooling white coloured intermediate solid compound, mono-Schiff base of 2-methyl-4-{phenyl-[3-(-1-phenyl-ethyledeneamino)-propylimino]-methyl}-phenol (**iii**) was obtained. The product is confirmed by NMR and mass spectra.

The product (**iii**) obtained was treated with an equimolar volume of 4- methyl -2 hydroxybenzaldehyde (**iiia**) in dry ethanol and stirred for 6 hours with a few drops of glacial acetic acid. The white solid precipitate of Schiff base (**iiib**) obtained was recrystallized from ethanol. Formation of Schiff base is confirmed by IR, ¹H NMR and mass.

Aqueous ethanolic solution of metal chloride of Co(II), Ni(II), Zn(II), Cd(II) and Cu(II) were added to the hot ethanolic solution of the ligand (**iiib**) in 1:1 molar ratio. The pH of the reaction mixture was adjusted to 7-8 by adding 10% alcoholic ammonia solution and refluxed for about 7-9 hrs which resulted in the precipitation of metal derivatives in all the cases (**iiic** M_1 - M_5).

The ligand di[1,2-7-Hydroxy-6-(1-imino-ethyl)]-4,8-dimethyl-chromen-2-one]benzene (**iv**) was synthesized by the condensation of 2-methyl-4-{phenyl-[3-(-1-phenyl-ethyledeneamino)-propylimino]-methyl}-phenol (**iii**) and 6-acetyl-7 hydroxy 4,8-dimethyl-2H-chromen-2-one (**ii**) (1:1 molar ratio), dissolved in dry ethanol. The reaction mixture was stirred for 6 hours with a few drops of glacial acetic acid. The yellow solid precipitate of Schiff base (**iiib**) obtained was recrystallized from ethanol. Formation of Schiff base is confirmed by IR, ¹HNMR, and mass.

Aqueous ethanolic solution of metal chloride of Co(II), Ni(II), Zn(II), Cd(II) and Cu(II) were added to the hot ethanolic solution of the ligand (**iv**) in 1:1 molar ratio. The pH of the reaction mixture was adjusted to 7-8 by adding 10% alcoholic ammonia solution and refluxed for about 7-9 hrs which resulted in the precipitation of metal derivatives in all the cases (**v** M_6 - M_{10}).

The yield, elemental analysis and molar conductance data of metal complexes are presented in Table 1 and 2.

Compound (Colour) M.p. Yield			Fo	ound (Calc.)	Λm_2	
	(°Ū)	(%)	С	Н	Ν	(ohm ⁻¹ cm ² mol ⁻¹)
$C_{27}H_{24} N_2O_4$	167	89	73.62	5.49	6.36 (6.25)	-
(iiib) White			(73.52)	(5.38)		
$C_{27}H_{22}N_2O_4Co(H_2O)_2$	>250	75	60.52	4.32	5.01	21.0
(iiic M ₁) Light brown			(60.67)	(4.86)	(5.24)	
$C_{27}H_{22}N_2O_4Ni(H_2O)_2$	>250	72	60.42	4.45	5.25	15.5
(iiic M ₂) Light Yellow			(60.35)	(4.54)	(5.01)	
$C_{27}H_{22}N_2O_4Zn(H_2O)_2$	>250	78	60.02	4.81	5.18	19.7
(iiic M ₃) White			(60.15)	(4.35)	(5.05)	
$C_{27}H_{22}N_2O_4Cd(H_2O)_2$	>250	71	55.10	4.42	4.76	14.2
(iiic M ₄) White			(55.25)	(4.12)	(4.35)	
$C_{27}H_{22}N_2O_4Cu(H_2O)_2$	>250	75	60.22	4.83	5.20	18.8
(iiic M ₅) Dark green			(60.35)	(4.53)	(5.15)	

Table 1:-Elemental and molar conductance data.

Table 2:-Elemental and molar conductance data.

Compound	М.р.	Yield	Found (Calc.) %			Λm_2
(Colour)	(°C)	(%)	С	Η	Ν	(ohm ⁻¹ cm ² mol ⁻¹)
$C_{32}H_{28}N_2O_6$	152	85	71.63	5.26	5.22 (5.90)	-
(iv)Yellow			(71.33)	(5.58)		
$C_{32}H_{30}N_2O_8Co(H_2O)_2$	>250	75	60.95	4.76	4.44	20.8
(v M ₆) Dark brown			(60.58)	(4.30)	(4.21)	
$C_{32}H_{30}N_2O_8Ni(H_2O)_2$	>250	72	61.05	4.85	4.56	16.7
(v M ₇) Light brown			(61.25)	(4.62)	(4.31)	
$C_{32}H_{30}N_2O_8Zn(H_2O)_2$	>250	78	60.37	4.71	4.40 (4.15)	
(v M ₈) White			(60.98)	(4.90)		20.2
$C_{32}H_{30}N_2O_8Cd(H_2O)_2$	>250	74	56.30	4.39	4.10	
(v M ₉) White			(56.75)	(4.50)	(4.72)	14.8
$C_{32}H_{30}N_2O_8Cu(H_2O)_2$	>250	78	60.56	4.75	4.41	
(v M ₁₀) Dark brown			(60.15)	(4.89)	(4.79)	19.5

IR Spectra:-

The IR spectra of the complexes were compared with those of the free ligands in order to determine the coordination sites that may be involved in chelation. There were some guide peaks in the spectra of the ligands, which were helpful in achieving this goal. The IR spectral bands of metal(II) complexes are listed in **Table 3**.

Table 3:-The important diagnostic IR	absorption bands (in cm ⁻	¹) of ligands and th	eir complexes:
1 0	1	/ 8	1

			ν	v	ν	ν	ν	ν
Compound	ν (H ₂ O)	v(O-H)	(C=O)	(C=N)	(C-N)	(C-O)	(M-N)	(M-O)
C ₂₇ H ₂₄ N ₂ O ₄	-	3512	1746	1676	1384	1236		
(iiib)								
$C_{27}H_{22}N_2O_4Co(H_2O)_2$	3493	-	1766	1665	1392	1263	515	460
(iiic M_1)								
$C_{27}H_{22}N_2O_4Ni(H_2O)_2$	3503		1756	1659	1402	1269	595	498
(iiic M_2)		-						
$C_{27}H_{22}N_2O_4Zn(H_2O)_2$	3498	-	1764	1657	1412	1272	575	505
(iiic M ₃)								
$C_{27}H_{22}N_2O_4Cd(H_2O)_2$	3490	-	1762	1663	1410	1275	592	480
(iiic M_4)								
$C_{27}H_{22}N_2O_4Cu(H_2O)_2$	3497	-	1765	1664	1407	1273	525	458
(iiic M_5)								
$C_{32}H_{28} N_2O_6$	-	3519	1756	1658	1398	1222		
(iv)								
$C_{32}H_{30}N_2O_8Co(H_2O)_2$	3496	-	1766	1645	1410	1256	512	458

(v M ₆)								
$C_{32}H_{30}N_2O_8Ni(H_2O)_2$	3450	-	1768	1638	1420	1265	550	462
(v M ₇)								
$C_{32}H_{30}N_2O_8Zn(H_2O)_2$	3460	-	1770	1642	1422	1267	575	484
(v M ₈)								
$C_{32}H_{30}N_2O_8Cd(H_2O)_2$	3480	-	1775	1647	1415	1260	575	496
(v M ₉)								
$C_{32}H_{30}N_2O_8Cu(H_2O)_2$	3450	-	1776	1637	1437	1273	632	505
(v M ₁₀)								

In the IR spectrum of o-phenylenediamine, a pair of bands corresponding to v (NH₂) was present at 3210 and 3270 cm⁻¹ but was absent in the IR spectra of all the complexes [24]. A single broad medium band at 3157 and 3134 cm⁻¹ was observed in the spectra of ligand **iiib** and **iv** respectively, which may be assigned to intramolecularhydrogen bonded v (OH). The absence of (O-H) stretching and v(O-H) vibration in the spectra of the complexes indicated deprotonation of the –OH groups [25, 26].

The phenolic v(O-H) band is shifted from 3512 (iiib) and 3519 (iv) to 1263–1275 (iiic M_1 - M_5) and 1256-1273 cm⁻¹ $(\mathbf{v} \mathbf{M}_6 - \mathbf{M}_{10})$ as a consequence of the delocalization of double bond in chelate rings that has increased the bond order of the phenolic C-O. The phenolic oxygen, after the loss of O-H proton gets coordinated to the metal. This is supported by a shift in the stretching frequency of v (C-O) to the lower wave number of its position in the free ligand [27]. A strong peak at 1746 and 1756 cm⁻¹ in the IR spectrum of Schiff base **iiib** and **iv** respectively was assigned to the v (>C=O) stretching moiety. This band was shifted to a higher frequency by ~ 10-20 cm⁻¹ in the IR spectrum of metal complexes at 1756-1766 (iiic, M_1 - M_5) and 1766-1776 cm⁻¹ (v, M_6 - M_{10}) as compared to the corresponding ligands [28, 29, 30]. The strong band observed in the region 1676 and 1658 cm⁻¹ in the ligands iiib and iv assigned to C=N stretching. The complexes show a strong band at 1657-1665 cm⁻¹ (iiic, M_1 - M_5) and 1637-1647 cm⁻¹ (v, M_6 - M_{10}) band at region, representing the C=N stretching moiety. This band is shifted to a lower frequency by ~ 11-21 cm^{-1} , as compared to the corresponding ligands indicating that the azomethine nitrogen of the C=N group has participated in the coordination [31]. This can be ascribed to the withdrawn of electron density from the nitrogen atom owing to coordination. The bands present at 1384, 1398 cm⁻¹ and 1392-1412 and 1410-1437 cm⁻¹were assigned to v(C-N) vibrations. The IR spectra showed bands in the region 510-532 and 510-525 cm⁻¹ corresponding to v (M–N) vibrations in all the complexes [32]. The presence of this band supports the fact concerning the coordination of the azomethine nitrogen with the metal [33]. The bands present at 420-445 and 415-429 cm^{-1} in all complexes were due to v (M–O) [34]. The IR spectra showed a strong band in 3450-3503 cm⁻¹ region (iiic M₁-M₅) and $\mathbf{v}, \mathbf{M}_{6}$ - \mathbf{M}_{10}) suggesting the presence of coordinated water.

Magnetic susceptibility, electronic and ESR spectral studies:-

The electronic absorption spectra of the Schiff base ligand and its Co(II), Ni(II), Zn(II), Cd(II) and Cu(II) complexes were recorded in DMF solution in the range of 200 to 800 nm regions and data are presented in **Table 4**.

The electronic transitions due to the organic ligand in the metal complexes, showed the absorption bands of the $\pi \rightarrow \pi^*$ and $n \rightarrow \pi^*$ transitions results from the C=N and O-H groups and appeared at 273-295 nm and 360-389 nm regions, respectively. These values are lower than the corresponding absorption bands for the ligand, which were observed at 390- 394 nm, respectively. This may be due to the coordination of the nitrogen and oxygen atoms of the ligand to the metal ions.

The magnetic moment of the complexes were measured at room temperature. The electronic spectra of the Schiff base ligands and their Co(II), Ni(II), Zn(II) Co(II) and Cu(II), complexes have been measured in DMF solution between 200-800 nm at room temperature. The electronic absorption spectra are often very helpful for structural investigation. The electronic spectral measurements were used for assigning the geometry of metal ions in the complexes based on the positions and number of d-d transition peaks. Magnetic properties arise from the spin and orbital angular momentum of the electrons contained in a compound.

The magnetic moment of the complexes were measured at room temperature. The magnetic moment of the cobalt (II) lay in the range 4.68 and 4.87 B M (iiic M_1 and $v M_6$) which corresponds to 3 unpaired electrons. The solution spectra of the cobalt (II) complexes exhibited absorption in the region 290, 350, 440 (iiic M_1) and 280, 360, 450 nm

(v M_6). The spectra resemble that reported for octahedral complex [35]. Thus the various bands can be assigned to: ${}^4T_1g \rightarrow {}^4T_2g, {}^4T_1g \rightarrow {}^4A_2g, {}^4T_1g \rightarrow {}^4T_1g.$

The magnetic moment of the nickel (II) lay in the range 3.45 and 3.39 BM (**iiic** M_1 and $v M_6$) which corresponds to 2 unpaired electrons. The solution spectra of the nickel (II) complexes exhibited absorption in the region 370, 390, 470, 440 (**iiic** M_1) and 360, 380, 460, 480 nm ($v M_6$). The spectra resemble that reported for octahedral complex. Thus the various bands can be assigned to: ${}^{4}T_{1}g \rightarrow {}^{4}T_{2}g$, ${}^{4}T_{1}g \rightarrow {}^{4}A_{2}g$, ${}^{4}T_{1}g \rightarrow {}^{4}T_{1}g$ and L \rightarrow M charge transfer respectively.

The electronic spectrum of the copper(II) complex shows broad band absorption in the region 675 nm, 647 nm and 515 nm (**iiic M**₅), 678 nm, 642 nm and 519 nm (**v M**₁₀), which may be assign to ${}^{2}B_{1g} \rightarrow {}^{2}A_{1g}$, $(dx^{2} - y^{2} \rightarrow dz^{2})(v_{1})$, ${}^{2}B_{1g} \rightarrow {}^{2}B_{2g}$, $(dx^{2} - y^{2} \rightarrow dzy)$ (v_{2}), and ${}^{2}B_{1g} \rightarrow {}^{2}E_{g}$, $(dx^{2} - y^{2} \rightarrow dzy)$ (v_{3}) transition and it is in conformity with octahedral geometry [**36**]. The broadness of the band which are similar in energy give rise to only one broad absorption band, and the broadness of the band is due to dynamic Jahn-Teller distortion. These data suggest that the Cu(II) complex have distorted octahedral geometry [**37**].

An indication of the most probable geometric configuration of the synthesized metal complexes is their magnetic moment values. So, it has been further confirmed by the magnetic moment measurements, room temperature values lie at 1.91(iiic M_5) and 1.98 B M (v M_6) corresponding to the presence of one unpaired electron and it supports a distorted octahedral geometry [38, 39].

The ESR spectrum of Cu(II) complex has been recorded on X-band at frequency 9.1GHz at low temperature. The spectrum of Cu(II) (**viiM**₉ and **viiM**₁₀) complex is characteristic of axial symmetry with g_{\parallel} , g_{\perp} , and Δg values of 2.40, 2.07, (**viiM**₉) and 2.48, 2.07 (**viiM**₁₀) 0.37 (**viiM**₉) and 0.39 (**viiM**₁₀). Anisotropy of the g-tensor is due to the Jahn-Teller effect, which reduces the symmetry from octahedral to distorted octahedral. The fact that $g_{\parallel} > g_{\perp} > 2.0023$ (g_e) and G = 5.06, > 4 indicates octahedral geometry of the Cu(II) ion of d_x^{2-2} ground state with negligible exchange interaction in the complex [**39**].

	Electronic abs	orption bands an	d their assignments	
Ligand/		0	Magnetic	
complexes	$\pi \rightarrow \pi^*$	n→π*	$d \rightarrow d$ transition	Moment
				µeff, BM
$C_{27}H_{24} N_2O_4$	292	390		
(iiib)				
$C_{27}H_{22}N_2O_4Co(H_2O)_2$	285	376	490	4.68
(iiic M_1)				
$C_{27}H_{22}N_2O_4Ni(H_2O)_2$	273	382	485	3.45
(iiic M_2)				
$C_{27}H_{22}N_2O_4Zn(H_2O)_2$	288	387		
(iiic M_3)				
$C_{27}H_{22}N_2O_4Cd(H_2O)_2$	285	389		
(iiic M_4)				
$C_{27}H_{22}N_2O_4Cu(H_2O)_2$	287	377	479	1.91
(iiic M ₅)				
$C_{32}H_{28}N_2O_6$	299	394		
(iv)				
$C_{32}H_{30}N_2O_8Co(H_2O)_2$	295	386	518	4.87
(v M ₆)				
$C_{32}H_{30}N_2O_8Ni(H_2O)_2$	288	372	510	3.39
(v M ₇)				
$C_{32}H_{30}N_2O_8Zn(H_2O)_2$	293	360		
(v M ₈)				
$C_{32}H_{30}N_2O_8Cd(H_2O)_2$	278	374		
(v M ₉)				

 Table 4:-Magnetic susceptibility and electronic spectral data:

$C_{32}H_{30}N_2O_8Cu(H_2O)_2$	286	380	517	1.98
(v M ₁₀)				

Zn and Cd(II) ion with d¹⁰ electronic configuration permits a wide range of symmetries and coordination numbers. Since d¹⁰ configuration affords no crystal field stabilization, the stereochemistry of a particular compound depends on the size and polarizing power of the M(II) cation and the steric requirement of the ligands and have no d–d transition and are diamagnetic. The electronic spectra of complexes reveal a charge transfer bands π - π and n- π transitions in the vicinity of the Schiff base ligand at 288, 285 and 293, 278 nm for both complexes; and 387, 389 and 360, 374 cm⁻¹, respectively suggesting an octahedral structure which is common for d¹⁰ systems.

HNMR spectra:-

The NMR spectra of Schiff bases were recorded in dimethyl sulfoxide (DMSO) solution, using tetramethylsilane (TMS) as an internal standard. Chemical shifts were reported as δ -values in parts per million (ppm) relative to Si (CH₃)₄ as relative reference ($\delta = 0$ ppm) and to the solvent as internal reference.

The formation of the complex iiic M₃ from its ligand (iiib) is shown in Figure 1 and 2.



Figure 1: (iiib)

Figure 2: iiic M₃

The proton NMR spectrum shows a singlet peaks at 1.03 and 1.01, 1.02 (3H) ppm, which corresponds to the [N=C-CH₃] group of the ligand **iiib** and its Zn(II) **iiic** M_3 and Cd(II) **iiic** M_4 complexes. The singlet peaks of methyl protons (coumarin) appeared at 2.34 and 2.22, 2.20 ppm in the ¹H NMR spectra of the ligand **iiib** and its Zn(II) **iiic** M_3 and Cd(II) **iiic** M_4 complexes respectively. The singlet peaks of aromatic methyl protons appeared at 2.56 and 2.37, 2.33 ppm in the ¹H NMR spectra of the ligand **iiib** and its Zn(II) **iiic** M_4 complexes respectively. The two singlet peaks of protons (coumarin) appeared at 6.38, 7.95 (**iiib**) and 6.32, 7.85(**iiic** M_3), 6.18, 7.78 (**iiic** M_4) ppm in the ¹H NMR spectra of the ligand and its Zn(II) and Cd(II) complexes respectively. The doublet peaks of aromatic protons appeared at 6.96 and 6.80, 6.81 ppm in the ¹H NMR spectra of the ligand **iiib** and its Zn(II) **iiic** M_3 and Cd(II) **iiic** M_4 complexes respectively. The singlet peaks of aromatic proton appeared at 7.07 and 7.00, 7.01 ppm in the ¹H NMR spectra of the ligand **iiib** and its Zn(II) **iiic** M_3 and Cd(II) **iiic** M_4 complexes respectively.

Both the ligand and complexes show a group of multipletat 7.3-7.4(4H) iiib, 7.4-7.5(4H) iiic M_3 and 7.2-7.3(4H) iiic M_4 for aromatic protons respectively. The singlet peaks at 8.67 and 8.27, 8.58 (H) ppm which corresponds to the [N=C-H] group of ligand iiib and its Zn(II) iiic M_3 and Cd(II) iiic M_4 complexes. The proton NMR spectrum shows two phenolic-OH groups at 11.27 ppm which are absent in the spectra of M(II) complexes. This indicates that the deprotonated phenolic-O atom is involved in chelation.

The proton NMR spectrum shows a singlet peaks at 1.05 and 1.00, 1.01 (6H) ppm, which corresponds to the [N=C-CH₃] group of ligand iv and its Zn(II) v M_8 and Cd(II) v M_9 complexes. The singlet peaks of four methyl protons (coumarin) appeared at 2.45, 2.54(iv) and 2.27, 2.47 (v M_8), 2.29, 2.47 (v M_9) ppm in the ¹H NMR spectra of the ligand and its Zn(II) and Cd(II) complexes respectively. The singlet peaks of four protons (coumarin) appeared at 6.23, 7.92 (iv) and 6.17, 7.87 (v M_8), 6.20, 7.89 (v M_9) ppm in the ¹H-NMR spectra of the ligand and its Zn(II) and Cd(II) complexes respectively. Both the ligand and complexes show a group of multipletat 7.32-7.39(4H) iv, 7.25-7.35(4H) v M_8 and 7.23-7.38(4H) v M_9 for aromatic protons respectively.

The proton NMR spectrum shows two phenolic-OH groups at 10.40 ppm which are absent in the spectra of M(II) complexes. This indicates that the deprotonated phenolic-O atom is involved in chelation.

The chemical shift	data of the ligands and their	metal complexes are	presented in Table 6 and 7.
Table 6 :- H NMR	spectral data of Schiff bas	e ligands and their n	netal complexes:

And a state spectral wave of schult was a Bands and then include completes.											
	δ	δ	δ	δ	δ	δ	δ	δ	δ	δ	δ (Ο-
	(N=C-	(Cou-	(Ar-	(H_2O)	(Cou-	(Ar-	(Ar-	(Ar-	(Cou-	(N=C-	H)
Compound	CH ₃)	CH ₃)	CH ₃)		H)	H)	H)	H)	H)	H)	
C ₂₇ H ₂₄ N ₂ O ₄	1.03	2.34	2.56	-	6.38	6.96	7.07	7.3-	7.95	8.67	11.27
(iiib								7.4			
$C_{27}H_{22}N_2O_4Zn(H_2O)_2$	1.01	2.22	2.37	4.72	6.32	6.80	7.00	7.4-	7.85	8.27	-
(iiic M ₃)								7.5			
$C_{27}H_{22}N_2O_4Cd(H_2O)_2$	1.02	2.20	2.33	4.54	6.18	6.81	7.01	7.2-	7.78	8.58	-
(iiic M ₄)								7.3			

Table 7:- ¹	^I H NMR spectral	data of Schiff b	base ligands and	their metal complexes:
------------------------	-----------------------------	------------------	------------------	------------------------

	δ	δ	δ			δ	δ	δ
	(N=C-	(Cou-	(Ar-	δ (H ₂ O)	δ (Cou-	(Ar- H)	(Cou-	(O-H)
Compound	CH ₃)	CH ₃)	CH ₃)		H)		H)	
$C_{32}H_{28}N_2O_6$	1.05	2.45	2.54	-	6.23	7.32-	7.92	10.40
(iv)						7.39		
$C_{32}H_{30}N_2O_8Zn(H_2O)_2$	1.00	2.27	2.47	4.51	6.17	7.25-	7.87	-
(v M ₈)						7.35		
$C_{32}H_{30}N_2O_8Cd(H_2O)_2$	1.01	2.29	2.47	4.60	6.20	7.23-	7.89	-
(v M ₉)						7.38		

Mass spectral studies:-

The mass spectra of Schiff base ligands (iiib, iv) exhibited parent peaks due to molecular ions (M^+). The proposed molecular formula of these complexes was confirmed by comparing their molecular formula weights with m/z values. The mass spectrum for the Schiff base ligands iiib and iv (Figure 3) showed a molecular ion peak at m/z = 440, 536 respectively.



Figure 3:-Mass spectrum of ligand ligand di[1,2-7-hydroxy-6-(1-imino-ethyl)]-4,8-dimethyl-chromen-2one]benzene(iv):

Thermal analysis:-

In the present investigation, heating rates were suitably controlled at 10° C min⁻¹under nitrogen atmosphere, and the weight loss was measured from the ambient temperature up to 800° C. The data are provided in **Table 8**. The TGA and DTG curve of complex **iiic** M₁ is given in **Figure 4**. The weight loss for each chelate was calculated within the corresponding temperature ranges.

The stages of decomposition, temperature range, decomposition products as well as observed and calculated mass loss percentages of all the complexes are illustrated in **table 8**.

				% Weight		% Weight No. of % Residue		sidue	
Cl.	D	Temp.	Degra-		ss	Moles	<u></u>	F (NT- 4
Complex	Process	range $(^{\circ}C)$	dation Products	Calcd	Expt		Calcd	Expt	Nature
$C_{27}H_{22}N_2O_4Co(H_2O)_2$	Ι	120-180	H ₂ O	5.5	5.8	2	12.10	10.7	CoO
(iiic M ₁)	II	185-340	Ligand	82.4	83.5	1			
C ₂₇ H ₂₂ N ₂ O ₄ Ni(H ₂ O) ₂	Ι	80-170	H ₂ O	5.5	6.4	2	12.4	10.47	NiO
(iiic M ₂)	II	175-330	Ligand	82.08	83.45	1			
$C_{27}H_{22}N_2O_4Zn(H_2O)_2$	Ι	115-156	H ₂ O	5.4	5.8	2	8.00	8.70	ZnO
(iiic M ₃)	Π	290-398	Ligand	86.6	85.5	1			
$C_{27}H_{22}N_2O_4Cd(H_2O)_2$	Ι	110-185	H ₂ O	4.6	5.10	2	20.10	20.34	CdO
(iiic M ₄)	II	250-480	Ligand	74.82	74.56	1			
$C_{27}H_{22}N_2O_4Cu(H_2O)_2$	Ι	157-230	H ₂ O	5.4	6.3	2	7.7	8.2	CuO
(iiic M ₅)	II	270-420	Ligand	86.9	85.5	1			
C ₃₂ H ₃₀ N ₂ O ₈ Co(H ₂ O) ₂	Ι	100-170	H ₂ O	5.71	6.02	2	9.22	9.98	CoO
(v M ₆)	II	180-320	Ligand	85.07	84.0	1			
$C_{32}H_{30}N_2O_8Ni(H_2O)_2$	Ι	125-160	H ₂ O	5.61	6.50	2	9.37	9.00	NiO
(v M ₇)	Π	265-450	Ligand	85.02	84.50	1			
$C_{32}H_{30}N_2O_8Zn(H_2O)_2$	Ι	150-210	H ₂ O	5.66	5.51	2	10.07	10.49	ZnO
(v M ₈)	II	295-520	Ligand	84.27	84.0	1			
$C_{32}H_{30}N_2O_8Cd(H_2O)_2$	Ι	110-180	H ₂ O	6.71	6.50	2	14.7	15.15	CdO
(v M ₉)	Π	280-445	Ligand	78.59	78.35	1			
$C_{32}H_{30}N_2O_8Cu(H_2O)_2$	Ι	155-205	H ₂ O	5.67	5.00	2	9.79	11.50	CuO
(v M ₁₀)	II	270-430	Ligand	84.54	83.50	1			

Table 8:-Stepwise thermal degradation data obtained from TGA curves and their composition.



Figure 4:-TG curves of cobalt complex of 7-hydroxy-6-(1-{2-[(2-hydroxy-5-methyl-benzylidene)-amino]phenylimino]-ethyl)-4,8-dimethyl-chromen-2-one (iiic M₁)

Racah parameters:-

For the octahedral complexes the ligand field parameters Dq, B and C were found (**Table 9**) by solving the secular equation and possible to simplify the problem to that of solving a quadratic equation in Dq, v_1 , v_2 , v_3 and v_4 only. These parameters indicate the significant covalent character of the metal ligand bonds.

There's There are a burning of Science was compression									
Complex	λ_{\max} (nm)	Dq (nm)	B (nm)	C(nm)					
$C_{27}H_{22}N_2O_4Co(H_2O)_2$	270, 325, 430	27.0	44.9						
(iiic M_1)									
$C_{27}H_{22}N_2O_4Ni(H_2O)_2$	330, 380, 420, 470	33.0	46.53	78.0					
(iiic M_2)									
$C_{27}H_{22}N_2O_4Cu(H_2O)_2$	310, 350, 460	31.0	47.8						
(iiic M ₅)									
$C_{32}H_{30}N_2O_8Co(H_2O)_2$	280, 340, 460	28.0	47.73						
(v M ₆)									
$C_{32}H_{30}N_2O_8Ni(H_2O)_2$	380, 390, 460, 480	38.0	49.00	81.0					
(v M ₇)									
$C_{32}H_{30}N_2O_8Cu(H_2O)_2$	350, 430, 490	35.0	54.3						
(v M ₁₀)									

Table9:- Ligand field parameters of Schiff base complexes.

Biology:-

The antimicrobial screenings of the synthesized compounds were undertaken using disc diffusion method. The screening results of the tested compounds against the gram positive bacteria, gram negative bacteria in addition to the pathogenic fungi microorganisms are summarized in **Table 10-13**.

The obtained data revealed that most of the compounds showed moderate to excellent activities against the tested microorganisms. Complexes ivM_1 , ivM_3 , ivM_9 , ivM_2 , ivM_4 and ivM_{10} were shown maximum zone of inhibition in both the bacterial and fungal strains compared to remaining compounds in the series with respect to standard Streptomycin and Ciprofloxacin in the case of bacterial, Fluconazole and Ketoconazole with respect to fungal strains. A comparative study of ligand and their metal complexes indicates that some of the metal chelates exhibits higher antimicrobial activity than the free ligands. The increase in antimicrobial activity of metal chelates is due to the presence of metal ion in the complexes.

	Zone of inhibition in mm							
Compound								
Compound	M	S S	S	E.	S	S	P	и К
	luteu	aureus(MRS	aureu	erogen	tvphimuriu	Paratyph	vulgar	pneumon
	S	A)	S	es	m	i-B	is	ia
$C_{31}H_{30}N_2O_2$	9	8	9	10	8	8	10	9
(iiia)								
C ₃₁ H ₂₈ N ₂ O ₂ Co(H ₂ O) ₂	23	23	21	21	15	15	15	24
(ivM ₁)								
$C_{31}H_{28}N_2O_2Ni(H_2O)_2$	15	12	23	21	15	13	73	17
(ivM ₃)								
$C_{31}H_{28}N_2O_2Zn(H_2O)_2$	14	15	13	17	11	14	11	8
(ivM ₅)								
$C_{31}H_{28}N_2O_2Cd(H_2O)_2$	10	8	8	9	15	9	12	8
(ivM ₇)								
$C_{31}H_{28}N_2O_2Cu(H_2O)_2$	21	23	23	21	17	16	21	13
(ivM ₉)								
$C_{29}H_{24} N_2O_2Cl_2$	10	9	8	9	10	10	9	8
(iiib)								
$C_{29}H_{22}N_2O_2Cl_2Co(H_2$	19	23	26	25	24	19	21	21
O) ₂								
(ivM ₂)								
$C_{29}H_{22}N_2O_2Cl_2Ni(H_2)$	19	24	25	21	18	19	19	21
$(\mathbf{O})_2$								
(ivM_4)				10	10			1.
$C_{29}H_{22}N_2O_2Cl_2Zn(H_2)$	9	16	16	10	10	9	11	12
$(\mathbf{O})_2$								
$(1VM_6)$	11	10	10	15	12	14	0	11
$C_{29}H_{22}N_2O_2Cl_2Cd(H_2)$	11	13	18	17	13	14	9	11
$(\mathbf{O})_2$								
$(1VIN_8)$	1		- 21				1	22
$C_{29}H_{22}N_2O_2CI_2CU(H_2)$	21	23	21	23	21	21	21	23
$(\mathbf{i}_{\mathbf{W}}\mathbf{M})$								
(IVIVI10) Strontomycin	24	23	25	27	26	25	21	24
Sucptomychi	24	23	20	47	20	43		24
1	1	1	1	1	1	1		1

Table10:-In-vitro antibacterial activity of compounds ivM_1 - ivM_{10}

Table 11:-Minimum inhibitory concentration (µg/ ml).

Tuble III Minimum n		concentre	(mg						
					-				
Compounds		Gram positive bacteria				Gram negative bacteria			
	М.	S.	S.	E.aeroge	S. S. P.			К.	
	luteu	aureus	aureu	ns	typhimuriu	Paratyph	vulgari	pneumoni	
	S	(MRSA	S		m	i-B	S	a	
)							
C ₃₁ H ₂₈ N ₂ O ₂ Co(H ₂ O) ₂	16.52	30.15	62.5	16.52	16.52	125	16.52	62.5	
(ivM_1)									
$C_{31}H_{28}N_2O_2Ni(H_2O)_2$	30.15	62.5	16.52	125	30.15	125	62.5	16.52	
(ivM ₃)									
$C_{31}H_{28}N_2O_2Cu(H_2O)_2$	62.5	125	16.52	62.5	30.15	500	125	500	

(ivM ₉)								
$C_{29}H_{22}N_2O_2Cl_2Co(H_2$	16.52	125	62.5	62.5	30.15	125	125	500
O) ₂								
(ivM_2)								
$C_{29}H_{22}N_2O_2Cl_2Ni(H_2O)$	125	62.5	16.52	125	30.15	125	62.5	16.52
)2								
(ivM ₄)								
$C_{29}H_{22}N_2O_2Cl_2Cu(H_2)$	30.15	16.52	16.52	62.5	16.52	125	16.52	62.5
O) ₂								
(ivM_{10})								
Streptomycin	6.25	>100	6.25	25	30	6.25	ni	6.25
Ciprofloxacin	<0.78	>100	<0.78	>100	>100	<0.78	6.25	<0.78

Table 12:- In-vitro antifungal activity of compounds ivM_1 - ivM_{10} .

	Zone of inhibition in mm							
Compounds	B. cinerea	cinerea C. albicans M. pachydermatis						
$C_{31}H_{30} N_2O_2$	8	9	11	10				
(iiia)								
$C_{31}H_{28}N_2O_2Co(H_2O)_2$	16	23	21	16				
(ivM ₁)								
$C_{31}H_{28}N_2O_2Ni(H_2O)_2$	15	21	24	15				
(ivM ₃)								
$C_{31}H_{28}N_2O_2Zn(H_2O)_2$	8	10	12	14				
(ivM ₅)								
$C_{31}H_{28}N_2O_2Cd(H_2O)_2$	11	21	9	14				
(ivM ₇)								
$C_{31}H_{28}N_2O_2Cu(H_2O)_2$	13	20	19	13				
(ivM ₉)								
$\mathbf{C}_{29}\mathbf{H}_{24}\ \mathbf{N}_{2}\mathbf{O}_{2}\mathbf{Cl}_{2}$	8	8	9	10				
(iiib)								
$C_{29}H_{22}N_2O_2Cl_2Co(H_2O)_2$	16	23	23	17				
(ivM ₂)								
$C_{29}H_{22}N_2O_2Cl_2Ni(H_2O)_2$	13	22	24	18				
(ivM ₄)								
$C_{29}H_{22}N_2O_2Cl_2Zn(H_2O)_2$	13	15	10	11				
(ivM ₆)								
$C_{29}H_{22}N_2O_2Cl_2Cd(H_2O)_2$	8	10	11	12				
(ivM ₈)								
$C_{29}H_{22}N_2O_2Cl_2Cu(H_2O)_2$	15	22	20	18				
(ivM ₁₀)								
Ketoconazole	17	24	25	19				

Table13:-MIC (mg/ml) of compounds against tested fungi.

	Minimum inhibitory concentration (µg/ ml)							
Compounds	B.	C. albicans	M. pachydermatis	С.				
	cinerea			krusei				
$\begin{array}{c} C_{31}H_{28}N_2O_2Co(H_2O)_2 \\ (ivM_1) \end{array}$	16.52	135	30.15	135				
$\begin{array}{c} C_{31}H_{28}N_2O_2Ni(H_2O)_2 \\ (ivM_3) \end{array}$	60.5	135	30.15	16.52				
$\begin{array}{c} C_{31}H_{28}N_2O_2Cu(H_2O)_2 \\ (ivM_9) \end{array}$	16.52	30.15	135	60.5				

$C_{29}H_{22}N_2O_2Cl_2Co(H_2O)_2$	16.52	135	30.15	60.5
(ivM_2)				
$C_{29}H_{22}N_2O_2Cl_2Ni(H_2O)_2$	135	60.5	30.15	16.52
(ivM_4)				
$C_{29}H_{22}N_2O_2Cl_2Cu(H_2O)_2$	16.52	30.15	60.5	60.5
(iv M ₁₀)				
Fluconazole	ni	>100	13.5	13.5
Ketoconazole	25	25	15	15

ni = no inhibition.

Significant MIC values were observed against gram positive; gram negative bacteria and antifungal activity are summarized in **Table 10-12**. Compounds ivM_1 , ivM_2 , ivM_5 , ivM_6 , ivM_7 and ivM_{10} exhibited good MIC result among the series. In comparison, compound ivM_6 , ivM_7 and ivM_{10} with halogen substituted is more potent and showed better activity for most of the tested bacteria and fungi.

Conclusion:-

A series of metal (II) complexes have been synthesized from the Schiff base. The ligand (iiib, iv) and their complexes (iiic M_1-M_5 , v M_6-M_{10}) were characterized by analytical and spectral techniques like IR, ¹H NMR, UV-VIS, elemental analysis, molar electric conductance, magnetic susceptibility and thermal studies. Molar conductance values in DMF indicate the non-electrolytic nature of the complexes. Mass spectral data are in agreement with the structures confirmed by other spectroscopic techniques.

The antimicrobial activity of synthesized complex compounds was screened against eight bacteria and four fungi using in vitro disc diffusion method respectively. The results revealed that most of the synthesized complex compounds exhibited good biological activities due to the presence of metal ion in the complexes.

References:-

- 1. S.K. Mandal, K. Nag, J. Chem. Soc. Dalton Trans. 1983.
- 2. A. VinodShelke, M. SarikaJadhav, et al. Journal of the Korean Chemical Society. 2011, 55, 3.
- 3. D.L. Pavia, G.M. Lampman, et al. *Introduction to Spectroscopy*. 3rd ed., Harcourt College Publishers, New York, 2007.
- 4. N. Nishat, Rahis-ud-din, et al. Transition Met. Chem. 2003, 28, 948.
- 5. M.B.H. Howlader, C.M. Zakaria, et al. Jahangirnagar Univ J Sci. 2007, 30, 43.
- 6. O.A. Weber, T.W. Robinson, et al. J. Inorg. Nucl.Chem. 1971, 33, 2097.
- 7. L.D.L. Durantaye, T. Mc Cormick, et al. Dalton Trans. 2006, 66, 5675.
- 8. H.C. Lin, C.C. Huang, et al. Dalton Trans. 2007, 7, 781.
- 9. S. Basak, S. Sen, et al. Polyhedron. 2007, 26, 5104.
- 10. S. Alghool, H.F. Abd El-Halim et al. J. Mol. Struct. 2010, 983, 32.
- 11. A. Garoufis, S.K. Hadjikakou, et al. Coord. Chem. Rev. 2009, 253, 1384.
- 12. H. Naeimi, K. Rabiei, et al. Dyes Pigm. 2007, 75, 294.
- 13. H. Nishihara, Bull. Chem. Soc. Japan. 2004, 77, 407.
- 14. M. Badea, A. Emandi, et al. J. Therm. Anal. Calorim. 2003, 72, 525.
- 15. E. Ispir, Dyes Pigm. 2009, 82, 13.
- 16. R. Asgari-sabet, H. Khoshsima, Dyes Pigm. 2010, 87, 95.
- 17. Y.D. Kim, J.H. Cho, et al. Dyes Pigm. 2011, 89, 1.
- 18. A.M.A. Alaghaz, H.A. Bayoumi, et al. J. Mole. Struct. 2013, 1035, 383.
- 19. M.S. Asha, A. Bushra Begum A, Chem. Sci. Rev Lett. 2014, 3, 11, 735-746.
- 20. A.S. Munde, S.G. Shirodkar, et al. Journal of the Korean Chemical Society. 2009, 53, 407.
- 21. P.R. Murray, E.J. Baron, et al. Manual of Clinical Microbiology. 1995, 6, 118.
- 22. V. Duraipandiyan, S. Ignacimuthu, J. Ethnopharmacol. 2009, 123, 494.
- 23. Dilution Antifungal Susceptibility Testing of Filamentous Fungi, Approved Standard Second Edition CLSI document M38-A2. Clinical and Laboratory Standards Institute, USA. **2008**, 28, 1.
- 24. A. Sreekanth and M.R.P. Kurup, Polyhedron, 2003, 23, 3321.
- 25. R. N. Prasad, M. Mathur, et al. J. Indian Chem. Soc. 2007, 84, 1202.

- 26. J.A. Faniran, K.S. Patel, et al.J. Inorg. Nucl. Chem. 1974, 36, 1547.
- 27. A.VinodShelke, Sarika M. et al. Journal of the Korean Chemical Society. 2011, 55, 3.
- 28. S.K. Mandal, K. Nag, J. Chem. Soc. Dalton Trans. 1983.
- 29. A. VinodShelke, M. SarikaJadhav, et al. Journal of the Korean Chemical Society. 2011, 55, 3.
- 30. D.L. Pavia, G.M. Lampman, et al. *Introduction to Spectroscopy*, 3rd ed., Harcourt College Publishers, New York, 2007.
- 31. N. Nishat, Rahis-ud-din, et al. Transition Met. Chem. 2003, 28, 948.
- 32. M.B.H. Howlader, C. M. Zakariaet al. Jahangirnagar Univ J Sci, 2007, 30, 43.
- 33. D. P. Singh, V. Malik, et al. Russ. J. Coord. Chem. 2009, 35, 740.
- 34. S. Chandra, R. Kumar, Transition Met. Chem. 2004, 29, 269
- 35. D.P. Singh, V. Malik, et al. Russ. J. Coord. Chem. 2009, 35, 740.
- 36. D.P. Singh, K. Kumar, et al. J. Enzym, Inhib. Med. Chem. 2009, 24, 795.
- 37. M. Yamashita, J.B. Fenn, J. Phys. Chem. 1984, 88, 4451.
- 38. K. Abe, K. Matsufuji, et al. Inorganic Chemistry. 2002, 41, 4461.
- 39. S. Chandra, L.K. Gupta. Spectrochim. Acta A. 2005, 61, 269.