



ISSN NO. 2320-5407

Journal homepage: <http://www.journalijar.com>

INTERNATIONAL JOURNAL
OF ADVANCED RESEARCH

RESEARCH ARTICLE

Physico Chemical Analysis Of Ground Water In Chirimiri Area Of Korea District, Chhattisgarh

Pratima Rani Dwivedi¹ Dr. M. R. Augur² Dr. Anita Agrawal³

1. Research scholar Dept. of Chemistry, Dr. C.V. Raman University, Bilaspur, C.G.
2. Asstt. Prof., Dept of Chemistry, Govt. Agrsen College, Bilha, C.G.
3. Asstt. Prof., Dept. of Chemistry, RITEE, Raipur, C.G.

Manuscript Info

Manuscript History:

Received: 25 April 2014
Final Accepted: 23 May 2014
Published Online: June 2014

Key words:

Ground water, physico-chemical analysis, TH, TDS.

*Corresponding Author

Pratima Rani Dwivedi

Abstract

Ground water is major source of drinking water in rural areas of Korea district. Contamination reported by different studies in ground water of rural areas is a big problem creating health hazards. In present study, groundwater quality of selected 03 areas of Korea district is evaluated using standards methods and procedures of sampling and estimation. Represented water samples have been collected and assessed for their suitability for drinking purpose. The various physical and chemical parameters are studied are pH, Total dissolved solids, Total hardness, Total alkalinity, calcium, magnesium and iron. The present study revealed that the physico-chemical characteristics of the samples were within the permissible drinking water standards limits prescribed by W.H.O. The quality of ground water is suitable for drinking purpose in terms of physical and chemical characteristics.

Copy Right, IJAR, 2014. All rights reserved.

INTRODUCTION

Water plays an essential role in human life. Although statistics, the WHO reports that approximately 36% of urban and 65% of rural Indian were without access to safe drinking water. Fresh water is one of the most important resources crucial for the survival of all the living beings. It is even more important for the human being as they depend upon it for food production, industrial and waste disposal, as well as cultural requirement. Human and ecological use of ground water depends upon ambient water quality. Human alteration of the landscape has an extensive influence on watershed hydrology. Ground water plays a vital role in human life. The consequences of urbanization and industrialization leads to spoil the water for agricultural purposes ground water is explored in rural especially in those areas where other sources of water like dam and river or a canal is not considerable. During last decade, this is observed that ground water get polluted drastically because of increased human activities. Consequently number of cases of water borne diseases has been seen which a cause of health hazards. An understanding of water chemistry is the bases of the knowledge of the multidimensional aspect of aquatic environmental chemistry which involves the source, composition, reactions and transportation of water. The quality of water is of vital concern for the mankind since it is directly linked with human welfare. It is a matter of history that facial pollution of drinking water caused water-borne diseases which wiped out entire population of the studied area. The present work is an attempt to measure the water quality of southern Korea district, Chhattisgarh, India.

STUDY AREA

The study area comprises of Korea district of Chhattisgarh state. Korea is one of the North-West District of Chhattisgarh State. Korea district's administrative head quarter located in Baikunthpur town. The District came into existence on 25th May 1998 in Madhya Pradesh State. Its parent District was Surguja. After the formation of New State of Chhattisgarh on 1st November 2000, the District falls under the Chhattisgarh State. The District has derived its Name from the Korea State, the former princely State Korea.

Geographical location of Experimental Site:

Korea district is situated between 23° 02'42'' to 23° 44'46'' north Latitude and between 81°46'42'' to 82°33'43'' east Latitude and 176.362 mts above from sea level. It is situated on the bank of Hasdeo River. The population of Korea district is about 659,039. It gets around 939.0mm rainfall a year.

The present piece of investigation is concerned with the studies of 3 community surface, dug wells as well as and bore wells of 10 wards of Korea district. Much information is not available on the water quality, pollution load and biotic community structure of these water sources. So keeping all these facts in mind 3 community were chosen for detailed study.

S.N.	Community	Wards	Sample Number
1	Haldibadi	Ward number 13 Ward number 14 Ward number 15 Ward number 16	W S-1 W S-2 W S-3 W S-4
2	Godripara	Ward number 32 Ward number 33 Ward number 34	W S-5 W S-6 W S-7
3	Dumanhill	Ward number 42 Ward number 43 Ward number 44	W S-8 W S-9 W S-10

WATER SAMPLING

Ten ground water samples were collected randomly from the study area during the raining season in the months of april and may 2012 at monthly intervals. The samples were collected from boreholes which are being used extensively for drinking and other domestic purposes. The water samples were collected using previously cleaned polythene bottles. The water samples are chemically analyzed. The analysis of water was done using procedure of standard methods.

PHYSICOCHEMICAL ANALYSIS:

All the samples were analyzed for the following physicochemical parameters; pH, temperature, turbidity, Electrical Conductivity (EC), Total Dissolved Solid (TDS), Total Alkalinity(TA), Chloride, Total Hardness(TH), Ca hardness, Mg hardness, Dissolved Oxygen(DO), Biological Oxygen Demand (BOD), Chemical Oxygen Demand(COD), Nitrate, Fluoride, Phosphate, Sulphate. The physicochemical analysis of water samples were carried out in accordance to standard analytical methods.

RESULTS AND DISCUSSION

The data obtained from the current investigation showed in table no.1 which was followed.

Temperature

The temperature of groundwater sample slightly varied ranged from 25.11 to 27.31

PH

The pH of the groundwater samples were about neutral, the ranged from 7.02 to 7.85.

Turbidity

Turbidity of groundwater samples obtained from 2.1 to 6.2 which showed limits under the CPCB.

TDS

Total dissolved solids are a measure of total inorganic substances dissolved in water . TDS indicates the general nature of water quality or salinity. During the study TDS is found between ranged 546 mg/l to 907 mg/l. The TDS concentration was found to be above the permissible limit may be due to the leaching of various pollutants into the ground water which can decrease the potability and may cause gastrointestinal irritation in human and may also have laxative effect particularly upon transits . Similar results also reported by Olaniya and Saxena .

Alkalinity

The total alkalinity was found to be in the range of 76 to 198 mg/l in ground water samples which are caused mainly due to OH, CO₃, HCO₃ ions.

Chlorides

The value of chloride obtained 121 to 285 mg/l as presented in table which is further compared with the standard values 250 mg/l. Department of National Health and Welfare, Canada reported that chloride in ground water may result from both natural and anthropogenic sources such as run-off containing salts, the use of inorganic fertilizers, landfill leachates, septic tank effluents, animal feeds, industrial effluents, irrigation drainage and seawater intrusion in coastal areas. Chloride is not harmful to human at low concentration but could alter the taste of water at concentration above 250 mg/l .

Total Hardness

The total hardness of ground water samples were found in the range of 150 up to 307 mg/l which is further compared with the standard value ranged 300 mg/l. Water hardness is usually due to the multivalent metal ions, which comes from minerals dissolved in the water. However, Dzik has reported an inverse relationship between water hardness and cardiovascular disease.


Calcium and Magnesium hardness

Calcium and Magnesium hardness of groundwater samples were found maximum in sample no. 2 and 7 and minimum in sample no. 5 and 6 respectively which are further compared with the standard value of CPCB.

Table No. 1

S.N.	Parameter	W S 1	W S 2	W S 3	W S 4	W S 5	W S 6	W S 7	W S 8	W S 9	WS 10
1	Temperature	25.42	25.21	27.13	26.39	25.11	25.89	26.81	27.31	27.21	26.81
2	pH	7.81	7.02	7.85	7.61	7.23	7.11	7.43	7.59	7.68	7.77
3	Turbidity (NTU)	6.0	4.2	5.9	3.2	2.1	5.7	4.1	6.2	5.7	5.2
4	TDS(mg/l)	896	790	837	879	546	874	756	907	751	869
5	T.A.(mg/l)	189	167	121	98	76	101	113	198	129	106
6	Cl (mg/l)	140	285	213	109	121	148	169	252	278	201
7	TH(mg/l)	295	307	280	298	150	200	197	247	261	219
8	Ca (mg/l)	110	265	145	234	102	167	129	196	201	182
9	Mg (mg/l)	58	42	35	64	48	33	68	51	59	37
10	DO(mg/l)	4.12	3.9	4.01	3.91	5.13	4.97	6.29	6.23	4.57	4.08
11	BOD(mg/l)	1.3	1.9	1.7	2.1	3.8	2.3	1.4	1.2	1.1	3.6
12	COD(mg/l)	9.2	5.7	2.8	11.6	9.4	23.6	12.3	8.9	13.7	12.4
13	NO ₃ (mg/l)	2.1	ND	ND	22.1	6.9	54	ND	7.8	ND	7.17
14	F (mg/l)	1.1	2.2	0.1	0.5	ND	ND	0.7	ND	0.2	0.9
15	PO ₄ (mg/l)	0.01	ND	ND	0.01	0.05	ND	ND	0.07	ND	0.02
16	SO ₄ (mg/l)	11.2	6.9	2.9	8.1	12.7	122	46	171	49	78

*WS- Water sample. ND: Not Detectable

Figure1 - Location of Chhattisgarh in India & Korea in C.G.**Figure 2- Map of Korea****Dissolved Oxygen**

DO of ground water samples were found in the range of 4.22 to 5.74 mg/l. due to the capacity of water to hold oxygen.

Biological Oxygen Demand

The BOD ranges values from 1.4 to 3.8 mg/l. which represent the amount of oxygen that microbes need to stabilize biologically oxidizable matter.

Chemical Oxygen Demand

The chemical oxygen demand ranged from 2.9 to 34.2 mg/l. The test is commonly used to indirectly measure the amount of organic compounds in water. Most applications of COD determine the amount of organic pollutants found in surface water, making COD a useful measure of water quality .

Nitrate

The concentration of nitrate was found in water sample up to 54 mg/l. Although only one sample no. 6 exceeds the permissible limit but it shows a moderately high concentration. Jawad et al, have also reported increase in nitrate concentration in ground water due to waste water dumped at the disposal site and likely indicate the impact of leachate .

Fluoride

The concentration of fluoride in the studied water samples ranged from 0.01 to 1.1 mg/l. The concentration of fluoride at low concentration in ground water has been considered beneficial but high concentration may causes dental fluorosis (tooth mottling) and more seriously skeletal fluorosis .

Phosphate

Phosphate concentration showed under the permissible limit varied up to 0.05 mg/l.

Sulphate

Concentration of sulphate in water sample ranged from 2.9 mg/l to 171 mg/l. Sulfate is a nontoxic anion but ailment like catharsis, dehydration and gastrointestinal irritation have been linked with it when concentration is high .

CONCLUSION

On the basis of current investigation we can conclude that the ground water of all areas most of the under permissible limit of CPCB but some of the achieving near permissible limit, so far there we can follow the safety recommend the following. The study assessed the evolution of water quality in ground water of Korea district near MSW. A comparative study of ground water i.e. bore well and hand pump water carried out by taking certain important parameters like pH, TDS, TA, COD, Nitrate, Cl⁻, PO₄, F⁻ etc. In this investigation it was found that the maximum parameters were not at the level of pollution except few parameters like nitrate, TDS and TH in ground water. So ground water of this district is satisfy the requirement for the use in.

REFERENCES

1. Abbasi, S.A. and Vinithan. S, Water quality in and around an industrialized suburb of Pondicherry. The Indian Journal of Environmental Sciences and Health, 1999, 41(4): 253-263.
2. Akujieze, C.N. Coker, S.J. and Oteze, G.E. Groundwater in Nigeria- a millennium experiencedistribution, practice, problems and solutions. Hydrology Journal, 2003 1: 259-274.
3. APHA, Standard Methods for the Examination of Water and Waste Water, 21th edition, American Public Health Association, Washington DC, 2005.
4. APHA Standard Method for the Examination of Water and Wastewater, 17th edition, American Public Health Association, Washington DC, 2002.
5. Badmus, B.S. Leachate contamination effect on ground water exploration. African Journal of Environmental Studies, 2001, 2: 38-41.
6. Bresline, E. Sustainable water supply in developing countries. Geological Society of American Paper, 2007, 1: 194.
7. Department of National Health and Welfare, Canada. Guidelines for Canadian Drinking Water Quality.Supporting documentation. DNHW: Ottawa, Canada, 1978.
8. Engle, C.E. Cogger, G.C. and Stevens, G.R. Role of soil in ground water protection WSU Coop. Ext. Bull. 376EB1633, 1993.
9. Fatta, D.A. Papadopoulos and Loizidou, M. A study on the landfill leachate and its impact on the groundwater quality of the greater area. Environmental Geochemistry and Health, 1999, 21(2): 175-190.
10. Iqbal, M.A. and Gupta, S.G. Studies on Heavy Metal Ion Pollution of Ground Water sources as an Effect of Municipal Solid Waste Dumping. African Journal of Basic and Applied Sciences, 2009, 1(5-6): 117-122.
11. Ikem, A.O. Osibanjo, M.K.C. Sridhar, and Sobande, A. Evaluation of Groundwater Quality Characteristic near Two waste Sites in Ibadan and Lagos, Nigeria. Water, Air, and Soil Pollution, 2002, 140: 307-333.
12. Jothivenkatachalam, K. Nithya, A. and Chandra Mohan, S. Correlation analysis of drinking water quality in and Perur block of Coimbatore District, Tamil Nadu, and India. Rasayan Journal of Chemistry, 2010, 3(4): 649-654.
13. MacDonald, A. Davis, J. Calow, R. and Chilton, J. Developing groundwater: A guide torual water supply, ITDG publishing, 2005.
14. Mackey, R. Ground water quality in Thannah and Biswas, A.K (Eds.) environmentally sound water management, Oxford University Press, 1990.

15. Punmia, B.C. and Jain, A. K. Wastewater Engineering, Laxmi Publications (P) Ltd, New Delhi, 1998.
16. Longe, E.O. and Balogun, M.R. Ground water Quality Assessment near a Municipal Landfill, Lagose, Nigeria. Research Journal of Applied Sciences, Engineering and Technology, 2010, 2(1): 39-44.
17. WHO (World Health Organization) Guideline for drinking water quality, 2nd ed., Vol 2 Health criteria and other supporting information, World Health organization, Geneva, 1997, 940-949.