

Single case study on Adolescent obesity- An Ayurvedic Management

ABSTRACT

Western Lifestyle has influenced young adults resulting in obesity .According to W.H.O obesity is the fifth leading risk for global deaths. Many diseases arise due to obesity like Diabetes, Hypertension, Heart disease, etc. In Ayurveda obesity can be correlated with Sthaulya or Medoroga . A 13-year-old male child was brought to Dr. D. Y. Patil Ayurveda hospital Balrog OPD with complaints of weight gain, increased perspiration ,lethargy and was given ayurvedic management and was found to have reduction in weight ,increase in energy levels , decrease in perspiration .

INTRODUCTION

According to W. H.O., overweight and obesity are the fifth leading risk for global deaths. The worldwide prevalence of obesity nearly tripled from 1975 to 2016.¹ About 13% of the world's adult population was obese.² Overweight and obesity are linked to more death worldwide than overweight. ³ Acharya Charaka has described eight types of censurable persons of which Atikrisha (very emaciated) and Atisthula (very corpulent) are more significant. Atisthula or an obese person needs more attention because it is considered as Krichchhrasadhya – as a difficult to treat disease or person and has more complications than a very emaciated person.⁴

Childhood obesity has reached epidemic levels in developed as well as in developing countries. Overweight and obesity in childhood are known to have significant impact on both physical and psychological health. Overweight and obese children are likely to stay obese into adulthood and more likely to develop non-communicable diseases like diabetes and cardiovascular diseases at a younger age.⁵ The world is undergoing a rapid epidemiological and nutritional transition characterized by persistent nutritional deficiencies, as evidenced by the prevalence of stunting, anemia, and iron and zinc deficiencies. Concomitantly, there is a progressive rise in the prevalence of obesity, diabetes and other nutrition related chronic diseases (NRCDS) like obesity, diabetes, cardiovascular disease, and some forms of cancer. It is emerging convincingly that the genesis of Type 2 Diabetes and Coronary Heart Disease begins in childhood, with childhood obesity serving as an important factor . There has been a phenomenal rise in proportions of children having obesity in the last 4 decades, especially in the developed world. Childhood obesity is associated with a higher chance of obesity, premature death and disability in adulthood. But in addition to increased future risks, obese children experience breathing difficulties, increased risk of fractures, hypertension, early markers of cardiovascular disease, insulin resistance and psychological effects⁶ Studies emerging from different parts of India within last decade are also indicative of similar trend . Childhood obesity is one of the most serious public health challenges of the 21st century.

47

48 MATERIALS & METHODS (TABLE 1)

49

Medicine	Strength	Time	Duration
Tab Arogyavardhini vati	400 mg	2 times a day	30 days
Tab Shankh vati		2 times a day	7 days
Tab medohar guggul	380 mg	2 times a day	60 days
Tab krumikuthar ras		2 times a day	30 days
Udwartana with triphala churna		All over body 30 min daily	15 days
Lekhan basti			8 days

50

51

52 CASE REPORT

53 A 13-year male child was brought to balrog OPD by grandfather on 10/05/2023 with OPD no-
54 1006858 With complaints of weight gain , generalized weakness , increased perspiration since
55 two and half years . No history of Any surgical or medical illness. No any Known Family history
56 of Sthaulya or obesity and systemic disease . Patient having history of gradual weight gain since
57 last two and half years, he had tried to loose weight with many other therapies but not reduced
58 weight. The patient is vegetarian & he frequently eats junk food like as pizza burger 2-3 times
59 a weak .Patient was neither playing or going for any outdoor games .Patient had the habit of
60 screening till late night and therefore poor sleep quality . Patient was vata Pradhan kapha Prakriti
61 .On first visit patient was afebrile, with pulse rate -86/min, SPO2 -98 % on RA , BP - 110/70 mm
62 of Hg, Air Entry bilaterally equal & normal . There was no abnormality detected in
63 cardiovascular systemic examination .

64 According to Ayurveda following symptoms of medoroga were observed -Javoparodha (Lack of
65 enthusiasm) ,Daurbalya (General debility) ,Daurgandhya (Foul smelling of body), Swedabadha
66 (Distressful sweating) ,Kshudhatimatra (Excessive hunger) ,Pipasatiyoya (Excessive thirst)

67 His Height was 156 cm and weight was 74 kg therefore BMI is =30.0 m² . According to IAP
68 growth charts he was in 97 percentile

69 In this case rasavaha , mamsavaha , medovaha strotodushti was observed mentioned in

70 (Table 2)

Name of Strotas	Dushtilakshana
Raasvaha	Exertional dyspnea (Ayasena swaskasthata) heaviness in body (Gurugatrata) continuous feeling of laziness (Utsahahani)
Mansvaha	Enlargement of Spik and Udara (Increased belly fat and buttocks region fat)
Medovaha	Increased body weight (Gurugatrata) Excessive perspiration (Swedabadha) Polydipsia (Atitrushna) Polyphagia (Atikshuda)

71

72 **Diet was advised as below (Table 3)**

Can have	Don't eat
<ul style="list-style-type: none"> • Home cooked fresh food • Shaak varg (green leafy vegetables) • Phala varga (all seasonable fruits) • Shimbi – mudga , masoor • Shali – puran shali • Shuk dhanya- yava, kulttha • tail – musterd oil • Dugdha varga – takra 	<ul style="list-style-type: none"> • Refined flour • Bakery products • Fermented food • Cheese, curd, paneer • Fast food • Ikshu • Fruit juices

73

74 **Plan of treatment (Table 4)**

Sr no	Duration	Treatment	Drugs
1	(10/05/2023-15/05/2023) 1 to 6 days	Deepan	Shankh vati Tab krumikuthar ras 1—0—1 (till 1 month from 10/05/2023-10/06/2023) After 7 days Tab arogyavardhini vati 1—1—1 (10/05/2023-10/06/2023)

2	(16/05/2023-22/05/2023) Day 6 to day 12	Lekhan basti Udwartana Sarwang swedan – nadi swed	Lekhan basti contains – triphala kwath, gomutra, madhu, yavakshara, for 8 days Udwartana- triphala churna Continue with oral medication (what)
3	(22/05/2023-10/06/2023) Day 12 to day 30	Oral medicine	Tab medohar guggul 1—0—1 Tab aarogya vardhini vati 1—1—1

75

76 **OBSERVATIONS AND RESULTS**


77 Anthropocentric changes before and after treatment

78 (Table 5)

Observations	Before treatment (10/05/2023)	After treatment (10/06/2023)
Weight	74 KG	67 KG
Height	156 CM	156 CM
BMI	30.0 M ²	27.91M ²

79

80



81

82

83 Change in subjective criteria before and after treatment

84 (Table 6)

85

Symptoms	Day 1 (10/05/2023)	Day 2 (17/05/2023)	Day 3 (27/05/2023)	Day 4 (3/06/2023)	Day 5(10/06/2023)
<i>Utsahhani</i> (Always feel lethargic)	+++	+++	++	++	+
<i>Swedadhikya</i> (Excessive perspiration)	++++	+++	+++	++	+
<i>Daurgandhya</i> (Foul smell of body)	++	++	+	+	+
<i>Gurugatrata</i> (Heaviness in body)	++++	++	+	+	+

86 **Nidan panchak-**

87 As far as etiological factors are concerned According to Ayurveda following are observed
88 mentioned in (Table 7)

Nidana · Ahara	Madhur rasa, Snigdhaahar- like milk and milk products and Pistanna-like rice and bakery products (Guru, Snigdha, Sheeta and Abhishyandi)
Vihara	Avyayam, Diwaswap, Achinta
Poorvaroop	Avyakta
Roopa	Weight gain, Excessive sweating, dyspnea on exertion, heaviness in body, continuous feeling of laziness, polydipsia, polyphagia, enlargement of Spik and Udara.
Upashaya	Apatarpan chikitsa
Anupashaya	Santarpana janya ahara

89

90 As far as pathophysiology is concerned it was as below according to Ayurveda

91 Nidana Sevana (Madhura Rasa, Snigdha Ahara, Pistanna sevana, Diwaswap, Avyayama,
92 Achinta) → Kaphadoshavridhhi → Medodhatwagnimandya → Medo dhatu vridhhi → Sthaulyata

93

94 **SAMPRAPTI GHATAK TABLE (Table 8)**

Dosha	Kapha and Vata
Vikalpasamprapti	Guru, Snigdha, Sheeta and Abhishyandi gunas of Kaphadosha
Dushya	meda., mamsa, rasa
Srotasa	Medovaha, Mansavaha, Rasavaha
Srotodustiprakara	Sanga
Rogamarga	Bahya
Vyaktasthana	Sarvashareera

95

96 **DISCUSSION**

97 Obesity in adolescent of major concern as it may lead to Diabetes and Cardiovascular diseases in
98 adulthood. Obesity may lead to depression in adolescent ⁷.Treatment incorporates a respectful,
99 stigma-free and family-based approach involving multiple components, and addresses dietary,
100 physical activity, sedentary and sleep behavior. In adolescents in particular, adjunctive therapies
101 can be valuable, such as more intensive dietary therapies, pharmacotherapy and bariatric
102 surgery⁸.

103 Currently orlistat and metformin are used in childhood obesity ⁹.

104 But it has been observed that it has been associated with gastrointestinal undesired effects such
105 as oily stools , diarrhea, abdominal pain , fecal spotting ,and also Depression, malaise , lassitude,
106 headache, forgetfulness and enteric hyperoxaluria, acute kidney injury , secondary to acute
107 oxalate nephropathy, rapidly progressive renal failure and it also affects bioavailability of
108 certain drugs such as thyroxin and , vit A, vit D, vit E ,Vit K .¹⁰

109 One more drug which is used in obesity Sibutramine is inhibitor of serotonin and marrow
110 epinephrine reuptake but now it has been withdrawn due to cardiovascular side effects ¹¹.

111 According to Ayurveda , Principle line of treatment is as follow

112 वातघ्नान्यन्नपानानिक्षेष्ममेदोहराणि च।
113 रुक्षोष्णा बस्तयस्तीक्ष्णारूक्षाण्युद्वर्तनानि च ॥२१॥
114 गुडूचीभद्रमुस्तानांप्रयोगस्त्रैफलस्तथा।
115 तक्रारिष्टप्रयोगश्चप्रयोगो माक्षिकस्य च ॥२२॥¹²

120 patient was advised to restrict diet as mentioned in (table 3)

Can have	Don't eat
<ul style="list-style-type: none">• Home cooked fresh food• Shaak varg (green leafy vegetables)• Phala varga (all seasonable fruits)• Shimbi – mudga , masoor• Shali – puran shali• Shuk dhanya- yava, kulttha• tail – musterd oil• Dugdha varga – takra	<ul style="list-style-type: none">• Refined flour• Bakery products• Fermented food• Cheese, curd, paneer• Fast food• Ikshu• Fruit juices

122 Patient was given deepan pachan chikitsa with shankh vati followed by krimikuthar Rasa
123 Krimikuthar Rasa Contains-Camphor Cinnamomum camphora has essential oils which have
124 antimicrobial property and antioxidant activity . According to ayurved it has been mentioned to
125 have chedan and lekhan property ¹³.

126 Krumikuthar contains vidanga which is also medonashak. Embelia ribes contains 2.5 stable oil
127 colour agent, tannin, Embelin, resin, kshar. Vidanga is useful in diseases due to blood
128 impurities and in disease caused by vitiation of Meda. It purifies blood by optimizing its
129 Agni and is very useful in disorders of rasa Dhatu and oedema.¹⁴

130 Another medicine was advised was Arogyavardhini which has major ingredient of Picrorhiza
131 kurroa -Picrorhiza kurroa had been tested on male rats where reversal of fatty changes in liver is
132 studied¹⁵.Arogyavardhini Vati may be beneficial in reducing the inflammation of the liver,
133 kidneys, bladder, spleen, uterus, and intestine. Arogyavardhini has lekhana and chedana
134 properties that helped to reduce vitiated meda in children.

135 Medohar Guggulu is a unique preparation that works on metabolism and naturally burns fats.
136 Dr.Jain Sanap had mentioned as Medohar guggul has shown significant results in weight loss
137 both subjective and objective criteria.¹⁶

138 Triphala activates biosynthesis of phenylalanine , tyrosine and tryptophan which involve
139 regulation of energy metabolism; therefore, it is observed to reduce in BMI, weigh in obese
140 adolescents.¹⁷

141 Lekhan basti- Basti is a procedure where medicated oils and herbal decoction are administered
142 through rectal route .We advised lekhan basti which contains Triphala, gomutra, saindhav ,
143 madhu, yavakshar,til tail .Praksepa dravya (kasisa bhasma, hingu, saindhav were selected from
144 ushakadi gana except shilajit because of its scanty availability and less purity. Also tuttha was not
145 included because of its toxic quality), 10 gm Kalka dravya (yavani, madanphala, bilva, vacha,
146 shatpushpa, pippali).¹⁸

147 **Udwardan**-In present study, Ruksha Udvardana with Triphala Churna was carried out. It consists of
148 Haritaki Churna - 1 part, Bibhitaki churna - 1 part, and Amalaki churna - 1 part, its ingredients mainly
149 have Katu, Tikta, Kashaya Rasa and Dravya having Laghu, Tikshna, Ruksha Guna and Ushna Virya. The
150 drug possessing Katu, Tikta, Kashaya Rasa acts as Kaphahara, Krumighna, Kandughna. Ushna Virya
151 possessing Srotoshudhhi, Ruksh Guna predominance of Agni and Vayu Mahabhuta pacifies Snighdha and
152 Pichila Guna of Kapha and subsequently decreases Kledatwa. Hence Udvardana using Triphala churna is
153 most effective in Sthaulya. Based on the observation of present study, it can be concluded that
154 Udvardana can be considered as an effective supportive therapy in management of Sthaulya. ¹⁹

155 As per Acharya Vagbhata, Udvardana normalises Vikruta Kapha and liquefies the Meda dhatu. It provides
156 firmness to body, smoothness to skin and increases the complexion of the skin.²⁰

157
158

159 CONCLUSION

160 Sthaulya can be successfully managed with Ayurvedic therapeutics along with diet and lifestyle
161 changes . In present case study, combined use of Nidanaparivarjana, Rukshana and Basti chikitsa
162 as per Dosha Avastha gave remarkable relief to the patient with significant weight reduction. To
163 prevent relapse, patient was advised to follow Pathyakar Ahara and Vihara .

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

UNDER PEER REVIEW IN IJAR

188 REFERENCES

- 189 1. <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>, retrieved on
190 24/4/2019
- 191 2. DeJesus RS, Croghan IT, Jacobson DJ, Fan C, St Sauver J. (2022) Incidence of Obesity at 1
192 and 3 Years Among Community Dwelling Adults: A Population-Based Study. *J Prim Care*
193 *Community Health*. Jan-Dec;13:21501319211068632. doi: 10.1177/21501319211068632.
194 PMID: 34986686; PMCID: PMC8744193.
- 195 3. <http://WWW.who.int/news-room/factsheets/detail/obesity-and-overweight> retrieved on
196 21/04/2019
- 197 4. Pt.Kashinatha Sastri, Charak Samhita of Agnivesha, Vidyotini Hindi Commentary Sutra
198 sthan Ashtanindaniya adhyaya 21/7, Chaukhambha Bharati Academy, Varanasi, 2004, Page
199 No. 411
- 200 5. [https://www.who.int/news-room/questions-and-answers/item/noncommunicable-diseases-childhood-](https://www.who.int/news-room/questions-and-answers/item/noncommunicable-diseases-childhood-overweight-and-obesity)
201 [overweight-and-obesity](https://www.who.int/news-room/questions-and-answers/item/noncommunicable-diseases-childhood-overweight-and-obesity)
- 202 6. Balasundaram P, Krishna S. Obesity Effects on Child Health. [Updated 2023 Apr 10]. In: StatPearls
203 [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-..
- 204 7. Lister, N.B., Baur, L.A., Felix, J.F. *et al.* (2023) Child and adolescent obesity. *Nat Rev Dis Primers* 9, 24
- 205 8. 2022 American Society for Metabolic and Bariatric Surgery (ASMBS) and International Federation for the
206 Surgery of Obesity and Metabolic Disorders (IFSO): Indications for Metabolic and Bariatric Surgery Eisenberg,
207 Dan *et al.* Surgery for Obesity and Related Diseases, Volume 18, Issue 12, 1345 - 1356
- 208 9. Ballinger A. Orlistat in the treatment of obesity. *Expert Opin Pharmacother.* (2000 May);1(4):841-7.
209 doi: 10.1517/14656566.1.4.841. PMID: 11249520.
- 210 10. Filippatos TD, Derdemezis CS, Gazi IF, Nakou ES, Mikhailidis DP, Elisaf MS (2008). Orlistat-
211 associated adverse effects and drug interactions: a critical review;31(1):53-65. doi: 10.2165/00002018-
212 200831010-00005. PMID: 18095746.
- 213 11. Poston WS, Foreyt JP. Sibutramine and the management of obesity. *Expert Opin Pharmacother.* (2004
214 Mar);5(3):633-42. doi: 10.1517/14656566.5.3.633. PMID: 15013931.
- 215 12. Shastri Kashinath, Chaturvedi Gorakhnath, editor. Vidyotni Commentary on Charaka Samhita of
216 Acharya Charaka, Sutrasthana; Asthanindatiya adhyaya: Chapter 21, Verse 3. Varanasi: Chaukhambha
217 Bharti Acadmey, reprint 2018; p. 278.
- 218 13. Wang L, Zhang K, Zhang K, Zhang J, Fu J, Li J, Wang G, Qiu Z, Wang X, Li J (2020 Nov 12);.
219 Antibacterial Activity of *Cinnamomum camphora* Essential Oil on *Escherichia coli* During Planktonic
220 Growth and Biofilm Formation. *Front Microbiol.* 11:561002. doi: 10.3389/fmicb.2020.561002. PMID:
221 33304322; PMCID: PMC7693543.
- 222 14 . Purohit, Jayesh & Changle, Sunil & Maniar, M & Raskar, Swapnil. (2018). A ROLE OF
223 VIDANGADI YOGA IN MANAGEMENT IN STHAULYA W.S.R TO CHILDHOOD OBESITY. *World*
224 *Journal of Pharmaceutical Research.* Volume 7. 1467-1475. 10.20959/wjpr201811-12611.

- 225 15. Shetty SN, Mengi S, Vaidya R, Vaidya AD (2010 Jul). A study of standardized extracts of Picrorhiza
226 kurroa Royle ex Benth in experimental nonalcoholic fatty liver disease. J Ayurveda Integr Med.;1(3):203-
227 10. doi: 10.4103/0975-9476.72622. PMID: 21547049; PMCID: PMC3087357.
- 228 16. Chaudhary, Shikha & Minhas, Parshant. (2022). APPRAISAL OF KALP CHIKITSA IN THE
229 MANAGEMENT OF GRADE II OBESITY: A CASE REPORT. 9. 24-27.
230 10.47070/ijapr.v%209i12.2113.
- 231 17. Kwandee P, Somnuk S, Wanikorn B, Nakphaichit M, Tunsagool P (2023 Feb 28);. Efficacy of
232 Triphala extracts on the changes of obese fecal microbiome and metabolome in the human gut model. J
233 Tradit Complement Med. 13(2):207-217. doi: 10.1016/j.jtcme.2023.02.011. PMID: 36970454; PMCID:
234 PMC10037071.
- 235 18. - Sushruta, Sushruta Samhita, Ayurveda-Tattva-Sandipika commentary Edited by Ambikadutta
236 Shastri; Chaukhamba Sanskrit Sansthan Varanasi 2007; Chikitsa Sthana 38/82
- 237 19. Rajan, Nelson & Munzni, & Bhatted, Santoshkumar. (2020). ROLE OF UDVARTANA KARMA IN
238 MANAGEMENT OF STHAULYA. 10.21276/IJIPSR.2019.07.06.478.
- 239 20. Vagbhata, Astanghridaya, Sutra Sthan,. Dincharya Adhyaya: 2/16 Tripathi B, editor, 1st edition.
240 Varanasi: Hridaya Bodhini Tika Chowkhambha Sanskrit Series, 2009;217.

241

242

243

244

245

246