1 A CLINICAL STUDY ONTHE EFFICACY OF KATI BASTI

USINGSAHACHARADI TAILA IN VATAJA GRIDHRASI W.S.R (SCIATICA)

ABSTRACT

2

3

4

- 5 Gridhrasi is one of the eighty NanatmajaVataVikara(Diseases only due to vitiated Vata) according to 6 Acharya Charaka, who has also mentioned its types as- Vataja and Vata-Kaphaja. Acharya Sushruta 7 has also considered it as a Vataja disorder and given its description in Vatavyadhinidana chapter. 8 Acharya Vagbhatt has also included it among eighty Vatajadisorders. Considering the cardinal 9 symptoms which are Ruka (pain), Toda (pricking sensation), Stambha (stiffness) and Muhurspandana 10 (twitching) in the waist, hip, back of the thigh, knee, calf region and foot respectively, it can be best 11 correlated to sciatica. Sciatica is defined as pain along with the courseof the sciatic nerve which is felt 12 in the back of the leg running from the buttock down to the back of the thigh into the calf and foot. It 13 is a symptom that arises due to compression or inflammation of the sciatic nerve. Kati Basti is an 14 unparalleled treatment in painful conditions caused mainly by Vatadosha, usually in degenerative 15 diseases. Kati Basti is used mainly to relief from pain and stiffness associated with bone, joint and or 16 musculoskeletal pains. MATERIAL AND METHOD:: In this study, Kati Bastiwas done in 10 17 patientsselected from PanchkarmaOPD, GAMC&H, Akhnoor, for 21 days for the management of 18 VatajaGridhrasi and the results were recorded after every follow up.RESULTS: The results observed 19 based on the relief obtained on the subjective and objective parameters taken for consideration for 20 this study and were found significant on all the above parameters. **CONCLUSION**: It showed that *Kati* 21 Basti with Sahacharaditailasignificantly helped in reduction of the signs and symptoms of the 22 VatajaGridhrasi.
- 23 **KEYWORDS**: *Gridhrasi. VatajaGridhrasi, NanatmajaVataVikara, Muhursapnandana,* Sciatica, Sciatica
- 24 nerve, Kati Basti, Sahacharaditaila.

INTRODUCTION

25

- 26 Kati Basti is a combination of two words- Kati and Basti.
- 27 "Kati" is described as "Sariramvatasthaneshvekam" in the Charaka Samhita⁽¹⁾, which means that it is
- 28 the sthana of Vata. In the Susruta Samhita, the Pramana of kati is 18 angula⁽²⁾.
- 29 "Basti" is derived from the root "Vas," suffixed by "Tich" pratyaya. The root "vas" can indicate the
- 30 following meanings, according to Vachaspatyam⁽³⁾
- "Vas -nivase" means to remain, to stay.
- "Vas- acchadane" means to cover or wrap.
- 33 This is the form of giving fomentation or sudation to a localized area. The oils are heated to a tolerable
- 34 temperature and then pooled over the painful area. Kati Bastiis also considered as
- 35 BahyaSthanikaBasti⁽⁴⁾.
- 36 Sciatica is a crippling ailment caused by sciatic nerve root pathology that makes it difficult to walk and
- 37 leaves patients with pain and paresthesia in the sciatic nerve distribution. Because of its severity, it

occasionally interferes with a person's everyday activities and lowers their quality of life. Typically, movement aggravates the pain. Analgesics, muscle relaxants, painkillers, anticonvulsants, and NSAID's to reduce inflammation are frequently used in modern treatment and surgical operations with an eye toward a negative outcome⁽⁵⁾.

In Ayurvedic medicine, the illness Sciatica is comparable to *Gridhrasi*, which is classified as a *NanatmajaVatajaVikara*⁽⁶⁾. The word *Gridhrasi* generally suggests the patient's stride, which resembles that of a vulture because of the patient's excruciating, ongoing, and radiating pain⁽⁷⁾. *Ruka* (pain), *Toda* (pricking feeling), *Muhuspandana* (tingling sensation), and *Stambha* (stiffness) in the *Sphik*, *Kati*, *Uru*, *Janu*, *Jangha*, and *Pada* are the four primary symptoms of *VatajGridhrasi*. In *Vata-KaphajaGridhrasi*, one might see *Tandra* (drowsiness), *Gaurav* (heaviness), and *Aruchi* (anorexia)⁽⁸⁾.

SnigdhaSwedanas like Kati Basti is typically utilized to treat low back pain and lumbosacral diseases. It improves local circulation, nourishes and bolsters muscles and nerves, and helps calm tenseness and spasms, and bring back adaptability. The intervertebral disc has degenerated in this instance, and the lubricating function of ShleshakaKapha is compromised⁽⁹⁾. This causes compression, irritation or inflammation of the GridhrasiNadi (sciatica nerve), which results in excruciating agony.

SahacharadiTaila is a classical Ayurvedic oil primarily indicated for treating Vata-related disorders affecting the muscles, joints, blood vessels, and nerves. It is prepared by infusing a base of sesame oil with a decoction of various potent herbs, prominently featuring Sahachara (Strobilanthesciliatus). It isVatahara (AlleviatesVatadosha), Vedanasthapana (Relieves pain), Balya (Strengthens muscles and nerves), Snigdha (Provides deep tissue nourishment), Shothahara (Reduces inflammation and swelling), Ropana (Promotes healing of tissues) andRasayana (Rejuvenates musculoskeletal and nervous systems).

Its main ingredient are: (12)

- 1. Sahachara: Primary herb targeting nerve and muscle disorders.
- 2. Dashamoola: Alleviates inflammation and pain.
- 3. Abhiru (Shatavari): Rejuvenates musculoskeletal and nervous system.
- 4. TilaTaila: Penetrative, nourishing base oil suitable for balancing Vatadosha.
- 5. Go kshira: Enhances the nutritive quality of the oil.
- 6. Paste of drugs likeSevya (Khuskhus), Nakha (Himsra), Kushtha, Hima (Chandhana), Ela, Surahva (Devdaru), Priyangu, Nalada (Jatamansi), Agaru, Lohita (Manjishtha), Sprikka, Nalika, Ambu (Hribera), Shaileya, Choraka, Mishiand Nata (Sugandhabala)

AIMS AND OBJECTIVES

AIM:To evaluate the efficacy of *KatiBasti*using *Sahacharaditaila*in the management of *VatajaGridhrasi*. **OBJECTIVES:**

1. To reduce the pain associated with *VatajaGridhrasi*.

- 75 **2.** To reduce the associated symptoms of *VatajaGridhrasi* like numbness, Stiffness, tingling sensation and weakness.
 - 3. To reduce impact of disease on daily activities.

77 78

79

81

82

MATERIALS AND METHODS

80 **MATERIALS**:

- 1) Masha powder (Black gram powder) ½ kg to 1 kg.
- 2) Sahacharaditaila- 200 -500 ml

83 **METHOD**:

10 patients between 25-70 years of age diagnosed with *VatajaGridhrasi*were selected after informed consent for the study. All the patients underwent uniform assessment that included detailed medical history, local examination and systemic examination. ECG was conducted to rule out heart failure and ischemic heart diseases. Liver function tests and kidney function tests were performed to rule out renal and hepatic dysfunction. Some basic blood tests were conducted, including tests for ESR, CBC, HIV, HbsAg and Anti HCV to look for any inflammation or infections. *Kati Basti* was performed in all 10 patients for 21 days with regular follow up.

91 POORVA KARMA (PRE-OPERATIVE PROCEDURE):

Patients were asked to evacuate urine and stools before coming to the table. A lumbosacral x-raywas obtained beforehand to specify the location for *KatiBasti*.

94 PRADHAN KARMA (OPERATIVE PROCEDURE)⁽¹⁰⁾:

Patientswere asked to lie down on the table in prone position. First the lumbar region was cleaned with cotton where we apply*Kati Basti. Masha* dough was made into a ring shape and then fixed on the site of pain. Thenlukewarm *Sahacharaditaila*was pouredinto the ring made of *masha* dough,placedover their lower back with the help of cotton from a distance of 4 *Angula* and kept for 30-45 minutes duration. The uniform temperature of the oil was maintained constantly during the treatment.

101 PASCHAT KARMA (POST OPERATIVE PROCEDURE) (10):

After the completion of the treatment, first the oil was removed, then *Mashapishti* and the area was cleaned with cotton. *Mridhusamvahana* (oil massage) to whole body or lumbar region, buttocks and legs was given without applying pressure. After massage *Nadiswedana* or *Rookshaswedawas* was given, according to the need. Patient was asked to take comfortable position and rest for another half an hour. The patients were advised not to be exposed to the air directly and to take rest in supine position on hard bed.

INCLUSION CRITERIA

108109

1. Patients between the ages of 25-70 years were included in the study.

- 2. Random selection of patients irrespective of their gender, occupation, religion etc. was done from the OPD and IPD of Panchkarma Department of GAMC, Akhnoor, Jammu, J&K UT after informed consent was taken.
 - 3. Patients suffering from VatajaGridhrasiwere included only.

EXCLUSION CRITERIA

113

114115

116

117

118

119

120

121

122

129

130


- 1. Patients with complete disc prolapse were excluded.
- 2. Patients suffering from Vata-KaphajaGridhrasi were excluded.
- 3. Patients with co-existing medical conditions such as heart failure, chronic liver disease, chronic renal disease, and chronic infectious diseases like tuberculosis (TB), HIV, hepatitis B, and hepatitis C were excluded from the study.
- 4. Patients with cardiovascular diseases like hypertension, coronery artery diseaseetc .were not included in the study.


DURATION OF COMPLETE TREATMENT


- The *KatiBasti* treatment was performed for 45 mins for 21 days with 7 day procedure in two sessions and 7 days gap inbetween. A total of three follow ups were recorded i.e.
- 125 Day0= Enrollment day (F0)
- 126 Day7= First follow up (F1)
- 127 Day 14 = Second follow up (F2)
- 128 Day 21= Third follow up (F3)

STATISTICAL DATA OF THE PATIENTS

The clinical observations from different aspects of the treatment have been represented showing the statistical analysis according to various factors like occupation, gender and age of the patients.







ASSESSMENT CRITERIA:

37	1.	NAT	URE	OF	PAII
37	1.	NAT	URE	OF	PAII

- **GO**: no pain
- **G1**: dull ache or slight discomfort
- **G2**: sharp or throbbing pain
- **G3**: intense, debilitating pain

143 2. RADIATION OF PAIN

- **GO**: no radiation
- **G1**: radiation to thigh
- **G2**: radiation to calf
- **G3**: radiation to foot

3. ACTIVITY

- **GO**: no impact on activities
- **G1**: mild discomfort while performing tasks
- **G2**: major discomfort, may require physical therapy or some analgesics
- **G3**: severe debility along with weakness, inability to perform any task

155 4. ASSOCIATED SYMPTOMS

- **GO**: No associated symptoms
- **G1**: mild tingling sensation present
- **G2**: tingling sensation with numbness present
- **G3**: tingling, numbness and severe weakness present

163 **OBSERVATION**

			ASSESSIM			
PATIENTS	FOLLOW UPS	PAIN	RADIATION	ACTIVITY	ASSOCIATED SYMPTOMS	IMPROVEMENT
Patient 1	Day 0 (F0)	G3	G3	G3	G2	N/A
	Day 7 (F1)	G2	G3	G2	G1	27.3%
	Day 14 (F2)	G2	G2	G2	G1	36.7%
	Day 21 (F3)	G1	G1	G1	G0	72.7%
Patient 2	Day 0 (F0)	G2	G2	G2	G1	N/A
	Day 7 (F1)	G1	G2	G1	G1	28.6%
	Day 14 (F2)	G1	G1	G1	G1	42.8%
	Day 21 (F3)	G1	G0	G0	G0	85.7%
Patient 3	Day 0 (F0)	G3	G2	G3	G3	N/A
	Day 7 (F1)	G2	G2	G2	G2	27.3%
	Day 14 (F2)	G2	G1	G1	G2	45.4%
	Day 21 (F3)	G1	G1	G0	G1	72.7%
Patient 4	Day 0 (F0)	G2	G1	G1	G2	N/A
	Day 7 (F1)	G2	G0	G0	G1	50%
	Day 14 (F2)	G2	G0	G0	G1	50%
	Day 21 (F3)	G0	G0	G0	G0	100%
Patient 5	Day 0 (F0)	G3	G3	G3	G3	N/A
	Day 7 (F1)	G2	G3	G3	G2	16.6%
	Day 14 (F2)	G2	G2	G2	G2	33.3%
	Day 21 (F3)	G1	G1	G2	G1	58.3%
Patient 6	Day 0 (F0)	G3	G2	G2	G1	N/A
	Day 7 (F1)	G1	G1	G1	G1	50%
	Day 14 (F2)	G1	G1	G1	G1	50%
	Day 21 (F3)	G1	G0	G0	G0	87.5%
Patient 7	Day 0 (F0)	G3	G2	G3	G2	N/A
	Day 7 (F1)	G3	G1	G2	G2	20%
	Day 14 (F2)	G2	G1	G1	G2	40%
	Day 21 (F3)	G1	G0	G1	G0	80%
Patient 8	Day 0 (F0)	G1	G1	G1	G0	N/A
	Day 7 (F1)	G0	G0	G0	G0	100%
	Day 14 (F2)	G1	G0	G0	G0	66.7%
	Day 21 (F3)	G0	G0	G0	G0	100 %
Patient 9	Day 0 (F0)	G2	G2	G2	G2	N/A
	Day 7 (F1)	G2	G2	G2	G1	12.5%
	Day 14 (F2)	G2	G1	G2	G1	25%
	Day 21 (F3)	G1	G0	G1	G0	75%
Patient 10	Day 0 (F0)	G3	G2	G2	G3	N/A
	Day 7 (F1)	G2	G1	G1	G1	50%
	Day 14 (F2)	G2	G1	G1	G1	50%
	Day 21 (F3)	G1	G1	G0	G1	70%

164

165

CALCULATIONS:

166 Let G0 =0, G1=1, G2=2 and G3=3

- 167 Improvement in %age =[(Sum of Initial value (F0)– Sum of Final value) / Sum of Initial value (F0)] ×
- 168 100
- 169 **RESULTS**
- 170 Overall efficacy of *Kati Basti*using *Sehcharaditaila*was found to be 80.20%
- 171 **DISCUSSION**
- 172 Mode of action depends on the selection of proper area for procedure, oil used, duration of contact of
- oil with area of application, amount of oil placed, duration of procedure and temperature of oil
- 174 applied.Because they function at the Samprapti location, the native Snehana and Swedana are
- 175 particularly effective and yield immediate effects.
- 176 Some of the potential benefits of *KatiBasti* include⁽¹¹⁾:
- 177 **REDUCING PAIN AND INFLAMMATION:**The warm *Sahacharaditaila* used in *Kati Basti*helps to reduce
- pain and inflammation in the lower back by increasing blood flow to the affected area. The oil also has
- a soothing effect on the nerves in the lower back, which can help to reduce pain. For e.g.. Due to its
- 180 Madhura and TiktaRasa, Sahacharadihas the unique quality of GatiViseshatvam (aids in movement).
- 181 Its Vatahara, Bruhana, and Shothahara qualities, as well as its analgesic and anti-inflammatory effects
- can help alleviate inflammatory changes in the nerve and possibly to reduce symptoms of nerve root
- 183 compression.
- 184 IMPROVING FUNCTION: Kati Bastiwith Sahacharaditailahelps to help improve flexibility and range of
- motion in the lower back, which can improve overall function and reduce disability. It helps to reduce
- the symptoms of *VatajaGridhrasi* by counteracting the *Khara* (roughness), *Ruksha* (dryness) *Gunas*
- of *Vata*, rigidity, and tightness by improving the conduction of nerves to travel uninterruptedly.
- 188 **PROPERTIES OF THE OIL USED:**The use of the *Kati Basti* with *SahacharadiTaila* at L4-L5 region is more
- 189 effective in controlling symptoms such as Stambha (stiffness), Gaurava (heaviness) and Tandra
- 190 (tingling sensation) and also on walking distance and the magnitude of pain.
- 191 **RELAXING THE MUSCLES AND JOINTS:**The Effleurage and Petrissage massage that follows the
- 192 KatiBasti treatment helps the oil to penetrate deeper into the tissues, as well as to help release
- tension and stiffness in the muscles and joints of the lower back.
- 194 **IMPROVING CIRCULATION:**Warm oil is thought to help increase blood flow to the affected area, which
- can promote healing and reduce pain. Vasodilation is caused by hot fomentation which promotes the
- 196 flow of blood and nourishment to the organ and finally helps the Sahacharadi oil to reach the
- 197 target tissue or organ. Sweating flushes toxins from the body and relaxes the tissues resulting in an
- overall improvement in muscle spasms and pain. Increased peripheral circulation aids in the reduction
- of edema, which can aid in the reduction of inflammation, reduces pain, and aids in faster healing.
- 200 TARGETSA PARTICULAR AREA: The retention of Sahacharaditaila on the lower back for a certain period
- 201 of time is believed to help penetrate deep into the tissues, muscles, and joints and provide a

- therapeutic effect. The Masha dough ring has excellent binding capacity that help contain the oil and
- 203 prevent it from spilling and leaking out, allowing for a concentrated treatment in the targeted area.
- 204 AlsoIt hasVatashamak, Balya,Snigdha, Sandhanakara and MamsaVardhaka. It is Non-toxic and Skin
- friendly, Unlikely to cause any irritation even during prolonged contact.

CONCLUSION

206

- 207 Kati Bastiis a form of Snehayuktasweda, Sagni, Ekanga, Snigdha, and
- 208 SamshamaniyaBahiparimarjanachikitsa. It is the combination of Snehana and Swedana, both
- 209 work together in synchronous manner and help to relieve Stambha, Gauravaand Sheeta, as well
- 210 as to lessen the severity of pain. Kati Bastiis one such method in which rapid relief from
- 211 symptomatology can be acquired from a *Shamana* perspective, as well as numerous medications
- 212 that ease the severity of pain and improve functional ability, both of which are important in
- 213 Gridhrasi. It is a Bahirparimarjanchikitsa that relieves Sthanikvataand provides Brumhana qualities in
- 214 the Kati area, which is where the disease occurs (lumbosacral region). The absorption,
- 215 penetration, neural stimulation, vasodilation, and anti-inflammatory activity of Katibastiwith
- 216 Sahacharaditailaresult in a reduction of signs and symptoms of VatajaGridhrasi.

217 **REFERENCE**

- 218 1. TrikamjiYadavji,CommentaryAyurvedadipikaof Chakrapanidatta,Charaka Samhita of Agnivesa, Sutra Sthana, MaharogaAdhyaya (20/8), ChoukhambhaSurbharatiPrakashan, Varanasi, 2017.
- 2. TrikamjiYadavji, CommentaryNibandhasangraha of Dalhanacharya,Sushruta Samhita of Sushruta, Sutra Sthana, Aturaupkarmaniyaadhayaya (35/12) ChaukhambhaOrinetalia, Varanasi, 1992.
- 222 3. CP Verma and Sushanta Kumar Sahoo, Scientific understanding of KatiBasti and its application in
 Sciatica (Ghridrasi), International Journal of Ayurveda and Pharma Research, April 2022.
- Dr. Surya Prakash, Dr. NirmalBhusal, Dr. Gopesh Mangal and Garg Gunjan, Review on Kati Basti oil
 pooling ayurveda procedure, World Journal of Pharmaceutical Research, Jul 2019.
- 5. Somen Das, A manual on clinical surgery including special investigation and differential diagnosis,
 13th edition 2018; Published by Dr. S.das, Kolkata.
- GorakhnathChaturvedi, Charaka Samhita of Agnivesha, Sutrasthana, Chapter 20, Verse 18
 1stedition (reprint), ChaukhambhaBhartiya Academy; Varanasi, 2020.
- 230 7. Raja RadhaKanta Deva edited ShabdaKalpadruma, 5th vol., Edition: 1987, Nag Publishers, Delhi.
- 231 8. Dr. Nitin Mahajan, Dr. Twinkle Gupta and Dr. ShivaniChib, To assess the efficacy of Basti karma in
- the management of gridhrasiw.s.r.to sciatica: a research article, World Journal of Pharmaceutical and Life Sciences, Nov 2020.
- 9. BrahmanandaTripathi, AshatangHrudaya of Vaghbhata, Sutrasthana; DoshopakramaniyaAdhyaya Chapter 13, Verse 1–3, Chaukhamaba Sanskrit Pratishthan; Delhi 2015.
- 236 10. Padmakiran C, Ramachandra R, Prasad U. N and Rao Niranjan, Role of Katibasti in Gridhrasi (Lumbago Sciatica Syndrome), International Ayurvedic Medical Journal, Jul-Aug 2013.

- 238 11. Mangal G, Garg G, Shyam SR, "A comparative study of Kati Basti with Sahacharaditaila and Mahanarayanataila in the management of Gridhrasi (Sciatica)", AncSci Life, 2013 Jan.
- 12. BrahmanandaTripathi, AshatangHrudaya of Vaghbhata, Chikitsasthana; Chapter 29, Verse 66–68,
 Chaukhamaba Sanskrit Pratishthan; Delhi 2015

242