1 Impostor Phenomenon and its effect on Students' Self-Esteem of a North

2 Indian Health University: A Cross-Sectional Survey

3

4

ABSTRACT

- 5 Background: Psychologists Clance and Imes coined the term "Impostor Phenomenon",
- 6 characterised by feeling of failure and a sense of dishonesty. Self-esteem is a key prerequisite
- 7 and predictor of IP.
- 8 **Objectives:** To evaluate and explore the traits of Impostorism and Self-Esteem and its
- 9 relationship with gender and academic year among dental students.
- 10 Methods: This descriptive cross-sectional survey involved undergraduate students (I to IV
- 11 year), interns, postgraduate students and junior residents at Adesh University Dental School.
- An electronically administered, 20-item pre-validated Clance Impostor Phenomenon Scale
- 13 (CIPS) and 10-item pre-validated Rosenberg Self-Esteem Scale (RSES) was used for data
- 14 collection. The mean age of students was 18-25 years. Data analysis was performed using
- 15 IBM-SPSS version 22.
- **Results:** The e-questionnaire was sent to 350 potential study participants out of which 332
- have completed and recorded data was analysed. The overall response rate was 266 (80.10 %)
- 18 females and 66 (19.90 %) males. The mean IP score was highest and lowest in the final year
- 19 dental students and junior residents, respectively. No significant difference was observed
- based on gender and between year wise IP scores. When Self-esteem was compared for study
- 21 participants, it was found that greater CIPS scores were linked to lower levels of self-esteem.
- 22 Conclusions: Impostor phenomenon is prevalent amongst dental students. This may have
- damaging physical and mental effects with negative consequences. The implementation of a
- 24 modified curriculum and self-development plans are some of the recommended solutions.
- 25 **Keywords:**Impostor phenomenon, Impostorism, Self-esteem, Dental Education

26

27

28 29

30

31

32

33

34

35

36

INTRODUCTION

The Impostor Phenomenon (IP), also referred to as Impostorism, first introduced by psychologists Pauline Clance and Suzanne Imes (1978), is a psychological pattern that impacts otherwise capable and competent individuals and is characterized by persistent feelings of inadequateness and self-doubt. ^{3, 4} IP has garnered attention within the scientific literature in recent times, mostly due to its psychological effects on high-achieving individuals such as medical professionals. It refers to a pervasive feeling of intellectual fraudulence experienced by individuals, despite evidence of their competence and accomplishment. ⁷

This phenomena describes the deep fear of failure and the sense of intellectual deception that exceptional performer's experience. ⁴Individuals that exhibit IP frequently believed that they have been the "only ones" experiencing this phenomenon, which further isolates them and lowers their self-esteem. Impostors typically employ one of two coping mechanisms in these situations: They either overplan (perfectionism) or put off doing tasks as long as they can (procrastination). ⁴Research indicates that over 70% of individuals with varying backgrounds experience intellectual property during a portion of their careers. According to the findings of certain researchers, people who witness this phenomenon are likewise more prone to regret their professional decision, burn out, make medical mistakes, and be absent from work, or have low job satisfaction. ⁴

According to studies conducted on student populations, self-esteem is a key prerequisite and predictor of IP. ⁵ Since self-esteem is the evaluative aspect of self-knowledge, it refers to how someone views themselves, either positively or negatively. ^{5, 10} Self-esteem has a favourable correlation with mental health, competence, confidence, and productivity, whereas poor self-esteem is correlated with inferiority complexes, melancholy, depression, desperation, and suicide ideation. ^{5, 11} Initial gender-typical investigations revealed that this was a feature found more frequently in females. However, subsequent studies found that males and females were equally susceptible to IP. ⁴

Training for a career in medicine and other health professions (such as dentistry, nursing, and pharmacy) can contribute to significant stressors like time pressure, memorization of large amounts of information, frequent evaluations, financial difficulties, limited time for recreation and relationships, peer competition, and increased responsibilities related to patient care. ¹ In the context of Dental Education, where rigorous training and high academic standards are paramount, the prevalence of imposter feelings among students is a matter of growing concern as there's atmosphere of intense academic scrutiny, which puts certain students at possibility of feeling like intellectual fraudulence and phoniness. Because of this, it's unsurprising that so many students in the dental professions express clinical levels of distress and that their levels of despair and anxiety is considerably more than one may expect given their demographics. ¹

- 78 Progression through stages of a profession across academic levels in a dental school relates to
- 79 times when imposter feelings particularly emerge. Moving from pre-clinical to clinical phases
- 80 of dental training may be particularly challenging. ⁶Furthermore, self-doubt and feelings of
- 81 inadequacy can negatively impact on a person's professional progress and skill development
- 82 in a field that primarily depends on experience and decision-making. This can make it
- 83 difficult for them to manage patients and cases with rational logic and knowledge. ⁷ The aim
- was to explore and associate the traits of IP and Self-Esteem among dental students at a North
- 85 Indian Health University.

87

STUDY OBJECTIVES:

- 88 To evaluate the frequency and intensity of impostorism among dental students in the
- 89 specified North Indian Health University and to examine the association between IP and self-
- 90 esteem levels among dental students. To compare the frequency and severity of the IP in
- 91 males and females by gender and year.

92

93

MATERIALS & METHODOLOGY

94 **STUDY DESIGN**

- 95 The study used a descriptive cross-sectional questionnaire among the dentistry students of
- 96 Adesh Institute of Dental Sciences & Research, Adesh University, Bathinda, Punjab, India.
- 97 The Study duration was of 2 months i.e. from September 2023 to October 2023. Ethical
- 98 approval was obtained from research committee of Adesh University with ethical clearance
- 99 number AU/EC_BHR/2K24/591.

100 SAMPLE SIZE ESTIMATION

- Sample size was determined on the basis of prevalence rate of 32.2% from a previous study
- conducted by Shahjalalet. al. Formula used $-N = z^2 p (1-p)/d^2$. The sample size that met the
- minimum requirement was 332.

104 INCLUSION CRITERIA

- Participants who gave informed consent. BDS I, II, III, IV, Interns, Postgraduates Students &
- Junior Residents. Participants who possessed smartphones.

107 SAMPLING TECHNIQUE

- The convenience sampling technique was used because of the ease to collect data from the
- 109 research population.

110 STUDY INSTRUMENT

- 111 The Google form questionnaire consisted of 3 sections. Section 1 wasSocio-demographic
- details i.e. Gender and Academic Year of students. Section 2 consisted Clance's Impostor
- 113 **Phenomenon Scale(CIPS)**which was used after obtaining the required permissions from
- psychologist, Dr. Pauline Rose Clance and Section 3 consisted Rosenberg Self-Esteem
- 115 Scale(RSES).

- The 20-item Clance's Impostor Phenomenon Scale is a proven tool for measuring the IP.
- Every item on the scale has a five-point Likert score (1-2-3-4-5), with a maximum score of
- 118 100. The impostor traits increase with scoring. The Rosenberg's Self-Esteem Scale is
- accustomed tomeasure self-esteem. It is 10-item self-reported global self-esteem test that
- evaluates feelings of acceptance and worth in oneself. Responses to the questions are given
- on a 4-point Likert scale (0-1- 2-3), with a maximum score of 30. Its internal reliability is
- 122 strong (α =0.79).

123 DATA COLLECTION

- Google form was used to gather data. The questionnaire was sent to study participants as a
- Google form and delivered over social media sites such as WhatsApp. An informed consent
- 126 form and a brief description of the study were attached along with the Google form
- 127 questionnaire.

128 DATA HANDLING & PRIVACY

- 129 All information was kept securely and was exclusively available to the study group.
- 130 Confidentiality of participant information was strictly maintained.

131 DATA/STATISTICAL ANALYSIS

- Data was added into IBM-SPSS Statistics Version 22, which was then cleaned, coded, and
- analysed. The mean, standard deviation, frequency, and percentage were employed in
- descriptive statistics. The difference in RSES and CIPS scores between males and females
- was examined using the independent student t-test, and the connection between the IP and the
- research variables was ascertained using the Chi-Square test. Spearman's rank correlation was
- used in order to examine the connection between the IP and self-esteem. A p-value of less
- than 0.05 was set as the limit for statistical significance.


RESULTS

139

140

- The e-questionnaire was sent to 350 potential study participants. 337 questionnaires were
- returned. 332 have completed the questionnaires and the recorded data were analysed. The
- mean age of students was 18-25 years. Hence, the overall response rate was 266 (80.10 %)
- females and 66 (19.90 %) males. Interns, postgraduate students, junior residents, and BDS I,
- II, III, and IV were the target population for this research.

146 Figure 1: DEMOGRAPHIC PROFILE OF THE PARTICIPANTS




The demographic profile (Figure 1) of the study population included 24.10% first-year students, 18.10% second-year students, 24.10% third-year students, 15.40% final-year students, 13.60% interns, 3% JR, and 1.80% PG students, respectively.

Table 1:GENDER-WISE COMPARISON OF CIPS & RSES SCORES

	Gender	N	Mean	Std. Deviation	P value
CIPS	Males	66	56.424	15.7578	0.864, NS
	Females	266	56.113	12.4517	
RSES	Males	66	18.606	4.5906	0.199, NS
	Females	266	19.380	4.3161	

Rosenberg's Self-esteem and Clance's IP mean scores were 18.60 and 56.42 respectively. Regarding RSES and CIPS scores, there were no appreciable variations between the genders. (Table 1)

Figure 2: YEAR-WISE COMPARISON OF CIPS & RSES SCORES



This graph displays the results of a one-way ANOVA test used to compare the CIPS and RSES scores year over year. Overall, there was not a significant difference in CIPS & RSES ratings between academic years. (Figure 2)

Table 2:ABSOLUTE & RELATIVE FREQUENCY OF IMPOSTER & LOW SELF-ESTEEM

	Frequency	Percent
Frequency of Imposter	85	25.6%
Frequency of LOW self esteem	68	20.5%

Table 2 showed that the 25.6% of participants have more frequency of IP and 20.5% participants showed the low self-esteem.

Table 3: ASSOCIATION OF IMPOSTERNESS & LOW SELF-ESTEEM

Table of the object of the object and the object of the ob								
Mean CIPS score								
	N	Mean	Std. Deviation	P value				
Normal self esteem	264	53.833	12.3892	<0.001, S				
Low self-esteem 68		65.265	12.0925					

When compared to study participants with normal self-esteem, individuals with poor self-esteem were found to have a considerably higher mean CIPS score. The IP and self-esteem have been shown to be inversely associated, which was statistically significant. In other

words, it was found that greater CIPS scores were linked to lower levels of self-esteem. (Table 3).

DISCUSSION

The rise in imposter syndrome has garnered notice lately. ⁷ The symptoms of anxiety, sadness, burnout, and stress can frequently be found to coincide with its identification.⁶ Approximately 70% of millennials are thought to have encountered impostorism at least once in their lives. The phenomenon known as impostor syndrome, or IP, is not new, but because of its severe and enduring repercussions on those who experience it, as well as departments, organizations, and society as a whole, academics have recently given it more attention.⁵ To put it simply, the victims are those who, despite being objectively competent, harbor a secret anxiety that their lack of knowledge and expertise may one day come to light by others. The current research aimed to assess IP in dental students, during the academic journey, particularly during progression from the pre-clinical to clinical training stages.⁶

This study investigated the relationship between IP and self-esteem among dental students on the campus of a University Dental college in Northern India. IP and Self-esteem may be connected for a number of interrelated reasons. There are inbuilt, inherent, and developmental predispositions that may result in the emergence of imposter traits. These include characteristics of the personality (such as neuroticism, perfectionism, etc.) that contribute to low self-esteem. ⁶

IP was initially identified in high-achieving females. According to further research, IP has an equal impact on men and women in the workplace. No such relationships with gender were discovered in this cohort by the current study. Similar research on medical students in Malaysia found that impostorism was common (45.7%), with no discernible gender differences. ¹² The results were also in concordance with the research conducted by Qassim University's undergraduate students. ⁶

A notable distinction was observed in the IP scores of students in various years based on a year-by-year review of the student's scores. Compared to previous academic years, third and final year dentistry students' IP scores were substantially higher. These results are in accordance with the outcomes of a study conducted on dental students at Qassim University in which 70.4% of fourth year students and dental interns presented with frequent to moderate IP characteristics. Similarly, Villwock et al bocumented a significant association between IP score of medical students and academic training year, where IP levels peaked in the fourth academic year. Conversely, in another study that assessed the relationship between IP score and academic training year, Legassie et al had colleagues all failed to find it. One possible reason could be that medical students are always perceived as high achievers which keeps them under constant stress and pressure. Moreover, the multilayered nature of clinical rotations in the dental field is a perfect blend of theoretical knowledge, clinical skills, and patient care that demands serious reflection.

Compared to study participants with average self-esteem, individuals with low self-esteem had a considerably higher mean CIPS score. Stated differently, there is an association between higher CIPS score and low self-esteem. As a result, self-esteem has a significant role in both causing and predicting IP. A student having low self-esteem is at higher risk of IP as compared to someone with high self-esteem. Similarly, research on dental students in the

- United States' Midwest stated that 58.3% of respondents had IP levels exceeding the clinical
- 226 threshold and experienced the significant influence of impostorism on their professional,
- 227 personal, and academic lives. ¹³
- The results emphasize how critical it is to identify people with IP in order to maximize their
- educational opportunities and career advancement. Clance and Imes suggested that people
- 230 who have self-doubt should get regular, targeted feedback. Future studies can concentrate on
- the connection between IP and "educational safety" and non-judgmental environments for
- learning. Reducing IP may involve removing harmful rivalry from campus life and fostering
- settings that encourage students both academically and emotionally. In order to decrease IP
- and make diversity an all-around positive educational experience, medical universities should
- pay attention to the requirements of minorities.

- The small sample size and restricted data sources in the present study are two limitations that
- 238 impact the findings' validity. Multiple data collection methods may have been employed to
- augment the quantity of data. To reveal more broadly based job experiences, the population
- 240 could have been bigger and more varied. This study aims to shed light on this significant
- 241 topic so that further investigations into the various facets of imposter syndrome can proceed.

242

243

251

CONCLUSION

- By addressing these objectives, we aimed to not only contribute to the expanding body of
- research on the IP but also to provide actionable recommendations for educational institutions
- seeking to create environments that foster confidence, competence, and well-being among
- their dental student population. It's unclear from the literature on educational research how
- closely IP and self-esteem, as measured in student populations, are related. No such studies
- on this topic, however, was conducted on dental students or at a North Indian University with
- a substantial multicultural student body.

SOURCE OF FUNDING

- 252 The author received no financial support for this research, authorship, and/or publication of
- 253 this article.

254 **CONFLICT OF INTEREST**

- Authors declared no potential conflicts of interest with respect to research, authorship, and/or
- 256 publication of this article.

LIMITATIONS

- 258 This study is limited to the students of one dental college in North India. Selection bias may
- be introduced by convenience sampling.

260

257

- Note. From The Impostor Phenomenon: When Success Makes You Feel Like A Fake (pp.
- 262 20-22), by P.R. Clance, 1985, Toronto: Bantam Books. Copyright 1985 by Pauline Rose
- 263 Clance, Ph.D., ABPP. Reprinted by permission. Do not reproduce without permission from
- Pauline Rose Clance, drpaulinerose@comcast.net, www.paulineroseclance.com.

REFERENCES

- 1. Henning K, Ey S, Shaw D. Perfectionism, the impostor phenomenon and psychological adjustment in medical, dental, nursing and pharmacy students. Medical education. 1998 Sep;32(5):456-64.
- 270 2. Oriel K, Plane MB, Mundt M. Family medicine residents and the impostor phenomenon. Fam Med 2004; 36(4): 248e252.
- 3. SHAHJALAL M, Khan MN, Mohsin FM, Rokon S, Rahman R, Alam MM, Mahumud RA. Distribution of imposter syndrome among medical students of Bangladesh: a cross-sectional study. F1000Research. 2021 Oct 18;10(1059):1059.
- 4. Bhatti MU, Ahmed I. Impostor phenomenon: a cross-sectional study of students and house officers from dental teaching institutes of Lahore. Pakistan Oral & Dental Journal. 2019 Oct 9;39(3):262-6.
- 5. Naser MJ, Hasan NE, Zainaldeen MH, Zaidi A, Mohamed YM, Fredericks S. Impostor phenomenon and its relationship to self-esteem among students at an international medical college in the middle east: a cross sectional study. Frontiers in Medicine. 2022;9.
- 6. Awinashe MV, Nawabi S, Khan AM, Kolarkodi SH, Srivastava S, Javed MQ. Selfdoubt masked in success: Identifying the prevalence of impostor phenomenon among undergraduate dental students at Qassim University. Journal of Taibah University Medical Sciences. 2023 Oct;18(5):926.
- 7. Mascarenhas VR, D'Souza D, Bicholkar A. Prevalence of impostor phenomenon and its association with self-esteem among medical interns in Goa, India. International Journal of Community Medicine and Public Health. 2019 Jan;6(1):355-9.
- 8. Villwock JA, Sobin LB, Koester LA, Harris TM. Impostor syndrome and burnout among American medical students: a pilot study. Int J Med Educ 2016; 7: 364e369.
- 9. Legassie J, Zibrowski EM, Goldszmidt MA. Measuring resi dent well-being: impostorism and burnout syndrome in residency. J Gen Intern Med 2008; 23(7): 1090e1094.
- 10. Abdel-Khalek AM, Korayem AS, El-Nayal MA. Self-esteem among college students from four Arab countries. Psychol Rep. (2012) 110:297–303. doi: 10.2466/07.09.17.PR0.110.1.297-303.
- 297 11. Rosenberg M. Society and the Adolescent Self-Image. Princeton, NJ: Princeton University Press (2015).
- 12. Ikbaal MY. Prevalence of Impostor phenomenon among medical students in a Malaysian private medical school. Int J Med Stud 2018; 6(2): 66e70.
- 301 13. Daniels JC. Impostor phenomenon in dental students. Advisor 2021; 41(1): 7.

14. Leach PK, Nygaard RM, Chipman JG, Brunsvold ME, Marek AP. Impostor phenomenon and burnout in general surgeons and general surgery residents. J SurgEduc 2019; 76(1): 99e106.

15. Clance PR, Imes SA. The IP in high achieving women: dynamics and therapeutic intervention. Psychother Theory Res Pract 1978; 15(3): 241e247.