

# Jana Publication & Research

## Evaluation of the relationship between Body Dysmorphic Disorder, rumination, Self-esteem and exercise addiction

 VRC35

---

### Document Details

**Submission ID**

trn:oid::2945:315040807

**Submission Date**

Sep 29, 2025, 11:42 AM GMT+5:30

**Download Date**

Sep 29, 2025, 11:45 AM GMT+5:30

**File Name**

IJAR-54080.pdf

**File Size**

752.4 KB

17 Pages

6,552 Words

35,593 Characters





# 32% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.




## Filtered from the Report

- Bibliography
- Quoted Text

## Match Groups

-  **83 Not Cited or Quoted** 24%  
Matches with neither in-text citation nor quotation marks
-  **42 Missing Quotations** 9%  
Matches that are still very similar to source material
-  **0 Missing Citation** 0%  
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted** 0%  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 22%  Internet sources
- 16%  Publications
- 24%  Submitted works (Student Papers)

## Match Groups

- 83 Not Cited or Quoted** 24%  
Matches with neither in-text citation nor quotation marks
- 42 Missing Quotations** 9%  
Matches that are still very similar to source material
- 0 Missing Citation** 0%  
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted** 0%  
Matches with in-text citation present, but no quotation marks

## Top Sources

- 22% Internet sources
- 16% Publications
- 24% Submitted works (Student Papers)

## Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	docs.neu.edu.tr	5%
2	Internet	www.aegeanconference.com	2%
3	Internet	repositorio.ual.es	2%
4	Publication	Leticia Olave, Itziar Iruarizaga, Patricia Macía, Janire Momeñe, Ana Estévez, José ...	<1%
5	Student papers	University of Central England in Birmingham on 2025-09-05	<1%
6	Internet	www.frontiersin.org	<1%
7	Student papers	Kingston University on 2025-09-16	<1%
8	Publication	Niles, Theresa. "Body Dysmorphia in Post-Weight Loss Surgery Patients", Walden ...	<1%
9	Student papers	Victoria College on 2022-11-19	<1%
10	Internet	journals.plos.org	<1%

11	Student papers	Nottingham Trent University on 2021-08-10	<1%
12	Internet	www.osmind.org	<1%
13	Publication	Azim, Souad Torjani. "The Relative Strength of Help-Seeker Stereotype, Help-Seek...	<1%
14	Internet	skemman.is	<1%
15	Internet	www.mdpi.com	<1%
16	Internet	core.ac.uk	<1%
17	Student papers	California Southern University on 2025-09-29	<1%
18	Student papers	Dublin Business School on 2025-08-27	<1%
19	Internet	research-repository.griffith.edu.au	<1%
20	Internet	research.rug.nl	<1%
21	Student papers	University of Bristol on 2025-08-28	<1%
22	Internet	harvest.usask.ca	<1%
23	Internet	www.coursehero.com	<1%
24	Student papers	Dublin Business School on 2025-08-28	<1%

25	Student papers	University of Greenwich on 2024-09-10	<1%
26	Internet	open.library.ubc.ca	<1%
27	Internet	pdfs.semanticscholar.org	<1%
28	Student papers	Casper College on 2023-11-16	<1%
29	Student papers	Kean University on 2023-05-10	<1%
30	Student papers	University of East London on 2024-05-02	<1%
31	Internet	arno.uvt.nl	<1%
32	Internet	www.scribd.com	<1%
33	Student papers	2U Pepperdine University- PEP-PSY on 2021-10-26	<1%
34	Student papers	Brigham Young University on 2022-06-13	<1%
35	Student papers	University of Durham on 2012-01-13	<1%
36	Internet	journal.embnet.org	<1%
37	Internet	pdffox.com	<1%
38	Internet	tel.archives-ouvertes.fr	<1%

39	Internet	www.researchgate.net	<1%
40	Student papers	Clemson University on 2021-09-13	<1%
41	Student papers	Faculty of Nursing on 2025-07-16	<1%
42	Student papers	ISN Psychology Pty Ltd on 2025-08-14	<1%
43	Student papers	Loughborough University on 2023-05-25	<1%
44	Student papers	Manchester Metropolitan University on 2025-04-10	<1%
45	Student papers	Sunway Education Group on 2019-05-23	<1%
46	Student papers	Swinburne University of Technology on 2024-11-14	<1%
47	Student papers	TED Universitesi on 2021-06-18	<1%
48	Internet	cipp.ug.edu.pl	<1%
49	Internet	sid.ir	<1%
50	Internet	vhsp.in	<1%
51	Student papers	Chamberlain Online (Pearson Learning 2) on 2025-09-15	<1%
52	Student papers	University of Florida on 2021-10-28	<1%

53	Student papers	University of Newcastle upon Tyne on 2020-04-03	<1%
54	Internet	asset.library.wisc.edu	<1%
55	Internet	escholarship.org	<1%
56	Internet	ieepj.hormozgan.ac.ir	<1%
57	Student papers	Dublin Business School on 2025-08-27	<1%
58	Publication	Fatemeh Sadeghi Asadabadi, Kimia Karami. "The effect of exercise training video...	<1%
59	Student papers	Faulkner University on 2023-07-03	<1%
60	Publication	Hill, Melanie. "Low Regulatory Flexibility as a Mechanism of the Link Between Ru...	<1%
61	Publication	Justine Le Blanc-Brillon, Jean-Simon Fortin, Livia Lafrance, Sébastien Héту. "The a...	<1%
62	Publication	Martha Giraldo-O'Meara, Amparo Belloch. "Escalation from normal appearance r...	<1%
63	Publication	Patla, Irfana. "Addressing Self-Esteem in Mental Health: A Systematic Review.", C...	<1%
64	Student papers	Saint Johns University on 2016-11-29	<1%
65	Student papers	Southville International School and Colleges on 2020-12-14	<1%
66	Publication	Tan, Nathania Chung Yee. "Navigating the Intersection of Instagram and Elite Fe...	<1%

67	Student papers	The Chicago School of Professional Psychology on 2025-09-24	<1%
68	Student papers	University College London on 2025-06-21	<1%
69	Student papers	University of Hong Kong on 2011-07-04	<1%
70	Student papers	University of North Texas on 2023-11-17	<1%
71	Student papers	University of South Australia on 2015-11-06	<1%
72	Internet	acikbilim.yok.gov.tr	<1%
73	Internet	doczz.net	<1%
74	Internet	efsupit.ro	<1%
75	Internet	era.ed.ac.uk	<1%
76	Student papers	placeholder on 2020-03-16	<1%
77	Internet	pmc.ncbi.nlm.nih.gov	<1%
78	Internet	real-d.mtak.hu	<1%
79	Internet	www.medcraveonline.com	<1%
80	Internet	www.skiutah.com	<1%

81	Student papers	2U Northwestern University MAC on 2025-09-23	<1%
82	Student papers	Queensland University of Technology on 2018-03-07	<1%
83	Student papers	St. Mary's University on 2025-09-28	<1%
84	Student papers	University of Edinburgh on 2024-08-01	<1%
85	Publication	Ami Rokach. "Mental Health and Psychopathology", Routledge, 2021	<1%
86	Student papers	California Southern University on 2025-09-24	<1%
87	Student papers	Monash University on 2025-09-14	<1%
88	Student papers	Pennsylvania State System of Higher Education on 2021-11-27	<1%
89	Publication	Phillips, K.A.. "Self-esteem in body dysmorphic disorder", Body Image, 200412	<1%
90	Publication	Tallackson, Tiffany R.. "Assessing a Mind-Body Strategy for Student Well-Being Th...	<1%
91	Student papers	University of Leicester on 2008-08-31	<1%
92	Student papers	University of New Haven on 2025-05-11	<1%
93	Publication	Zolli, Nicole. "The Role of Self-Esteem on the Relationship Between ADHD and De...	<1%

## Evaluation of the relationship between Body Dysmorphic Disorder, rumination, Self-esteem and exercise addiction

### Abstract

This study investigates the relationship between Body Dysmorphic Disorder (BDD), rumination, self-esteem, and exercise addiction among international students studying at North Cyprus. A total of 352 participants were selected using purposive sampling. The Yale-Brown Obsessive Compulsive Scale Modified for BDD (BDD-YBOCS), Exercise Addiction Inventory (EAI), Ruminative Response Scale (RRS) and Rosenberg Self-esteem Scale (RSE) were used to collect data. Findings indicate that rumination is a key predictor of BDD, but self-esteem, and exercise addiction did not have a predictive effect. On the other hand self-esteem had predictive relationship with exercise addiction. It was further revealed that depression has a predictive relationship with rumination. The outcomes show a strong relationship between rumination and BDD, suggesting underlining cognitive mechanisms involved in BDD. The study found that individuals who do not use social media have significantly lower levels of BDD and self-esteem compared to users, and that those who engage in strength training have higher self-esteem than individuals who perform aerobic exercise. This research highlights the need to address psychological, behavioral, and culture-related aspects while understanding body image disturbances among various populations of students and the influence of exercise modalities employed by individuals on mental health outcomes.

**Key Words:** Body Dysmorphic Disorder (BDD), Rumination, Self-Esteem, Exercise Addiction, Social media

## Introduction

Nowadays people idealize the pursuit of physical fitness;attaining a toned physique has become equated with success, though it remains difficult to achieve. Physical fitness is associated with higher self-control (Boat & Cooper, 2019) and self-esteem and body image (2016). This situation has led to the emergence of Exercise Addiction (EA) as well as conditions like Body Dysmorphic Disorder (BDD) (Corazz et al., 2019). BDD is a mental illness characterized by excessive concern over minor or imagined flaws in one's appearance, which can significantly impair daily functioning and social interactions (Phillips, 2005). People with BDD often spend extensive time pondering their appearance, checking mirrors, comparing themselves to others, and making frequent alterations to their looks (Veale et al., 2016).Diagnosis of BDD typically involves spending several hours daily fixated on appearance-related concerns, accompanied by significant life disruptions (Brennan et al., 2023).

Rumination is a prevalent cognitive phenomenon among patients with Body Dysmorphic Disorder (BDD), exacerbating poor self-perception(Salehi & Aleyasin, 2024). Rumination is characterized by the repetitive contemplation of negative thoughts and emotions without taking any action to address them (Nolen-Hoeksema, 1991). Rumination significantly contributes to worsening and prolonging BDD by heightening the emotional distress linked to perceived flaws (Phillips, 2014). Individuals constantly fixate on perceived flaws, often resorting to behaviors aimed at concealing or enhancing their appearance (Phillips., 2014). Recurring negative thoughts, including rumination, is a common feature across disorders like depression, anxiety, and BDD. This underscores the importance of addressing rumination in a broad spectrum of mental health conditions (Arditte et al., 2016).Studies have shown that people who ruminate about their perceived imperfections are more likely to develop BDD. This repetitive thinking might worsen their negative self-image and intensify BDD symptoms (Veale et al., 2014).

Individuals with BDD often experience low self-esteem due to their constant self-criticism and dissatisfaction with their appearance. This creates a cyclical relationship where low self-esteem exacerbates BDD symptoms, and BDD symptoms further diminish self-esteem. (Kuck et al., 2020). Self-esteem is the evaluation of one's self-worth, which may be either good or negative (Eshqobilov &Toxirov, 2023). A study by Kuck et al. (2021) underscores the significance of addressing self-esteem in treating BDD. Additionally, research by Dyl et al. (2006) suggests that adolescents struggling with body image problem and low self-esteem may be at an increased risk of developing BDD. Research demonstrates

that adolescents with Body Dysmorphic Disorder experience significant anxiety, functional impairment, and notably elevated rates of suicide ideation and attempts (Phillips et al., 2006).

Early identification and management focused on enhancing self-esteem and fostering a positive body image are crucial for minimizing the emergence and persistence of BDD and its related consequences (Tros et al., 2023).

Exercise addiction is a form of behavioral addiction marked by a depletion of behavioral regulation, leading to compulsive engagement in exercise (Weinstein et al., 2023).

Exercise addiction involves an obsessive commitment to physical activity, often driven by a desire to achieve an idealized body image (Graves et al., 2004; Morgan, 2020). For individuals with BDD, exercise can start as a coping mechanism to alleviate distress over their appearance. However, this can escalate into addictive behaviors, as temporary relief or perceived improvements fuel a cycle of increased exercise frequency and intensity (Corazza et al., 2019). The initial relief provided by exercise can lead to a dependency, where more exercise is required to achieve the same emotional relief, characteristic of addictive behaviors.

Research suggests a connection between low self-esteem and BDD and exercise addiction (Gori et al., 2021). Furthermore, studies conducted in fitness environments have found a strong correlation between appearance anxiety, low self-esteem, and the risk of Exercise addiction, highlighting the influence of self-esteem on the probability of being addicted to exercise (Corazza et al., 2019). Individuals with BDD may resort to excessive exercise as a strategy to manage their anxieties and insecurities (Graves & Welsh, 2004). Exercise addiction is a multifaceted condition linked to several psychological aspects.

Research has identified associations between EA and issues such as body image concerns, eating disorders, and BDD (Gori et al., 2021).

The purpose of this research is to investigate the relationship between BDD, rumination, self-esteem and exercise addiction.

## Methodology

### Research Design

This study uses a correlational research design to investigate the links between Body Dysmorphic Disorder (BDD), rumination, self-esteem, and exercise addiction in a sample of foreign students who participate in regular physical activity.

### **Sample and data collection**

This study employed purposive sampling to recruit 352 participants, the inclusion criteria was being an international student and being a member of a gym in North Cyprus. Participants are sampled from gyms around Lefkosa in North.

### **Research instruments**

The study implements a structured questionnaire. The survey included a socio-demographic form as well as four standardized scales to be specific: Yale-Brown Obsessive Compulsive Scale Modified for BDD (BDD-YBOCS), Exercise Addiction Inventory (EAI), Ruminative Response Scale (RRS) and Rosenberg Self-esteem Scale (RSE).

### **Demographic Form**

This questionnaire gathered information on participants' basic socio-demographic factors such as how long spend time in the social media, and what kind of the exercise do you do.

### **Yale-Brown Obsessive Compulsive Scale Modified for BDD (BDD-YBOCS):**

The scale consists of items evaluating obsessions and the subsequent five assessing compulsions associated with Body Dysmorphic Disorder (BDD). The final two items measure insight and avoidance behaviors. Each item is rated individually on a 5-point scale from 0 (None) to 4 (Extreme), with higher scores indicating more severe symptoms of BDD. This survey demonstrates high reliability, with a reported reliability coefficient of 0.88, and strong internal consistency, reflected in a Cronbach's alpha coefficient of 0.80. It has been validated as a benchmark tool for assessing the severity of BDD (Phillips et al., 1997).

### **Ruminative Response Scale (RRS):**

The RRS assesses levels of ruminative responses to depressive feelings and consists of 22 items categorized into 'Brooding' and 'Reflection' subscales. Respondents rate each item on a 4-point scale ranging from 1 (almost never) to 4 (almost always), where higher scores indicate more intense rumination. This scale is widely utilized and demonstrates strong psychometric properties for evaluating rumination in mood disorders (Nolen-Hoeksema et al., 2008). It is recognized for its validity and reliability in capturing the multidimensional aspects of rumination (Schoofs et al., 2010). The RRS showed a Cronbach's alpha of 0.94 for

the full scale and ranged from 0.78 to 0.90 for its subscales measuring rumination, thinking, and depression.

### Exercise Addiction Inventory (EAI):

The Exercise Addiction Inventory (EAI) was developed by Terry, Szabo, and Griffiths in 2004 as a self-report questionnaire to evaluate the likelihood of exercise addiction based on symptoms associated with exercise dependence. This concise scale consists of 6 items and assesses key aspects such as salience, mood modification, tolerance, withdrawal symptoms, conflict, and relapse. Each item is rated on a 5-point scale from 0 (Strongly disagree) to 4 (Strongly agree), where higher scores indicate a greater risk of exercise addiction. The EAI demonstrates robust psychometric properties, establishing it as a reliable tool for screening exercise addiction. Scores from the questionnaire provide a total measure of exercise dependence, calculated by summing ratings across its seven components. Initial reports indicated internal consistencies (Cronbach's  $\alpha$ ) ranging from .78 to .95, internal reliability was notably high at .98 (Terry et al., 2004).

### Rosenberg self-esteem scale (RSE):

The Rosenberg Self-Esteem Scale, developed by Rosenberg in 1965, is a 10-item assessment tool designed to measure overall self-esteem by evaluating both positive and negative perceptions individuals have about themselves. It is considered a unidimensional scale. Respondents rate each item on a 4-point Likert scale ranging from 1 (strongly agree) to 4 (strongly disagree). Scores are totaled to generate a global score ranging from 10 to 40, with higher scores indicating higher self-esteem. The scale has demonstrated good reliability with a test-retest correlation coefficient of 0.85 over a 2-week interval, a Cronbach's alpha coefficient of 0.90 (Rosenberg, 1965).

### Data Collection Procedure

The initial step in the study involved obtaining ethical approval from the Near East University Social Science Ethics Committee (application number NEU/SS/2024/1782). Following this, the structured questionnaire was then delivered to the participants either online or using pen and paper. The researcher collected data at gyms and sports saloons as well as other areas where people go for exercise activities. A clear consent form was sent to participants along with the questionnaire, and they subsequently gave their approval to participate in the study. The questionnaire took roughly 15 to 20 minutes to complete.

Furthermore, participants were told of the study's aims and guaranteed that their answers would be treated with utmost secrecy and anonymity. Participants received no monetary compensation for their participation, as participation was entirely voluntary.

### Data Analysis Procedure

The study employed IBM's version 27.0 statistical software, a sophisticated tool favored by social scientists and other professionals for performing statistical analyses, (IBM Corp, 2011). The primary statistical approach involved descriptive statistics, which help in summarizing the data to represent the entire population effectively. Pearson correlation analyses were then conducted to assess the relationships among these variables. Finally, two multiple regression analyses were performed. The first examined whether rumination, depression, self-esteem, and exercise addiction predicted body dysmorphic symptom. The second regression tested the same predictors for exercise addiction.

### Results and Analysis

The aim of this study is to examine the relationship between BDD and rumination, self-esteem and exercise addiction among international students in North Cyprus.

**Table 1**  
**Pearson Correlations Between Study Variables**

Variable	1	2	3	4	5
1. Body Dysmorphic	—				
2. Rumination	.15**	—			
3. Depression	.12*	.93***	—		
4. Self-Esteem	.07	-.13**	-.13**	—	
5. Exercise Addiction	.05	.10*	.08	-.31***	—

Note.  $N = 352$ .

$p < .05$  (),  $p < .01$  (),  $p < .001$  ().

Values are Pearson correlation coefficients (1-tailed).

### Correlations Between Variables

Table 1 shows how the main things we studied are connected. Rumination was very strongly linked to depression ( $r = .932$ ,  $p < .001$ ). Rumination was also a little bit linked to feeling bad about your body ( $r = .152$ ,  $p = .002$ ), but not as strongly. Self-esteem was linked in the

opposite way to exercise addiction ( $r = -.312, p < .001$ ). The other connections were not as strong and most were not important."

**Table 2. Regression Analysis Predicting Body Dysmorphic disorder**

Predictor	B	SE	Beta	t	p
(Constant)	7.052	3.104	—	2.272	.024
Rumination	.207	.095	.317	2.179	.030
Depression	-.181	.156	-.169	-1.163	.245
Self-Esteem	.198	.105	.105	1.881	.061
Exercise Addiction	.089	.081	.061	1.103	.271

A multiple regression was conducted to determine if rumination, depression, self-esteem, and exercise addiction predicted body dysmorphic disorder. As shown in Table 3, the model was significant:  $F(4,347) = 3.41, p = .009$ , with  $R^2 = .038$ , indicating that about 3.8% of the variance in body dysmorphic disorder was explained by the predictors.

Only rumination was a significant predictor ( $\beta = .317, p = .030$ ). Depression, self-esteem, and exercise addiction were not statistically significant.

**Table 3. Regression Analysis Predicting Exercise Addiction.**

Predictor	B	SE	Beta	t	p
(Constant)	22.266	1.688	—	13.189	.000
Rumination	.057	.063	.126	.893	.372
Depression	-.060	.103	-.082	-.586	.558
Self-Esteem	-.400	.067	-.309	-6.014	.000
Body Dysmorphic	.039	.035	.057	1.103	.271

197

As presented in Table 3, the multiple regression model examining the extent to which body dysmorphic symptoms, self-esteem, depression, and rumination predict exercise addiction was statistically significant,  $F(4, 347) = 10.18, p < .001$ , accounting for approximately 10.5% of the variance in exercise addiction scores ( $R^2 = .105$ ). Among the predictors, only self-

esteem emerged as a significant contributor ( $\beta = -.309, p < .001$ ), indicating that individuals with lower levels of self-esteem tend to report higher levels of exercise addiction.

**Table 4. Regression Analysis Predicting Rumination**

Predictor	B	SE	Beta	t	p
(Constant)	9.098	1.326	—	6.863	.000
Depression	1.525	.032	.930	47.621	.000
Self-Esteem	-.045	.056	-.015	-.791	.430

The **Table 4** shown was highly significant:  $F(2,349) = 1157.56, p < .001$ , with a large  $R^2 = .869$ . This indicates that depression and self-esteem together explain 86.9% of the variance in rumination. Only **depression** was a significant predictor ( $\beta = .930, p < .001$ ), while self-esteem was not significant.

**Table 5**

**Comparison of BDD, rumination, self-esteem and exercise addiction across amount time spent with social medias**

Variable	time spent with social medias	N	Mean Rank.	X <sup>2</sup>	df	P
Body Dysmorphic	not at all	42	116.32	20.978	3	<b>0.001*</b>
	less than 2 h	106	179.61			
	2 to 5 h	147	178.56			
	more than 5	57	209.75			
Rumination	not at all	42	187.08	1.667	3	0.642
	less than 2 h	106	170.73			
	2 to 5 h	147	173.19			
	more than 5	57	187.97			
Self Esteem	not at all	42	122.17	19.582	3	<b>0.001*</b>
	less than 2 h	106	182.09			
	2 to 5 h	147	195.43			
	more than 5	57	157.32			
Exercise Addiction	not at all	42	188.49	0.836	3	0.841
	less than 2 h	106	176.39			

2 to 5 h	147	172.46
more than 5	57	178.29

p £ 0.05 \* p £ 0.01 \*\*

Table 6 displays the results from the Kruskal-Walli's test which indicates that there is significant difference between the mean of the BDD and the self-esteem across amount time spent with social medias (p<0.05). But there is no significant difference between the mean of the rumination and the exercise addiction across amount time spent with social medias (p>0.05). Analysis with pairwise comparisons of BDD shows significant differences between the not at all group and individuals who use social media for less than 2 hours group, the not at all group and individuals who use social media for 2-5 hours group and the not at all group and individuals who use social media more than 5 hours group. Individuals who do not use social media have significantly lower BDD than these groups. Also, analysis with pairwise comparisons of self-esteem shows significant differences between the not at all group and individuals who use social media for less than 2 hours as well as the not all group and 2-5 hours group. Individuals who do not use social media have significantly lower self-esteem than both groups.

**Table 6**

**Comparison of BDD, rumination, self-esteem and exercise addiction across the kind of exercise**

Variable	Kind of exercise	N	Mean Rank	Sum of Ranks	U	P
Body Dysmorphic	Aerobic	113	177.29	20034.00	13414.00	0.920
	Strength	239	176.13	42094.00		
Rumination	Aerobic	113	177.12	20014.50	13433.500	0.937
	Strength	238	176.21	42113.50		
Self Esteem	Aerobic	112	159.74	18050.50	11609.500	<b>0.033*</b>
	Strength	239	184.42	44077.50		
Exercise Addiction	Aerobic	113	184.26	20821.00	12627.000	0.324
	Strength	239	172.83	41307.00		

p £ 0.05 \* p £ 0.01 \*\*

Table 6 displays the results from the Mann-Whitney test which indicates that there is no significant difference between the mean of the BDD, rumination and exercise addiction across kind of exercise (p>0.05). But there is significant difference between the mean of the self-esteem across kind of exercise (p<0.05). In the other hand, we can conclude that the mean self-esteem for people who do strength is greater than the mean of self-esteem for people who do aerobic.

## Discussion

The study aimed to explore the relationship between BDD, rumination, exercise addiction, and self-esteem. The results reveal that BDD is significantly correlated to rumination and depression but not exercise addiction and self-esteem. The relationship between BDD and rumination is similarly seen in research by Veale (2001) who suggests that repetitive negative thinking significantly contributes to maintaining and intensifying BDD symptoms. Kollei and Martin (2014) suggest that individuals with BDD often engage in repetitive, negative thoughts that can worsen depressive symptoms. Mellman (2010) noted that people with BDD spend hours daily worrying about appearance, leading to distress and impairment, as Veale et al. (1996) found that BDD sufferers often have intrusive, recurrent thoughts, increasing anxiety and depression. Persistent rumination on perceived flaws is a defining feature of BDD, negatively impacting mental health (APA, 2013). This aligns with the predictive relationship seen between rumination and BDD in the current study.

The results that BDD has no significant correlation with exercise addiction aligning with research by Hausenblas et al. (2002), which also reported no significant association between the variables. This may be due to the complex nature of both conditions; exercise addiction often stems from motives unrelated to BDD, such as fitness goals or stress relief. Thus, having BDD doesn't necessarily lead to exercise addiction. However, Gabriel et al. (2020) found that body dissatisfaction can increase the likelihood of exercise addiction and related risky behaviors, contrasting with this study's results. Weinstein and Szabo assert that Exercise addiction is morbid with body-image disorders. The study also found no link between BDD and self-esteem, consistent with Ahmadpanah et al. (2019), indicating that while low self-esteem is common in BDD, it may not strongly predict the disorder. Biby (1998) suggested that while low self-esteem relates to obsessive-compulsive tendencies in BDD, self-esteem alone isn't a reliable BDD indicator. Phillips (2005) explained that self-esteem covers broader self-perception and personal value, while BDD focuses on physical appearance concerns.

The results show that exercise addiction is significantly correlated with rumination, and self-esteem. These results support the transdiagnostic view of rumination (Wong et al., 2023), in the light rumination is not limited to thoughts about the self as seen in depression. The idea that rumination is associated with lower self-esteem is also seen in research by Li et al. (2024) which revealed that the relationship was bidirectional. According to Li et al. (2024)

daily changes in rumination predict subsequent self-esteem scores while self-esteem also predicts rumination. the idea that self-esteem predicts rumination is also reveals in the results of this study.

The study also reveals that rumination had a negative correlation with self-esteem, but a positive correlation with depression and exercise addiction. The relationship between rumination and self-esteem is similar to findings by Kolubinski et al. (2016) that rumination links to lower self-worth, worsening depressive symptoms. Self-esteem was the only significant of exercise addiction in the current study. The relationship between rumination and depression is well established literature, rumination is a common feature of depression were the individual has constant negative thoughts about the self (Alderman et al., 2015). Furthermore, individuals with exercise addiction are more prone to brooding, a negative, passive form of rumination tied to maladaptive behaviors, as noted by Watkins (2008).

This result is agreed with the findings of Khan et al. (2022) that indicates a strong link between social media use and BDD symptoms. Regular use of image-focused platforms such as Instagram and Snapchat is associated with higher rates of BDD and greater acceptance of cosmetic surgery. Social media can exert pressure that influences individuals' perceptions of their bodies (Tiggemann and Zaccardo, 2015). The result from this study also differences in self-esteem between participants who do not use social media at all and individuals who use social media for less than 2 hours as well as the 2-5 hours group. Individuals who do not use social media have lower self-esteem than both groups. Research on the relationship between social media use, self-esteem, and well-being has produced mixed findings. Some studies indicate that active Instagram use can positively affect self-esteem and well-being, with this effect being influenced by the intensity of usage (Trifiro & Prena, 2021). The results are contrary to the study conducted by Midgley et al. (2021) that social media use is linked to lower self-esteem. Frequent and intense comparisons with others on social media quickly reduce self-evaluations, which over time harms self-esteem, mood, and life satisfaction. According to Colak et al. (2023), the mixed results of the relationship between social media and self-esteem suggests the presence of mediating factors in the relationship.

The results show that there are significant differences in self-esteem according to the nature of exercise employed. Individuals who reported engaging frequently in strength training had high self-esteem than those in the aerobic group. These results are similar to other research that shows that, the average self-esteem of people who engage in strength

training is higher than the average self-esteem of people employs cardio exercise (Bhave et al., 2024). According to Seguin et al. (2015), strength training is associated with improvements in body image, comfort and satisfaction. Contrary to the current study Ginis et al. (2014) found that aerobic exercise produced greater improvements in body image. Physical activity and self-esteem are positively connected, and this relationship is mediated by physical self-efficacy and physical self-worth (Batista et al., 2022).

## Conclusions

This study explored the relationships between BDD, rumination, exercise addiction, and self-esteem among international students in North Cyprus, offering insights into the complex interplay of these factors within a diverse, young adult population. Notably, no relationship was found between BDD and exercise addiction, suggesting that exercise addiction is often driven by motivations unrelated to BDD, such as fitness or social interaction. However, a strong correlation between BDD and rumination was observed, consistent with literature indicating that repetitive, negative thinking about appearance exacerbates BDD symptoms. Although low self-esteem is common among those with BDD, no direct link was found, suggesting that self-esteem alone may not be a reliable indicator of BDD, with cognitive processes like rumination playing a more critical role. The study also highlighted the impact of social media on self-esteem and BDD, with excessive use correlating with higher BDD scores, indicating that reducing social media exposure could benefit individuals with body image concerns. No significant association was found between gym attendance frequency and psychological variables, though moderate exercise duration (45 minutes to 2 hours) correlated with higher self-esteem, underscoring the mental health benefits of balanced exercise. Additionally, strength training was linked to greater self-esteem than cardio, suggesting varied psychological effects across exercise types.

## Reference

- Alderman, B. L., Olson, R. L., Bates, M. E., Selby, E. A., Buckman, J. F., Brush, C. J., Panza, E. A., Kranzler, A., Eddie, D., & Shors, T. J. (2015). Rumination in major depressive disorder is associated with impaired neural activation during conflict monitoring. *Frontiers in Human Neuroscience*, 9, 269. <https://doi.org/10.3389/fnhum.2015.00269>
- Boat, R., & Cooper, S. B. (2019). Self-Control and Exercise: A Review of the Bi-Directional Relationship. *Brain Plasticity*, 5(1), 97. <https://doi.org/10.3233/BPL-190082>

333

- 334 Corazza, O., Simonato, P., Demetrovics, Z., Mooney, R., Van De Ven, K., Roman-  
 335 Urrestarazu, A., Rácmolnár, L., De Luca, I., Cinosi, E., & Santacroce, R. (2019). The  
 336 emergence of Exercise Addiction, Body Dysmorphic Disorder, and other image-  
 337 related psychopathological correlates in fitness settings: A cross sectional study. *PloS*  
 338 *one*, 14(4), e0213060. <https://doi.org/10.1371/journal.pone.0213060>  
 339
- 340 Phillips, K. A. (2005). The broken mirror: understanding and treating body dysmorphic  
 341 disorder. In. Oxford University Press, USA.
- 342 Veale, D., Gledhill, L. J., Christodoulou, P., & Hodson, J. (2016). Body dysmorphic disorder  
 343 in different settings: A systematic review and estimated weighted prevalence. *Body*  
 344 *image*, 18, 168-186. <https://doi.org/10.1016/j.bodyim.2016.07.003>
- 345 Nolen-Hoeksema, S. (1991). Responses to depression and their effects on the duration of  
 346 depressive episodes. *Journal of abnormal psychology*, 100(4), 569.  
 347 <https://doi.org/10.1037//0021-843x.100.4.569>
- 348 Brennan, S. N., Rossell, S. L., Rehm, L., Thomas, N., & Castle, D. J. (2023). A qualitative  
 349 exploration of the lived experiences of Body Dysmorphic Disorder. *Frontiers in*  
 350 *Psychiatry*, 14, 1214803. <https://doi.org/10.3389/fpsy.2023.1214803>
- 351 Donaldson, C., Lam, D., & Mathews, A. (2007). Rumination and attention in major  
 352 depression. *Behaviour research and therapy*, 45(11), 2664-2678.  
 353 <https://doi.org/10.1016/j.brat.2007.07.002>
- 354 Kuck, N., Cafitz, L., Bürkner, P.-C., Hoppen, L., Wilhelm, S., & Buhlmann, U. (2021). Body  
 355 dysmorphic disorder and self-esteem: a meta-analysis. *BMC psychiatry*, 21(1), 310.  
 356 <https://doi.org/10.1186/s12888-021-03185-3>
- 357 Dyl, J., Kittler, J., Phillips, K. A., & Hunt, J. I. (2006). Body dysmorphic disorder and other  
 358 clinically significant body image concerns in adolescent psychiatric inpatients:  
 359 prevalence and clinical characteristics. *Child psychiatry and human development*, 36,  
 360 369-382. <https://doi.org/10.1007/s10578-006-0008-7>
- 361 Weinstein, A., & Szabo, A. (2023). Exercise addiction: A narrative overview of research  
 362 issues. *Dialogues in Clinical Neuroscience*, 25(1), 1-13.  
 363 <https://doi.org/10.1080/19585969.2023.2164841>
- 364 Graves, B. S., & Welsh, R. L. (2004). Recognizing the Signs of Body Dysmorphic Disorder  
 365 and Muscle Dysmorphia. *ACSM's Health & Fitness Journal*, 8(1), 11-13.  
 366 <https://doi.org/10.1097/00135124-200401000-00007>
- 367 Morgan, S. (2020). Mental Disorders: Obsessive-Compulsive Disorder and Body  
 368 Dysmorphic Disorder. *FP essentials*, 495, 17-22.
- 369 Phillips K. A. (2014). Body dysmorphic disorder: common, severe and in need of treatment  
 370 research. *Psychotherapy and psychosomatics*, 83(6), 325-329. <https://doi.org/10.1159/000366035>
- 371 Arditte, K. A., Shaw, A. M., & Timpano, K. R. (2016). Repetitive negative thinking: A  
 372 transdiagnostic correlate of affective disorders. *Journal of Social and Clinical Psychology*, 35(3), 181-  
 373 201. <https://doi.org/10.1521/jscp.2016.35.3.181>
- 374 Gori, A., Topino, E., Pucci, C., & Griffiths, M. D. (2021). The relationship between  
 375 alexithymia, dysmorphic concern, and exercise addiction: The moderating effect of  
 376 self-esteem. *Journal of personalized medicine*, 11(11), 1111.  
 377 <https://doi.org/10.3390/jpm111111111>
- 378 Veale, D., Anson, M., Miles, S., Pieta, M., Costa, A., & Ellison, N. (2014). Efficacy of  
 379 cognitive behaviour therapy versus anxiety management for body dysmorphic

- disorder: a randomised controlled trial. *Psychotherapy and psychosomatics*, 83(6), 341-353. <https://doi.org/10.1159/000360740>
- Polit, D. F., & Beck, C. T. (2010). Generalization in quantitative and qualitative research: myths and strategies. *International journal of nursing studies*, 47(11), 1451–1458. <https://doi.org/10.1016/j.ijnurstu.2010.06.004>
- Gravetter, F. J., & Forzano, L. B. (2018). *Research methods for the behavioral sciences* (6th ed.). Cengage Learning
- Saunders, M., Lewis, P., & Thornhill, A. (2009). *Research methods for business students*. Pearson education.
- Phillips, K. A., Hollander, E., Rasmussen, S. A., & Aronowitz, B. R. (1997). A severity rating scale for body dysmorphic disorder: development, reliability, and validity of a modified version of the Yale-Brown Obsessive Compulsive Scale. *Psychopharmacology bulletin*, 33(1), 17.
- Schoofs, H., Hermans, D., & Raes, F. (2010). Brooding and reflection as subtypes of rumination: Evidence from confirmatory factor analysis in nonclinical samples using the Dutch Ruminative Response Scale. *Journal of Psychopathology and Behavioral Assessment*, 32, 609-617. <https://doi.org/10.1007/s10862-010-9182-9>
- Nolen-Hoeksema, S., Wisco, B. E., & Lyubomirsky, S. (2008). Rethinking Rumination. *Perspectives on psychological science : a journal of the Association for Psychological Science*, 3(5), 400–424. <https://doi.org/10.1111/j.1745-6924.2008.00088.x>
- Terry, A., Szabo, A., & Griffiths, M. (2004). The exercise addiction inventory: A new brief screening tool. *Addiction Research & Theory*, 12(5), 489-499. <https://doi.org/10.1080/16066350310001637363>
- Rosenberg, M. (1965). Rosenberg self-esteem scale(RSES) APA *PsycTests*. <https://doi.org/10.1037/t01038-000>
- Martin Ginis, K. A., Strong, H. A., Arent, S. M., Bray, S. R., & Bassett-Gunter, R. L. (2014). The effects of aerobic- versus strength-training on body image among young women with pre-existing body image concerns. *Body Image*, 11(3), 219-227. <https://doi.org/10.1016/j.bodyim.2014.02.004>
- Khan, W., Zafar, Y., & Khalid, M. (2022). Social media and body dysmorphic disorder : Is there any link? *J Pak Med Assoc*, 72(2), 393. <https://doi.org/10.47391/jpma.4145>
- Tiggemann, M., & Zaccardo, M. (2015). "Exercise to be fit, not skinny": The effect of fitspiration imagery on women's body image. *Body image*, 15, 61–67. <https://doi.org/10.1016/j.bodyim.2015.06.003>
- Trifiro, B. M., & Prena, K. (2021). Active Instagram use and its association with self-esteem and well-being. 2(3). <https://doi.org/10.1037/tmb0000043>
- Midgley, C., Thai, S., Lockwood, P., Kovacheff, C., & Page-Gould, E. (2021). When every day is a high school reunion: Social media comparisons and self-esteem. *Journal of personality and social psychology*, 121(2), 285–307. <https://doi.org/10.1037/pspi0000336>
- Nguyen, N. (2023). Exercise and Health: Examination of the Relationship between Gym Attendance, Mental Health, and Perceptions of Body Image. *Psi Beta Research Journal - Brief Reports*, 3, 44-49. <https://doi.org/10.54581/YOX4962>
- Lichtenstein, M., Christiansen, E., Bilenberg, N., & Støvring, R. (2014). Validation of the exercise addiction inventory in a Danish sport context. *Scandinavian Journal of Medicine & Science in Sports*, 24(2), 447-453. <https://doi.org/10.1111/j.1600-0838.2012.01515.x>

- Kirkby, R. J., & Adams, J. (1996). Exercise dependence: The relationship between two measures. *Perceptual and motor skills*, 82(2), 366-366. <https://doi.org/10.1177/003151259608200201>
- Simón Grima, J. S., Estrada-Marcén, N., & Montero-Marín, J. (2019). Exercise addiction measure through the Exercise Addiction Inventory (EAI) and health in habitual exercisers. A systematic review and meta-analysis. *Adicción al ejercicio medida a través del Exercise Addiction Inventory (EAI) y salud en deportistas habituales. Una revisión sistemática y meta-análisis. Adicciones*, 31(3), 233–249. <https://doi.org/10.20882/adicciones.990>
- Hausenblas, H. A., & Fallon, E. A. (2006). Exercise and body image: A meta-analysis. *Psychology and health*, 21(1), 33-47. <https://doi.org/10.1080/14768320500105270>
- Willow, J. P. (2022). Physical activity motives in the exercise and self-esteem relationship. *Sport Exerc Med Open J*, 8(1), 10-14. <https://doi.org/10.17140/SEMOJ-8-185>
- Batista, M., Ramos, L., Santos, J., Serrano, J., Petrica, J., & Honório, S. (2022). Exercise Influence on Self-Concept, Self-Esteem and Academic Performance in Middle-School Children. *Revista Romaneasca pentru Educatie Multidimensionala*, 14(4 Sup. 1), 369-398. <https://doi.org/10.18662/rrem/14.4Sup1/678>
- Bhave, D., Pradeep, M., Mota, J., Mane, D., Bhalla, D., & Karia, D. (2024). Self-esteem: A study on the relationship between self-esteem and factors affecting student life. *Journal of Pediatrics & Neonatal Care*, 14, 21-27. <https://doi.org/10.15406/jpnc.2024.14.00536>
- Mayville, S., Katz, R. C., Gipson, M. T., & Cabral, K. (1999). Assessing the prevalence of body dysmorphic disorder in an ethnically diverse group of adolescents. *Journal of child and family studies*, 8, 357-362. <https://doi.org/10.1023/A:1022023514730>
- Akinboro, A. O., Adelufosi, A. O., Onayemi, O., & Asaolu, S. O. (2019). Body dysmorphic disorder in patients attending a dermatology clinic in Nigeria: sociodemographic and clinical correlates. *Anais brasileiros de dermatologia*, 94, 422-428. <https://doi.org/10.1590/abd1806-4841.20197919>
- Hausenblas, H. A., & Fallon, E. A. (2002). Relationship among body image, exercise behavior, and exercise dependence symptoms. *International Journal of Eating Disorders*, 32(2), 179-185. <https://doi.org/10.1002/eat.10071>
- Gabriel, G. L. M., Paulo, J. R. S., Silva, A. A., Batista, R. P. R., Alves, J. F. N., & Nascimento Junior, J. R. A. (2020). Body dissatisfaction, addiction to exercise and risk behaviour for eating disorders among exercise practitioners. *Journal of Eating Disorders*, 8, 23. <https://doi.org/10.1186/s40337-020-00300-9>
- Kollei, I., & Martin, A. (2014). Body-related cognitions, affect and post-event processing in body dysmorphic disorder. *Journal of behavior therapy and experimental psychiatry*, 45(1), 144-151. <https://doi.org/10.1016/j.jbtep.2013.09.005>
- Veale, D. (2001). Cognitive-behavioural therapy for body dysmorphic disorder. *Advances in psychiatric treatment*, 7(2), 125-132. <https://doi.org/10.1192/apt.7.2.125>
- Tajikzadeh, F., Sadeghi, R., & Raiskariman, F. (2013). The relationship between body dysmorphic concern and rumination among the girl university students. *Sadra Medical Journal*, 1(3), 189-198.
- Mellman, L. A. (2010). Understanding body dysmorphic disorder: An essential guide. In: Am Psychiatric Assoc.
- Veale, D., Gournay, K., Dryden, W., Boockock, A., Shah, F., Willson, R., & Walburn, J. (1996). Body dysmorphic disorder: a cognitive behavioural model and pilot randomised controlled trial. *Behaviour research and therapy*, 34(9), 717-729. [https://doi.org/10.1016/0005-7967\(96\)00025-3](https://doi.org/10.1016/0005-7967(96)00025-3)

- Association, A. P. (2022). *Diagnostic and statistical manual of mental disorders* (5th ed.).
- Ahmadpanah, M., Arji, M., Arji, J., Haghighi, M., Jahangard, L., Sadeghi Bahmani, D., & Brand, S. (2019). Sociocultural attitudes towards appearance, self-esteem and symptoms of body-dysmorphic disorders among young adults. *International Journal of Environmental Research and Public Health*, 16(21), 4236. <https://doi.org/10.3390/ijerph16214236>
- Biby, E. L. (1998). The relationship between body dysmorphic disorder and depression, self-esteem, somatization, and obsessive-compulsive disorder. *J Clin Psychol*, 54(4), 489-499. [https://doi.org/10.1002/\(sici\)1097-4679\(199806\)54:4<489::aid-jclp10>3.0.co;2-b](https://doi.org/10.1002/(sici)1097-4679(199806)54:4<489::aid-jclp10>3.0.co;2-b)
- Phillips, K. A. (2005). The broken mirror: understanding and treating body dysmorphic disorder. In. Oxford University Press, USA.
- Kolubinski, D. C., Nikčević, A. V., Lawrence, J. A., & Spada, M. M. (2016). The role of metacognition in self-critical rumination: An investigation in individuals presenting with low self-esteem. *Journal of Rational-Emotive & Cognitive-Behavior Therapy*, 34, 73-85. <https://doi.org/10.1007/s10942-015-0230-y>
- Watkins, E. R. (2008). Constructive and unconstructive repetitive thought. *Psychological bulletin*, 134(2), 163. <https://doi.org/10.1037/0033-2909.134.2.163>
- Salehi, M., & Aleyasin, S. A. (2024). The Effectiveness of Cognitive Behavioral Therapy on Rumination, and Quality of Life among Girls with Body Dysmorphic Symptoms. *Deleted Journal*, 2(2), 95–102. <https://doi.org/10.61838/kman.hn.2.2.11>
- Eshqobilov, S., & Toxirov, D. D. o'g'li. (2023). *Self-esteem* (pp. 125–139). Elsevier eBooks. <https://doi.org/10.1016/b978-0-323-91497-0.00185-5>
- Seguin, R. A., Eldridge, G., Lynch, W., & Paul, L. C. (2013). Strength Training Improves Body Image and Physical Activity Behaviors Among Midlife and Older Rural Women. *Journal of Extension*, 51(4), 4FEA2. <https://pmc.ncbi.nlm.nih.gov/articles/PMC4354895/>
- Phillips, K. A., Didie, E. R., Menard, W., Pagano, M. E., Fay, C., & Weisberg, R. B. (2006). Clinical features of body dysmorphic disorder in adolescents and adults. *Psychiatry research*, 141(3), 305–314. <https://doi.org/10.1016/j.psychres.2005.09.014>
- Tros, B. G., Kemperman, P. M. J. H., Kuckulus, J., Hoekzema, R., & Vulink, N. C. C. (2023). Body Dysmorphic Disorder and Self-esteem in Adolescents and Young Adults with Acne Vulgaris. *Acta dermato-venereologica*, 103, adv6232. <https://doi.org/10.2340/actadv.v103.6232>
- Zamani Sani, S. H., Fathirezaie, Z., Brand, S., Pühse, U., Holsboer-Trachsler, E., Gerber, M., & Talepasand, S. (2016). Physical activity and self-esteem: Testing direct and indirect relationships associated with psychological and physical mechanisms. *Neuropsychiatric Disease and Treatment*, 12, 2617. <https://doi.org/10.2147/NDT.S116811>
- Wong, S. M., Chen, E. Y., Lee, M. C., Suen, Y. N., & Hui, C. L. (2023). Rumination as a Transdiagnostic Phenomenon in the 21st Century: The Flow Model of Rumination. *Brain Sciences*, 13(7), 1041. <https://doi.org/10.3390/brainsci13071041>

526 Weinstein, A., & Szabo, A. (2023). Exercise addiction: A narrative overview of research issues.  
527 *Dialogues in Clinical Neuroscience*, 25(1), 1. <https://doi.org/10.1080/19585969.2023.2164841>

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

UNDER PEER REVIEW IN IJAR