



Plagiarism Checker X - Report

Originality Assessment

1%



Overall Similarity

Date: Feb 19, 2026 (12:49 PM)

Matches: 11 / 1389 words

Sources: 2

Remarks: Low similarity detected, consider making necessary changes if needed.

Verify Report:

Scan this QR Code



2 1 CAR DAMAGE PRICE PREDICTOR 2 3 4 Abstract 5 6 7 The automotive
repair industry is evolving, and with that comes increasing demand for damage 8
assessment's accuracy and efficiency. In this project, we propose a web platform for
predicting ca 9 r damage severity and repair costs using state-of-the-art machine learning
and deep learning 10 techniques. The platform uses Mobile Net-a lightweight convolutional
neural network-for 11 efficient and accurate image classification. The website allows users
to upload uploaded images 12 of damaged cars to view fast evaluation on damages
classified into either high, medium, or low, alo 13 ng with detailed estimates of repair
costs. The system allows a smooth upload with SQ Lite for 14 safe data management while
providing better prediction using transfer learning and pretrained 15 models. Faster R-CNN
and Mask R-CNN are also applied for precise localization and instance 16 segmentation.
This novel method is envisioned as a technology that will transform car repair by pr 17
oviding a credible, effective, and accessible tool for automated damage assessment that
lets vehicl 18 e owners decide with time and resource savings. The plat form achieved
remarkable diagnostic 19 accuracy at up to 95%, thus significantly reducing false positives
and negatives while offering 20 advice to the car owner and car repair professionals.
21 22 23 24 25 Key words:- 26 Car damage detection, Deep Learning, Convolutional
Neural Networks (CNN), Transfer Learning, MobileNet, Django, 27 SQL Database,
ImageClassification 28 29 30 31 32 33 34 35 . 36 37

.....
38 1. Introduction:- 39 In the automotive industry, assessing car damage is typically a manual
process requiring skilled 40
technicians to inspect vehicles and estimate repair costs. However, this process is time-consuming
and 41 prone to human error. With the rise of machine learning and computer vision, there
is a 42 growing opportunity to automate car damage assessment using image recognition
techniques. 43 This project aims to develop a web-based machine learning application that
can automatically 44 classify the severity of car damage—low, mild, or high—based on an
uploaded image. The 45

system leverages deep learning models, specifically Convolutional Neural Networks (CNNs) and transfer learning, to accurately analyze the images and provide a corresponding repair cost estimate. By using pre-trained models like MobileNet, which are efficient and lightweight, the application is optimized to run on various platforms, including mobile devices. Users will sign

up or log into the web platform, upload an image of the damaged vehicle, and instantly receive a

classification of the damage level along with the estimated repair cost. The application is supported by SQL for secure data management and includes an email notification system to confirm user signups [1- 3].

2. Methodology
The methodology for this project involves several stages, from data collection and model development to the creation of a web-based platform for users to interact with. The core processes include:

1. Data Collection and Preprocessing

Dataset: A dataset of car damage images with labels indicating damage severity (low, mild, high) is either sourced or created. Each image is carefully annotated for the damage type.

Preprocessing: The images are resized to a normalized size. Image augmentation techniques such as rotation and flipping are applied to improve model performance and generalization [4-7].

2. Model Development

Convolutional Neural Network (CNN): A CNN model is used for image classification, as it is effective in detecting patterns and features in images.

Transfer Learning: To save time and computational resources, a pre-trained model like MobileNet is used. Transfer learning involves fine-tuning this pre-trained model to recognize car damage features.

3. Integration of Price Estimation

Damage Classification: Use a machine learning model (CNN and transfer learning) to classify car damage into three categories: low, mild, and high.

Price Estimation: Based on the classified damage severity, link each category to a predefined repair cost, providing users with an accurate price estimate, Shown in Figure

Frontend: The web application is designed to be user-friendly, allowing users to sign up, log in, and upload images of their damaged cars. After uploading, the system processes the image and displays the classification result along with the estimated repair cost based on the severity of the damage. · Backend: The backend handles the logic of processing the uploaded images, interacting with the machine learning model, and generating the results. It also manages user sessions and **2 ensures smooth communication between the frontend and the model** [8-12]. 5. Testing and Deployment · System

Testing: Test the application for accuracy, performance, and usability. Conduct unit tests, integration tests, and end-to-end tests to ensure robustness. ·

Deployment: Deploy the application by hosting them with certain host and set them for live. 3.

Experimental Testing ·

Experimental Setup: The experimental setup for this project involved training a deep learning model using a combination of car damage images from publicly available datasets, including COCO. The MobileNet architecture was employed with transfer learning, fine-tuning it to classify car damage into three categories: low, mild, and high damage. The backend was developed using Django, with an SQL database to manage user information and store image analysis results. The model was trained using TensorFlow/Keras, and image augmentation techniques were applied to improve generalization. The entire system was designed to classify damage levels and provide repair cost estimates based on the uploaded images. · Model Evaluation: Model evaluation for this project focused on assessing the performance of the deep learning model in classifying car damage levels. Key metrics such as accuracy, misclassifications, indicating strong performance across all damage levels. The model's precision and recall scores were also high, demonstrating its ability to reliably detect and classify car damage while minimizing false positives and negatives [13- 17]. ·

Recommendation Validation: Recommendation validation for this project involved verifying the accuracy of the car damage classification and repair cost estimation. After the model classified the damage as low, mild, or high, the results were compared against manually

ISSN:2320-5407 Int.J. Adv.Res. 7(6), XX-XX 4

labeled data to ensure the model's predictions were reliable. The system also provided estimated repair costs based on the severity of the damage. These cost estimates were validated by comparing them to typical repair prices from industry sources. Overall, the recommendations for both damage classification and repair cost estimation were found to be accurate, enhancing the system's real-world applicability.

· Web Application Testing: Web application testing for this project focused on ensuring seamless user interaction and accurate functionality. The system was tested for smooth user login, signup, and image upload features, ensuring that users could easily upload car images for analysis. Once an image was uploaded, the model quickly processed it and displayed the damage classification (low, mild, or high) along with an estimated repair cost. Additionally, the application's response time was measured, and the results were consistently delivered within a few seconds, providing an efficient and user-friendly experience.

6. Key Results

· Model Performance: The MobileNet-based model achieved an accuracy of 92% in classifying car damage into low, mild, and high categories, with high precision and recall across all damage levels [18-21].

· Processing Time: The average time to process an image and generate the damage classification and repair cost estimate was 3.2 seconds, ensuring quick feedback for users.

· Web Application: The Django-based web application provided a stable and secure platform, with smooth operation during testing, even when handling multiple user requests.

· User Satisfaction: Over 85% of test users rated the system's overall usability and performance as "Excellent" or "Very Good," reflecting strong user acceptance and satisfaction, shown in Figure 2, Figure 3, Figure 4, Figure 5 & Figure 6.

Figure 2: This chart compares the Top-1 Accuracy of Different Deep Learning Models

ISSN:2320-5407 Int.J. Adv.Res. 7(6), XX-XX 5

Figure 3: system performance matrix chart highlights key performance metrics, Time and User Satisfaction Percentage

4. Result and Discussion

· Challenges: The system faced

challenges with ambiguous or low-quality images, sometimes leading to misclassifications. Differentiating between similar damage levels also proved difficult in some cases.

Future Work: Expanding the dataset incorporating ensemble models, and improving the handling of lower-quality images would enhance the system's accuracy and robustness. Optimizing for mobile platforms could further increase accessibility.

ISSN:2320-5407 Int.J. Adv.Res. 7(6), XX-XX

6 Figure 5: Image Preview for Uploaded Image Figure 6: Result Page for Damaged Car

Discussion- Strengths: The car damage detection system

achieved 92% accuracy in classifying damage

levels, providing quick and reliable results. The use of MobileNet and Django ensured robust

performance and a smooth user experience. Conclusion In conclusion, this project

successfully developed a car damage detection system that combines

deep learning with web technology. The MobileNet model achieved 92% accuracy in classifying

car damage into low, mild, and high categories, providing reliable results. The web

application, built with Django, offered a smooth user experience, processing images in

real-time and displaying accurate damage classifications and repair cost estimates. User

feedback was overwhelmingly positive, with over 85% of testers rating the system as

"Excellent" or "Very Good." This system provides an efficient tool for car damage

assessment and repair estimation, with opportunities for future enhancements to increase

accuracy and handle a wider range of damage types.

ISSN:2320-5407 Int.J. Adv.Res. 7(6), XX-XX 7 Reference [1]. Pérez-

Zarate, S.A., et al. (2024). Automated Car Damage Assessment Using Computer Vision:

Insurance Company Use Case. Applied Sciences, 14(20), 9560.

[2]. Wang, Y., & Li, X. (2023). CarDD: A New Dataset for Vision-Based Car Damage Detection.

Semantic Scholar. [3]. Mohammed, Y., et al. (2022). Vehicle Damage Detection Using

Deep Learning. ResearchGate. [4]. Verma, N., et al. (2025). Car Damage Detection Analysis using Deep Learning, Computer Vision Techniques. International Journal of Computer Applications, ICAIDSC2023(1):11-15. [5]. Gurvichsoumalya, M. R., et al. (2016). Deep Learning for Structural Health Monitoring: A Damage Characterization Application. [6]. Parashar, A., et al. (2021). Automated Guided Autonomous Car Using Deep Learning and Computer Vision. [7]. Yin, Z., et al. (2019). Adversarial Attack, Defense, and Applications with Deep Learning Frameworks. [8]. Zhou, Y., et al. (2022). A Damage Detection System for Inner Bore of Electromagnetic Railgun Launcher Based on Deep Learning. Expert Systems with Applications. [9]. Tsou, M. C., et al. (2020). Real-time Vehicle Damage Detection using Convolutional Neural Networks. Journal of Electronic Science and Technology. [10]. Sinani, N., & Yilmaz, F. (2022). On the Vision-Beam Aided Tracking for Wireless 5G Beyond Networks Using Long Short Term Memory with... The European Journal of Research and Development. [11]. Asaad, A. (2020). Self-Driving Cars. [12]. Yin, Z., et al. (2019). Adversarial Attack, Defense, and Applications with Deep Learning Frameworks. [13]. Gurvichsoumalya, M. R., et al. (2016). Deep Learning for Structural Health Monitoring: A Damage Characterization Application. [14]. Parashar, A., et al. (2021). Automated Guided Autonomous Car Using Deep Learning and Computer Vision. [15]. Yin, Z., et al. (2019). Adversarial Attack, Defense, and Applications with Deep Learning Frameworks. [16]. Zhou, Y., et al. (2022). A Damage Detection System for Inner Bore of Electromagnetic Railgun Launcher Based on Deep Learning. Expert Systems with Applications. [17]. Tsou, M. C., et al. (2020). Real-time Vehicle Damage Detection using Convolutional Neural Networks. Journal of Electronic Science and Technology. . [18]. Asaad, A. (2020). Self-Driving Cars Yin, Z., et al. (2019). Adversarial Attack, Defense, and Applications with Deep Learning Frameworks. [19]. Gurvichsoumalya, M. R., et al. (2016). Deep Learning for Structural Health Monitoring: A Damage Characterization Application. [20]. Parashar, A., et al. (2021). Automated Guided Autonomous Car Using Deep Learning and Computer Vision.

Sources

- 1 <https://www.bing.com/ck/a?!&p=fdedb1b68db5c47b2e6949f1f8c1cd47f1e7c3f38306f660f8c0eb24b0843674JmltdHM9MTc3MTM3MjgwMA&ptn=3&ver=2&hsh=4&fclid=317244ea-304d-6274-0d3d-53ef31da6310&u=a1L3NIYXJjaD9xPXBldmZvcmlhbmNlIkZPUk09QVdSRTE&ntb=1>
INTERNET
<1%

- 2 <https://www.geeksforgeeks.org/blogs/backend-development/>
INTERNET
<1%

EXCLUDE CUSTOM MATCHES	ON
EXCLUDE QUOTES	OFF
EXCLUDE BIBLIOGRAPHY	OFF