



Journal Homepage: - www.journalijar.com

INTERNATIONAL JOURNAL OF ADVANCED RESEARCH (IJAR)

Article DOI: 10.21474/IJAR01/16009

DOI URL: <http://dx.doi.org/10.21474/IJAR01/16009>



RESEARCH ARTICLE

IMPACT OF E-LEARNING ON PEDIATRIC LIFESTYLE DURING COVID-19 PANDEMIC

Dr. Talal Shakas M. Al Ghamdi¹, Khawlah Abdullah Al Batil², Forat Atiyah Alatiyah², Ahmad Mohedeen Aldawalibi², Abdulmajeed Khalid Al Duraywish² and Abdulmohsen Ali Al Mardhamah²

1. Dr. Sulaiman Al Habib Medical Group.
2. KSMC Family Medicine Academy.

Manuscript Info

Manuscript History

Received: 10 November 2022

Final Accepted: 14 December 2022

Published: January 2023

Abstract

Background: Coronavirus 2019 (COVID-19) affects our lifestyle globally, especially while the lockdown. E-learning becomes essential worldwide to limit the pandemic. In this circumstance children tend to spend more time using the Internet for studying purposes and entertainment. Subsequently, the prevalence of obesity increased from 8.9% to 11.5% (10). Furthermore, a study was accomplished in Switzerland. 75 percent of children, and up to 100 percent of adolescents have a tendency to utilize screen time, throughout detention, and the proportion of children who engage in less than two hours of light physical activity each day has doubled (3). There are insufficient studies performed in Saudi Arabia so we endeavored to decline the negative impact of E-learning on children's lifestyles.

Methodology: A community-based cross-sectional study will be conducted from December 2021 to February 2022 in the Kingdom of Saudi Arabia at primary healthcare centers. The data will be entered into an Excel sheet and analyzed by SPSS.

Results: A total of 857 participants were included in the current study. Physical activity decreased among 453 (52.9%) and increased among 201 (23.5%). 720 (84%) reported changes in sleep habits during the pandemic, and 346 (40.4%) reported sleep disturbance.

Conclusion: The COVID-19 pandemic had a significant impact on the learning and lifestyle of children. It resulted in the tendency and increase in E-learning and an increase in physical activity and eating habits. This can be considered a positive impact on children's learning and behavior.

Copy Right, IJAR, 2023., All rights reserved.

Introduction:-

Coronavirus 2019 (COVID-19) is a contagious disease caused by SARS- CoV-2. significant rates of morbidity, mortality, and straining healthcare systems caused by COVID-19. On March 11, 2020, WHO considered COVID-19 a pandemic. Many countries imposed various actions to contain the spread of the virus. In Saudi Arabia, the Ministry of Health imposed a lockdown to limit people's interaction by closing economic, social, and educational activities. As a result of the lockdown, education has changed dramatically. E-learning became a cornerstone of education in Saudi Arabia as well as other countries, whereby teaching is undertaken remotely and on digital

platforms with the help of electronic resources accompanied by differences in time attendance on these platforms where some students attended morning and other evening.

This situation pushed Children to spend more time indoors using electronic media both for education and recreation and more sedentary time, because of fewer opportunities to engage in physical activity without school activities. In addition to that, disturbance in sleeping hours and eating habits.

According to our literature review, BMI during COVID-19 Lockdown has increased among all participants from 17.32 to 17.80 kg/ m² (1). and from 21.07 to 21.57 kg/m² (2). Students When asked if they had gained or lost weight during this time, 37.1 percent said they had gained weight. (8) Also, the prevalence of obesity increased from 8.9% to 11.5%, and the prevalence of overweight increased from 23.3% to 28.7%. This occurred during the two summer vacations; no increase occurred during the three school years (10).

In August 2020, a survey was performed in the emergency department of the University Hospital in Lausanne, Switzerland. 40% of children said they ate and snacked more than usual while confined. For 75 percent of children, and up to 100 percent of adolescents, screen time surged.

During confinement, the proportion of children who engaged in less than 2 hours of light physical activity each day doubled. (3). Furthermore, an international survey of 820 adolescents conducted in Italy, Spain, Chile, Colombia, and Brazil found a significant increase in fried and sweet food consumption during COVID-19 restrictions, as well as a higher adherence to unhealthy food among adolescents whose mothers had a low education level. (4). Moreover, A survey of 41 obese children aged 6 to 18 years was undertaken in Italy over the course of three weeks of home confinement. It was discovered that during the lockdown, consumption of potato chips, red meat, and sugary drinks climbed dramatically, while time spent participating in sports was reduced by 2.3 hours per week, and screen time increased by 4.8 hours per day. (5). While during the COVID-19 lockdown, the prevalence of children who worsened their lifestyle behaviors was 95.2 percent for physical activity, 69.8% for screen usage, and 31.4 percent for adherence to the Mediterranean diet, respectively. (6). People of all ages and genders experienced significantly delayed sleep onset and wake-up times during lockdown, with an average between 22:00 and 00:00 before lockdown, but it lasted lengthy between 02:00 and 04:00 during the lockdown. (9).

Additionally, According to K. Ranjbar's findings, 13.4% of students slept 5 or fewer hours per day, 13% slept 6 to 8 hours per day, 12.8% slept 9 to 10 hours per day, 7.3 percent slept 11 to 12 hours per day, and 53.5 percent slept more than 12 hours per day. (7). The average amount of time spent sleeping each day was 7.87 hours. (8).

In our study, we attempted to determine the Impact of E-learning on pediatric lifestyle due to school closure during the COVID-19 pandemic, by assessing changes in childhood weight, sleeping hours, eating habits, and physical activity. and identifying interventions to reduce the negative impact.

Justification:

The distinctive rise of E-learning because of the Covid-19 pandemic and the future role of E-learning in the educational process, push us to search for the negative health impact on children of such type of learning.

Through this study, we seek to identify these effects, whether temporary or permanent and how to prevent them.

Study Objectives:-**General objective:**

To determine the Impact of E-learning on pediatric lifestyle during the COVID-19 pandemic.

Specific Objectives:

1. To assess the sleeping and eating habits change during COVID.
2. To assess the physical activity changes during COVID.
3. To correlate lifestyle changes with E-learning.

Methodology:-**Study Design:**

It was a community-based cross-sectional study to assess the Impact of E-learning on pediatric lifestyle during the COVID-19 pandemic.

Study Area:

The study will be conducted in the Kingdom of Saudi Arabia at primary healthcare centers. The Kingdom of Saudi Arabia occupies about four-fifths of the Arab Peninsula, with a total area of around 2,000,000 square kilometers, and a population of 34.81 million people.

Target Population:

Targeting Saudi parents of children male and female between 7-15 years old in the Kingdom of Saudi.

Study Period:

For three months from December 2021 to February 2022.

Sampling:

The Sample size of this cross-sectional study was determined by using online statistical calculator software (Raosoft®, Inc). A sample size of 8,556,493 Saudi children was calculated to achieve a 95% confidence interval with a margin of error of 5%, which is 385 children.

Data Collection:

The data was collected by the investigators themselves using an online form to conduct the questionnaire. The online survey is based on previous studies, which will be filled by targeting parents of children aged 7-15 years old after reading the written consent form and explicitly agreeing to participate in the study to collect the data to identify the Impact of E-learning on pediatric lifestyle during COVID-19 pandemic.

Data Analysis:

The data was analyzed using SPSS 23.0 mean + S. D was given for quantitative variables like age. frequencies and percentages were given for qualitative variables. Pearson chi-square and /or fisher exact test was applied to observe associations between qualitative variables. A P-value of <0.05 will be considered statically significant.

Statistical considerations:

The Sample size of this cross-sectional study was determined by using online statistical calculator software (Raosoft®, Inc). A sample size of 8,556,493 Saudi children was calculated to achieve a 95% confidence interval with a margin of error of 5%, which is 385 children.

Ethical consideration:

Informed consent will be obtained from all participants, there will be no physical, emotional, or mental harm to the participants. Confidentiality, respect, and dignity will be maintained throughout the research process. All data will be saved in an excel file and ensured by password only co investigators will have access.

Budget:

Item	Cost
Preparation of the questionnaire	0
Data collection	0
Field supervision	0
Transportation	0
Data processing and analysis	2000
Report writing	500
Total	2500

Work plan (schedule):

Writing proposal and questionnaire	August-October 2021
Testing questionnaire	November

Data collection	November – February
Data analysis	March
Report writing	April
Dissemination of results	May – June

Results:-

A total of 857 participants were included in the current study; females were slightly dominant with a percentage of 440 (51.3%). The majority of children were in the age range of 7-12 years, and most of them, 676 (78.9%), were from the Middle region. More than one-half of the children, 544 (63.5%), were originally from a city. The majority of children were in primary school 766 (89.4%); table 1 shows the demographics of children.

Table 1:- Description of demographic data of children.

Variables	Description (n=857)
Child's gender	
Male	417 (48.7)
Female	440 (51.3)
Child's age	
7-12 years	785 (91.6)
13-15 years	72 (8.4)
Region	
Middle	676 (78.9)
North	28 (3.3)
South	66 (7.7)
East	44 (5.1)
West	43 (5)
Residence	
City	544 (63.5)
Village	313 (36.5)
Educational level	
Primary	766 (89.4)
Intermediate	91 (10.6)

A few proportions, 165 (19.3%), reported that Morning was the time of learning, whereas the largest proportion, 692 (80.7%), reported Evening. More than one-half of children, 562 (65.6%), reported spending 4-6 hours with smart devices for learning, whereas 228 (26.6%) reported the same duration but for playing and watching. Physical activity decreased among 453 (52.9%) and increased among 201 (23.5%), while it was unchanged among 203 (23.7%). The largest proportion, 343(40%), reported physical activity before the pandemic as 1-3 times/week, whereas after the pandemic, the largest proportion, 410 (47.8%), reported no change. More than one-half of children, 464(54.1%), spent more than one hour on physical activities before the pandemic, whereas 689(80.4%) spent less than one hour after the pandemic.

There 720 (84%) reported changes in sleep habits during the pandemic, and there were 346 (40.4%) reported sleep disturbance during the pandemic. There 574 (67%) reported sleeping 7-9 hours before the pandemic, and 408 (47.6%) reported 7-9 hours during the pandemic. More than one-half 534 (62.3%) reported sleeping after midnight during the pandemic, whereas, before the pandemic, 475 (55.4%) were going to sleep from 7-9 pm.

The number of main meals during the pandemic increased by 291 (34%), and more than one-half 467 (54.5%) reported eating fast food mainly during the pandemic. One-half of children showed a decrease in weight during the pandemic 448 (52.3%), and 409 (47.7%) reported increased weight. More than one-half reported an increase in the number of snacks during the pandemic 446 (52%). Also, more than one-half of children 247 (55.4%) reported an increase in weight in the range of 1-3 kg.

Almost one-half of children, 430 (50.2%), reported new body pains during the pandemic. Only 82 (9.6%) and 48 (5.6%) agreed and extremely agreed, respectively, regarding life satisfaction during the pandemic.

Table 2:- Habits and lifestyles of children during COVID-19.

Time of classes during COVID-19 pandemic?	
Morning	165 (19.3)
Evening	692 (80.7)
Time spent on smart devices during E-learning classes	
1-3 hrs	181 (21.1)
4-6 hrs	562 (65.6)
> 6 hrs	114 (13.3)
Time spent on smart devices for playing or watching?	
1-3 hrs	430 (50.2)
4-6 hrs	228 (26.6)
> 6 hrs	199 (23.2)
Did you notice any change in your child's physical activities during COVID-19 pandemic and E-learning period?	
Increased	201 (23.5)
Decreased	453 (52.9)
No change	203 (23.7)
How frequently does your child do physical activities before COVID-19 pandemic and E-learning period?	
No change	196 (22.9)
1-3 times / week	343 (40)
4-6 times / week	226 (26.4)
> 6 times / week	92 (10.7)
How frequently does your child do physical activities during COVID-19 pandemic and E-learning period?	
No change	410 (47.8)
1-3 times / week	348 (40.6)
4-6 times / week	62 (7.2)
> 6 times / week	37 (4.3)
How many hours does your child spend on physical activities before COVID-19 pandemic and E-learning period?	
< 1hr	393 (45.9)
> 1hr	464 (54.1)
How many hours does your child spend on physical activities during COVID-19 pandemic and E-learning period?	
< 1hr	689 (80.4)
> 1hr	168 (19.6)
Do you feel that your child's number of main meals changed during COVID-19 pandemic and E-learning period?	
Increased	291 (34)
Decreased	285 (33.3)
No change	281 (32.8)
Do you feel that your child's eating type has changed during COVID-19 pandemic and E-learning period?	
Fast food mainly	467 (54.5)
Healthy food mainly	109 (12.7)
No change	281 (32.8)
Did you notice any change in your child's sleep habits during COVID-19 pandemic and E-learning period?	
Yes	720 (84)
No	137 (16)
How many total hours does your child spend while sleeping before COVID-19 pandemic and E-learning period?	
< 7 hrs	104 (12.1)

7-9 hrs	574 (67)
9-13 hrs	170 (19.8)
> 13 hrs	9 (1.1)
Did you feel that your child is having sleeping disturbances more during COVID-19 pandemic and E-learning period as compared to before?	
Yes	346 (40.4)
No	511 (59.6)
Have you noticed any change in your child's weight during COVID-19 pandemic and E-learning period?	
Increased	409 (47.7)
Decreased	448 (52.3)
No change	0 (0)
Have you noticed that your child started to have a new complaint of any pain during COVID-19 pandemic and E-learning period?	
Yes	430 (50.2)
No	427 (49.8)
How much do you rate your satisfaction with your child's changes during COVID-19 pandemic and E-learning period?	
Extremely disagree	302 (35.2)
Disagree	319 (37.2)
Neutral	106 (12.4)
Agree	82 (9.6)
Extremely agree	48 (5.6)
Do you feel that your child's number of snacks changed during COVID-19 pandemic and E-learning period?	
Increased	446 (52)
Decreased	78 (9.1)
No change	333 (38.9)
Amount of increase in weight during COVID-19 pandemic during COVID-19 pandemic and E-learning period?	
1-3 Kg	247 (55.4)
4-6 Kg	158 (35.4)
> 6 Kg	41 (9.2)
Time to go to bed during COVID-19 pandemic and E-learning period	
7-9 pm	98 (11.4)
10 pm - 12 am	225 (26.3)
After 12 am	534 (62.3)
How many total hours does your child spend while sleeping during COVID-19 pandemic and E-learning period?	
< 7 hrs	182 (21.2)
7-9 hrs	408 (47.6)
9-13 hrs	250 (29.2)
> 13 hrs	17 (2)
Time to go to bed before COVID-19 pandemic and E-learning period?	
7-9 pm	475 (55.4)
10 pm - 12 am	301 (35.1)
After 12 am	81 (9.5)

Table 3:- Relations of school time.

	Time of classes		P value*
	Morning	Evening	
Time spent on smart devices during E-learning classes			
1-3 hrs	25 (15.2)	156 (22.5)	0.000
4-6 hrs	102 (61.8)	460 (66.5)	

> 6 hrs	38 (23)	76 (11)	
Have you noticed that your child started to have a new complaint of any pain during COVID-19 pandemic and E-learning period?			0.834
Yes	84 (50.9)	346 (50)	
No	81 (49.1)	346 (50)	
How much do you rate your satisfaction with your child's changes during COVID-19 pandemic and E-learning period?			
Extremely disagree	44 (26.7)	258 (37.3)	0.098
Disagree	65 (39.4)	254 (36.7)	
Neutral	26 (15.8)	80 (11.6)	
Agree	18 (10.9)	64 (9.2)	
Extremely agree	12 (7.3)	36 (5.2)	
Did you notice any change in your child's physical activities during COVID-19 pandemic and E-learning period?			
Increased	36 (21.8)	165 (23.8)	0.836
Decreased	88 (53.3)	365 (52.7)	
No change	41 (24.8)	162 (23.4)	
How frequently does your child do physical activities before COVID-19 pandemic and E-learning period?			
No change	38 (23)	158 (22.8)	0.459
1-3 times / week	61 (37)	282 (40.8)	
4-6 times / week	51 (30.9)	175 (25.3)	
> 6 times / week	15 (9.1)	77 (11.1)	
How frequently does your child do physical activities during the COVID pandemic?			
No change	79 (47.9)	331 (47.8)	0.990
1-3 times / week	68 (41.2)	280 (40.5)	
4-6 times / week	11 (6.7)	51 (7.4)	
> 6 times / week	7 (4.2)	30 (4.3)	
How many hours did your child spend in sports and movement activities before COVID-19 pandemic?			
< 1hr	76 (46.1)	317 (45.8)	0.954
> 1hr	89 (53.9)	375 (54.2)	
How many hours did your child spend in sports and movement activities during the day of COVID-19 pandemic?			
< 1hr	135 (81.8)	554 (80.1)	0.609
> 1hr	30 (18.2)	138 (19.9)	
Do you feel that your child's number of main meals changed COVID -19 pandemic?			
Increased	68 (41.2)	223 (32.2)	0.031
Decreased	42 (25.5)	243 (35.1)	
No change	55 (33.3)	226 (32.7)	
Did you notice any change in your child's sleep habit during COVID-19 pandemic and E-learning period?			
Fast food mainly	89 (53.9)	378 (54.6)	0.254
Healthy food mainly	27 (16.4)	82 (11.8)	
No change	49 (29.7)	232 (33.5)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?			
Yes	132 (80)	588 (85)	0.117
No	33 (20)	104 (15)	
How many total hours does your child spend while sleeping before COVID-19 pandemic and E-learning?			
< 7 hrs	25 (15.2)	79 (11.4)	0.094

7-9 hrs	114 (69.1)	460 (66.5)	
9-13 hrs	23 (13.9)	147 (21.2)	
> 13 hrs	3 (1.8)	6 (0.9)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?			
Yes	60 (36.4)	286 (41.3)	0.243
No	105 (63.6)	406 (58.7)	
Have you noticed any change in your child's weight during the E-learning period?			
Increased	89 (53.9)	320 (46.2)	0.075
Decreased	76 (46.1)	372 (53.8)	
No change	0 (0)	0 (0)	
Changing the number of snacks during the pandemic			
Increased	98 (59.4)	348 (50.3)	0.063
Decreased	16 (9.7)	62 (9)	
No change	51 (30.9)	282 (40.8)	
Amount of increase in weight during COVID-19 pandemic			
1-3 Kg	55 (56.1)	192 (55.2)	0.474
4-6 Kg	37 (37.8)	121 (34.8)	
> 6 Kg	6 (6.1)	35 (10.1)	
Time to go to sleep during the pandemic			
7-9 pm	33 (20)	65 (9.4)	0.000
10 pm - 12 am	54 (32.7)	171 (24.7)	
After 12 am	78 (47.3)	456 (65.9)	
How many total hours does your child spend while sleeping During COVID and E-learning period?			
< 7 hrs	41 (24.8)	141 (20.4)	0.016
7-9 hrs	81 (49.1)	327 (47.3)	
9-13 hrs	36 (21.8)	214 (30.9)	
> 13 hrs	7 (4.2)	10 (1.4)	
What time does your child go to the bed before COVID-19 pandemic?			
7-9 pm	80 (48.5)	395 (57.1)	0.086
10 pm - 12 am	70 (42.4)	231 (33.4)	
After 12 am	15 (9.1)	66 (9.5)	

*Chi-square test

Table 3 shows that school time was significantly affected by time spent on smart devices for E-learning (P=0.000). In addition, the number of meals during the pandemic had a substantial effect (P=0.031) on school time. Furthermore, school time was significantly affected by the time to go to sleep (p=0.000) and total hours of sleep during the pandemic.

Table 4:- Relations of time spent using smart devices for online classes.

	Time with smart devices for learning			P value*
	1-3 hrs	4-6 hrs	> 6 hrs	
Rhythm of learning				
Day	25 (13.8)	102 (18.1)	38 (33.3)	0.000
Night	156 (86.2)	460 (81.9)	76 (66.7)	
Have you noticed that your child started to have a new complaint of any pain during COVID-19 pandemic and E-learning period?				
Yes	76 (42)	274 (48.8)	80 (70.2)	0.000
No	105 (58)	288 (51.2)	34 (29.8)	
How much do you rate your satisfaction with your				

child's changes during COVID-19 pandemic and E-learning period?				
Extremely disagree	51 (28.2)	198 (35.2)	53 (46.5)	0.003
Disagree	62 (34.3)	220 (39.1)	37 (32.5)	
Neutral	24 (13.3)	72 (12.8)	10 (8.8)	
Agree	26 (14.4)	48 (8.5)	8 (7)	
Extremely agree	18 (9.9)	24 (4.3)	6 (5.3)	
Did you notice any change in your child's physical activities during COVID-19 pandemic and E-learning period?				
Increased	40 (22.1)	131 (23.3)	30 (26.3)	0.000
Decreased	74 (40.9)	307 (54.6)	72 (63.2)	
No change	67 (37)	124 (22.1)	12 (10.5)	
How frequently does your child do physical activities before COVID-19 pandemic and E-learning period?				
No change	42 (23.2)	125 (22.2)	29 (25.4)	0.352
1-3 times / week	80 (44.2)	221 (39.3)	42 (36.8)	
4-6 times / week	37 (20.4)	161 (28.6)	28 (24.6)	
> 6 times / week	22 (12.2)	55 (9.8)	15 (13.2)	
How frequently does your child do physical activities during the COVID pandemic?				
No change	87 (48.1)	261 (46.4)	62 (54.4)	0.000
1-3 times / week	63 (34.8)	243 (43.2)	42 (36.8)	
4-6 times / week	13 (7.2)	39 (6.9)	10 (8.8)	
> 6 times / week	18 (9.9)	19 (3.4)	0 (0)	
How many hours did your child spend in sports and movement activities before COVID-19 pandemic?				
< 1hr	89 (49.2)	255 (45.4)	49 (43)	0.540
> 1hr	92 (50.8)	307 (54.6)	65 (57)	
How many hours did your child spend in sports and movement activities during the day of COVID-19 pandemic?				
< 1hr	136 (75.1)	459 (81.7)	94 (82.5)	0.131
> 1hr	45 (24.9)	103 (18.3)	20 (17.5)	
Do you feel that your child's number of main meals changed COVID -19 pandemic?				
Increased	57 (31.5)	186 (33.1)	48 (42.1)	0.025
Decreased	51 (28.2)	194 (34.5)	40 (35.1)	
No change	73 (40.3)	182 (32.4)	26 (22.8)	
Do you feel that your child's eating type has changed during COVID-19 pandemic and E-learning period?				
Fast food mainly	87 (48.1)	308 (54.8)	72 (63.2)	0.150
Healthy food mainly	25 (13.8)	71 (12.6)	13 (11.4)	
No change	69 (38.1)	183 (32.6)	29 (25.4)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?				
Yes	142 (78.5)	477 (84.9)	101 (88.6)	0.044
No	39 (21.5)	85 (15.1)	13 (11.4)	
How many total hours does your child spend while sleeping before COVID-19 pandemic and E-				

learning?				
< 7 hrs	32 (17.7)	61 (10.9)	11 (9.6)	0.021
7-9 hrs	122 (67.4)	383 (68.1)	69 (60.5)	
9-13 hrs	26 (14.4)	111 (19.8)	33 (28.9)	
> 13 hrs	1 (0.6)	7 (1.2)	1 (0.9)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?				
Yes	72 (39.8)	214 (38.1)	60 (52.6)	0.015
No	109 (60.2)	348 (61.9)	54 (47.4)	
Have you noticed any change in your child's weight during the E-learning period?				
Increased	75 (41.4)	270 (48)	64 (56.1)	0.047
Decreased	106 (58.6)	292 (52)	50 (43.9)	
No change	0 (0)	0 (0)	0 (0)	
Change in the number of snacks during the pandemic				
Increased	85 (47)	293 (52.1)	68 (59.6)	0.091
Decreased	14 (7.7)	51 (9.1)	13 (11.4)	
No change	82 (45.3)	218 (38.8)	33 (28.9)	
Amount of increase in weight during COVID-19 pandemic				
1-3 Kg	52 (61.2)	162 (55.3)	33 (48.5)	0.603
4-6 Kg	25 (29.4)	105 (35.8)	28 (41.2)	
> 6 Kg	8 (9.4)	26 (8.9)	7 (10.3)	
What time does your child go to the bed during COVID-19 pandemic?				
7-9 pm	26 (14.4)	58 (10.3)	14 (12.3)	0.676
10 pm - 12 am	46 (25.4)	150 (26.7)	29 (25.4)	
After 12 am	109 (60.2)	354 (63)	71 (62.3)	
How many total hours does your child spend while sleeping During COVID and E-learning period?				
< 7 hrs	34 (18.8)	113 (20.1)	35 (30.7)	0.001
7-9 hrs	95 (52.5)	271 (48.2)	42 (36.8)	
9-13 hrs	51 (28.2)	169 (30.1)	30 (26.3)	
> 13 hrs	1 (0.6)	9 (1.6)	7 (6.1)	
What time does your child go to the bed before COVID-19 pandemic?				
7-9 pm	91 (50.3)	313 (55.7)	71 (62.3)	0.119
10 pm - 12 am	67 (37)	203 (36.1)	31 (27.2)	
After 12 am	23 (12.7)	46 (8.2)	12 (10.5)	

*Chi-square test

Table 4 shows that time spent using smart devices for online classes during the pandemic was significantly associated with many factors such as time of classes (Morning or Evening, $P=0.000$), New body complaints ($P=0.000$), Life satisfaction ($P=0.003$), Change in child's physical activities during COVID-19 pandemic and E-learning period ($P=0.000$), Times of physical activities ($P=0.000$), and Number of meals ($p=0.025$).

In addition, time spent using smart devices for E-learning during the COVID-19 pandemic was significantly associated with the Change in sleep nature ($P=0.044$), Sleeping hours before and during the pandemic ($P=0.021$ and $P=0.015$), and Sleep disturbance ($P=0.047$).

Table 5:- Relations of new related medical complaints.

	New body pains (complaints) during pandemic	
--	---	--

	Yes	No	P value*
Rhythm of learning			
Day	84 (19.5)	81 (19)	0.834
Night	346 (80.5)	346 (81)	
Time spent on smart devices during E-learning classes			
1-3 hrs	76 (17.7)	105 (24.6)	0.000
4-6 hrs	274 (63.7)	288 (67.4)	
> 6 hrs	80 (18.6)	34 (8)	
How much do you rate your satisfaction with your child's changes during COVID-19 pandemic and E-learning period?			
Extremely disagree	206 (47.9)	96 (22.5)	0.000
Disagree	177 (41.2)	142 (33.3)	
Neutral	25 (5.8)	81 (19)	
Agree	16 (3.7)	66 (15.5)	
Extremely agree	6 (1.4)	42 (9.8)	
Did you notice any change in your child's physical activities during COVID-19 pandemic and E-learning period?			
Increased	126 (29.3)	75 (17.6)	0.000
Decreased	256 (59.5)	197 (46.1)	
No change	48 (11.2)	155 (36.3)	
How frequently does your child do physical activities before COVID-19 pandemic and E-learning period?			
No change	86 (20)	110 (25.8)	0.052
1-3 times / week	167 (38.8)	176 (41.2)	
4-6 times / week	123 (28.6)	103 (24.1)	
> 6 times / week	54 (12.6)	38 (8.9)	
How frequently does your child do physical activities during the COVID pandemic?			
No change	243 (56.5)	167 (39.1)	0.000
1-3 times / week	151 (35.1)	197 (46.1)	
4-6 times / week	19 (4.4)	43 (10.1)	
> 6 times / week	17 (4)	20 (4.7)	
How many hours did your child spend in sports and movement activities before COVID-19 pandemic?			
< 1hr	173 (40.2)	220 (51.5)	0.000
> 1hr	257 (59.8)	207 (48.5)	
How many hours did your child spend in sports and movement activities during the day of COVID-19 pandemic?			
< 1hr	364 (84.7)	325 (76.1)	0.002
> 1hr	66 (15.3)	102 (23.9)	
Do you feel that your child's number of main meals changed COVID -19 pandemic?			
Increased	162 (37.7)	129 (30.2)	0.000
Decreased	188 (43.7)	97 (22.7)	
No change	80 (18.6)	201 (47.1)	
Did you notice any change in your child's sleep habit during COVID-19 pandemic and E-learning period?			
Fast food mainly	298 (69.3)	169 (39.6)	0.000
Healthy food mainly	42 (9.8)	67 (15.7)	
No change	90 (20.9)	191 (44.7)	
Did you feel that your child is having sleeping			

disturbances more during the E-learning period as compared to before?			
Yes	393 (91.4)	327 (76.6)	0.000
No	37 (8.6)	100 (23.4)	
How many total hours does your child spend while sleeping before COVID-19 pandemic and E-learning?			
< 7 hrs	53 (12.3)	51 (11.9)	0.502
7-9 hrs	282 (65.6)	292 (68.4)	
9-13 hrs	92 (21.4)	78 (18.3)	
> 13 hrs	3 (0.7)	6 (1.4)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?			
Yes	240 (55.8)	106 (24.8)	0.000
No	190 (44.2)	321 (75.2)	
Have you noticed any change in your child's weight during the E-learning period?			
Increased	229 (53.3)	180 (42.2)	0.001
Decreased	201 (46.7)	247 (57.8)	
No change	0 (0)	0 (0)	
Change in the number of snacks during the pandemic			
Increased	237 (55.1)	209 (48.9)	0.000
Decreased	51 (11.9)	27 (6.3)	
No change	142 (33)	191 (44.7)	
Amount of increase in weight during COVID-19 pandemic			
1-3 Kg	122 (51.5)	125 (59.8)	0.134
4-6 Kg	94 (39.7)	64 (30.6)	
> 6 Kg	21 (8.9)	20 (9.6)	
What time does your child go to the bed during COVID-19 pandemic?			
7-9 pm	29 (6.7)	69 (16.2)	0.000
10 pm - 12 am	97 (22.6)	128 (30)	
After 12 am	304 (70.7)	230 (53.9)	
How many total hours does your child spend while sleeping during COVID-19 pandemic and E-learning period?			
< 7 hrs	123 (28.6)	59 (13.8)	0.000
7-9 hrs	166 (38.6)	242 (56.7)	
9-13 hrs	132 (30.7)	118 (27.6)	
> 13 hrs	9 (2.1)	8 (1.9)	
Time to go to bed before COVID-19 pandemic and E-learning period			
7-9 pm	257 (59.8)	218 (51.1)	0.024
10 pm - 12 am	140 (32.6)	161 (37.7)	
After 12 am	33 (7.7)	48 (11.2)	

*Chi-square test

Table 5 shows the correlations between lifestyle changes during the COVID-19 pandemic and new related medical complaints. Time spent on smart devices for learning and life satisfaction was significantly ($P < 0.05$) associated with new related medical complaints during the COVID-19 pandemic.

Additionally, new related medical complaints during the COVID-19 pandemic were significantly ($P < 0.05$) affected by the number of meals, change in the number of meals, change in eating habits, and Change in weight during the pandemic.

In addition, changes in child physical activities, times, and hours of physical activities before and during the pandemic had a substantial ($P < 0.05$) impact on new related medical complaints during the COVID-19 pandemic. Furthermore, changes in sleep nature, sleep disturbance, time to go to sleep before and during the pandemic, and total hours of sleep were significantly ($P < 0.05$) associated with new related medical complaints during the COVID-19 pandemic.

Table 6:- Relations of parents' satisfaction.

	How much do you rate your satisfaction with your child's changes during COVID-19 pandemic and E-learning period?					P value*
	Extremely disagree	Disagree	Neutral	Agree	Extremely agree	
Rhythm of learning						
Day	44 (14.6)	65 (20.4)	26 (24.5)	18 (22)	12 (25)	0.098
Night	258 (85.4)	254 (79.6)	80 (75.5)	64 (78)	36 (75)	
Time spent on smart devices during E-learning classes						
1-3 hrs	51 (16.9)	62 (19.4)	24 (22.6)	26 (31.7)	18 (37.5)	0.003
4-6 hrs	198 (65.6)	220 (69)	72 (67.9)	48 (58.5)	24 (50)	
> 6 hrs	53 (17.5)	37 (11.6)	10 (9.4)	8 (9.8)	6 (12.5)	
Have you noticed that your child started to have a new complaint of any pain during COVID-19 pandemic and E-learning period?						
Yes	206 (68.2)	177 (55.5)	25 (23.6)	16 (19.5)	6 (12.5)	0.000
No	96 (31.8)	142 (44.5)	81 (76.4)	66 (80.5)	42 (87.5)	
Did you notice any change in your child's physical activities during COVID-19 pandemic and E-learning period?						
Increased	70 (23.2)	82 (25.7)	20 (18.9)	15 (18.3)	14 (29.2)	0.000
Decreased	204 (67.5)	177 (55.5)	44 (41.5)	24 (29.3)	4 (8.3)	
No change	28 (9.3)	60 (18.8)	42 (39.6)	43 (52.4)	30 (62.5)	
How frequently does your child do physical activities before COVID-19 pandemic and E-learning period?						
No change	67 (22.2)	77 (24.1)	28 (26.4)	12 (14.6)	12 (25)	0.017
1-3 times / week	103 (34.1)	126 (39.5)	44 (41.5)	42 (51.2)	28 (58.3)	
4-6 times / week	89 (29.5)	85 (26.6)	26 (24.5)	21 (25.6)	5 (10.4)	

> 6 times / week	43 (14.2)	31 (9.7)	8 (7.5)	7 (8.5)	3 (6.3)	
How frequently does your child do physical activities during the COVID pandemic?						
No change	192 (63.6)	151 (47.3)	41 (38.7)	19 (23.2)	7 (14.6)	0.000
1-3 times / week	87 (28.8)	145 (45.5)	45 (42.5)	42 (51.2)	29 (60.4)	
4-6 times / week	10 (3.3)	19 (6)	13 (12.3)	14 (17.1)	6 (12.5)	
> 6 times / week	13 (4.3)	4 (1.3)	7 (6.6)	7 (8.5)	6 (12.5)	
How many hours did your child spend in sports and movement activities before COVID-19 pandemic?						
< 1hr	108 (35.8)	152 (47.6)	55 (51.9)	43 (52.4)	35 (72.9)	0.000
> 1hr	194 (64.2)	167 (52.4)	51 (48.1)	39 (47.6)	13 (27.1)	
How many hours did your child spend in sports and movement activities during the day of COVID-19 pandemic?						
< 1hr	252 (83.4)	278 (87.1)	79 (74.5)	53 (64.6)	27 (56.3)	0.000
> 1hr	50 (16.6)	41 (12.9)	27 (25.5)	29 (35.4)	21 (43.8)	
Do you feel that your child's number of main meals changed COVID -19 pandemic?						
Increased	122 (40.4)	114 (35.7)	29 (27.4)	17 (20.7)	9 (18.8)	0.000
Decreased	127 (42.1)	111 (34.8)	29 (27.4)	14 (17.1)	4 (8.3)	
No change	53 (17.5)	94 (29.5)	48 (45.3)	51 (62.2)	35 (72.9)	
Do you feel that your child's eating type has changed during COVID-19 pandemic and E-learning period?						
Fast food mainly	208 (68.9)	184 (57.7)	41 (38.7)	28 (34.1)	6 (12.5)	0.000
Healthy food mainly	19 (6.3)	44 (13.8)	17 (16)	12 (14.6)	17 (35.4)	
No change	75 (24.8)	91 (28.5)	48 (45.3)	42 (51.2)	25 (52.1)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?						
Yes	287 (95)	289 (90.6)	75 (70.8)	44 (53.7)	25 (52.1)	0.000
No	15 (5)	30 (9.4)	31 (29.2)	38 (46.3)	23 (47.9)	
How many total hours does your child spend while sleeping before COVID-19 pandemic and E-learning?						

< 7 hrs	32 (10.6)	34 (10.7)	10 (9.4)	13 (15.9)	15 (31.3)	0.000
7-9 hrs	195 (64.6)	222 (69.6)	79 (74.5)	55 (67.1)	23 (47.9)	
9-13 hrs	75 (24.8)	59 (18.5)	17 (16)	14 (17.1)	5 (10.4)	
> 13 hrs	0 (0)	4 (1.3)	0 (0)	0 (0)	5 (10.4)	
Did you feel that your child is having sleeping disturbances more during the E-learning period as compared to before?						
Yes	172 (57)	130 (40.8)	23 (21.7)	13 (15.9)	8 (16.7)	0.000
No	130 (43)	189 (59.2)	83 (78.3)	69 (84.1)	40 (83.3)	
Have you noticed any change in your child's weight during the E-learning period?						
Increased	180 (59.6)	160 (50.2)	33 (31.1)	21 (25.6)	15 (31.3)	0.000
Decreased	122 (40.4)	159 (49.8)	73 (68.9)	61 (74.4)	33 (68.8)	
No change	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	
Change in the number of meals during the pandemic						
Increased	184 (60.9)	171 (53.6)	40 (37.7)	34 (41.5)	17 (35.4)	0.000
Decreased	33 (10.9)	28 (8.8)	9 (8.5)	5 (6.1)	3 (6.3)	
No change	85 (28.1)	120 (37.6)	57 (53.8)	43 (52.4)	28 (58.3)	
Amount of increase in weight during COVID-19 pandemic						
1-3 Kg	79 (42.9)	100 (58.5)	28 (70)	26 (76.5)	14 (82.4)	0.000
4-6 Kg	75 (40.8)	62 (36.3)	11 (27.5)	8 (23.5)	2 (11.8)	
> 6 Kg	30 (16.3)	9 (5.3)	1 (2.5)	0 (0)	1 (5.9)	
Time to go to sleep during the pandemic						
7-9 pm	19 (6.3)	19 (6)	16 (15.1)	20 (24.4)	24 (50)	0.000
10 pm - 12 am	58 (19.2)	89 (27.9)	29 (27.4)	36 (43.9)	13 (27.1)	
After 12 am	225 (74.5)	211 (66.1)	61 (57.5)	26 (31.7)	11 (22.9)	
How many total hours does your child spend while sleeping During COVID and E-learning period?						
< 7 hrs	76 (25.2)	73 (22.9)	9 (8.5)	12 (14.6)	12 (25)	0.000
7-9 hrs	106 (35.1)	153 (48)	69 (65.1)	55 (67.1)	25 (52.1)	
9-13 hrs	112 (37.1)	88 (27.6)	25 (23.6)	14 (17.1)	11 (22.9)	
> 13 hrs	8 (2.6)	5 (1.6)	3 (2.8)	1 (1.2)	0 (0)	

What time does your child go to the bed before COVID-19 pandemic?						
7-9 pm	193 (63.9)	178 (55.8)	48 (45.3)	37 (45.1)	19 (39.6)	0.000
10 pm - 12 am	87 (28.8)	114 (35.7)	46 (43.4)	35 (42.7)	19 (39.6)	
After 12 am	22 (7.3)	27 (8.5)	12 (11.3)	10 (12.2)	10 (20.8)	

*Chi-square test

Table 6 shows the correlation between parents' satisfaction with lifestyle changes and school time. Time spent on smart devices for E-learning and new body pains (complaints) during the pandemic significantly ($P < 0.05$) affected parents' satisfaction.

Additionally, parents' satisfaction was significantly ($P < 0.05$) affected by the number of meals, change in the number of meals, change in eating habits, Change in weight, and increase in weight during the pandemic.

In addition, changes in child's physical activities, times, and hours of physical activities before and during the pandemic had a substantial ($P < 0.05$) impact on parents' satisfaction.

Furthermore, changes in sleep nature, sleep disturbance, time to go to sleep before and during the pandemic, and total hours of sleep significantly ($P < 0.05$) affected parents' satisfaction.

Discussion:-

Pandemics force individuals to change certain behaviors instantly, including dietary habits [11]. An unhealthy nutritional routine can increase the risk of chronic medical conditions such as diabetes and obesity, which can increase the complications of COVID-19 [12]. It is very important to document changes in lifestyle and dietary habits during the COVID-19 pandemic, especially in developing countries, as they have encountered dietary transitions in the past [13]. A previous study from Saudi Arabia during COVID-19 pandemic showed that dietary habits had changed significantly during the COVID-19 pandemic; however, this study was conducted on the adult population [11]. Therefore, we conducted the current study to identify the lifestyle, including physical activity, sleeping habits, dietary habits, and E-learning of children during the COVID-19 pandemic and the impact of COVID-19 on E-learning and lifestyle.

Regarding education, the COVID-19 pandemic resulted in a significant change in the type of education, where the large majority of our children were using E-learning. This, in turn, led to using smart devices for learning; however, there was a significant difference between the duration of using smart devices for playing or watching and learning ($P = 0.0001$). The longest duration (6h) while using smart devices for playing or watching was more common (23.2%) compared to those using the same duration for learning (13.3%). The type of education was affected by many factors. E-learning as the major method of learning among children was found to be significantly associated with children aged 7-12 years, having no complaints, primary level of education, evening time, using devices of 4-6hours, and unchangeable pattern of physical activity, spending more than one hour for physical activity before COVID-19, sleeping 7-9 hours before and during the pandemic, and going to sleep after midnight during the pandemic.

A previous study from India revealed that the COVID-19 pandemic significantly impacted education [8].

A study from Saudi Arabia showed excessive use of electronic devices among children during COVID-19, which was similar to our findings. Moreover, children showed a low level of physical activity [15].

By investigating the physical activity of children in our study, we found that the COVID-19 pandemic also had an impact on the physical activity of children, where only 23.7% reported an unchanged pattern of physical activity, whereas the remaining proportions either increased or decreased in their physical activity. There were significant differences between the times and hours of physical activities before and during the pandemic. The number of times

of physical activity as well as the number of hours spent for physical activity significantly reduced during the COVID-19 compared to before pandemic.

In agreement with our findings, a study conducted on Polish children between the age of 6-15 years showed that there was a reduction in physical activity, where the mean number of days with one-hour activity was reduced during COVID-19 compared to before the pandemic [16].

A study from Qatar that included 144 respondents demonstrated that during the quarantine of COVID-19, there was a significant reduction in the total weekly average hours of physical activity [17], which was similar to our findings.

It is well proven that regular physical exercise can help to treat and prevent non-communicable diseases such as diabetes and heart disease [18]. Physical activity is supposed to be increased during the pandemic and quarantine as there is an opportunity to introduce the activity and consolidate new physical activity habits as home-based exercise [18].

However, the reduction of physical activity during COVID-19 may lead to an increase in the risk of non-communicable diseases, especially with the change in sleep and dietary patterns.

Our study showed that the COVID-19 pandemic changed the sleep pattern of children; most children experienced changes in sleep nature during the pandemic (84). Children significantly tended to stay up late, and more than one-half went to sleep after midnight during the pandemic compared to only 9.5% before the pandemic. However, the total sleeping hours weren't affected by the pandemic.

A previous Saudi study revealed that late bedtime among children during COVID-19 was evident and defined as midnight or later [15]. These findings can be supported by our findings, where the percentage of children sleeping after midnight was higher during the pandemic compared to before the pandemic.

A study conducted on 1016 Polish children revealed that sleep duration was reduced among children during the pandemic, whereas they experienced higher sleep quality [16]. This contrasted with our findings, as we found that the number of hours wasn't affected by the pandemic, but the time of sleep.

Similar to our findings, a previous Qatari study revealed that the majority of children during quarantine COVID-19 shifted their bedtime and wake time to later due to quarantine [17].

The COVID-19 pandemic also had a significant impact on the dietary habits of children in this study. The COVID-19 pandemic had a negative effect on the dietary habits of children, where more than one-half changed their eating to fast food mainly, and 34% reported an increase in the number of meals eaten during the pandemic. Moreover, there was an increase in weight gain ranging from one Kg to more than six Kg; more than one-half reported weight gain of 1-3 Kg. In addition, 47.7% reported an increase in weight.

A cross-sectional study from Qatar found that there was a significant increase in the total number of main meals daily with higher consumption of unhealthy food during the quarantine of COVID-19. The rate of the daily amount of fast food significantly increased from 4.7% before quarantining to 11.3% during the quarantine [17]. This supports our findings that COVID-19 had a negative impact on the dietary habits of children.

Surekha et al. conducted a study on children with 3-15 years and revealed that there were significant differences in body weight and body mass index before and after quarantine. The mean BMI increased significantly after the lockdown compared to before the lockdown. This reflects the weight gain among children during the pandemic [1], which in turn supports our findings. The same findings were reported from the USA, where body mass index, overweight, and obesity increased among children during the COVID-19 lockdown [2]. This weight change can be explained by our findings, such as an increase in fast food consumption and an increase in the number of daily meals.

However, Psychologically, parents' concerns can be considered the strongest indicator of parental satisfaction. Assuming that parents strive for the best possible school education for their children. [20] Smetackova concludes that more of the low-SES parents considered schools' approach to distance learning unsatisfactory. [20] while Joseph HB

conclude that more than half (52.2%) of parents reported that they were partially satisfied with their children's online learning, whereas 26% were not satisfied. More than half of the parents (61.1%) experienced the great challenge and burden of online Learning. [19]

This can be expressed by our results on parental satisfaction which shows that there was a greater percentage of disagreement (37.2%) and extreme disagreement (35.2%) and that it was significantly influenced by the amount of time spent on smart devices for e-learning and new body pain (complaints), the number of meals, changes in eating habits, weight changes, changes in the child's physical activities, changes in the nature of sleep, sleep disturbances, the amount of time to go to bed before and during the pandemic.

A cohort study done in Italy among children and adolescents during the second wave of COVID-19 disclosed adverse effects related to the overuse of smartphone use were significantly more frequently reported during the COVID-19 pandemic, compared to the pre-epidemic period: such as Musculoskeletal disorders. [21] This is relevant to our findings, we found half of our samples (50.2 %) complained of new pain during COVID-19 and was significantly associated with overuse of smartphones, (70.2%) of them used smartphones for more than 6 hours moreover, there is a significant impact between new body pain and lifestyle changes, increase of numbers of meals and physical activities.

Conclusion:-

The COVID-19 pandemic had a significant impact on the learning and lifestyle of children. It resulted in the tendency and increase in E-learning and lifestyle. The COVID-19 pandemic resulted in a reduction in physical activity, made a large proportion of children stay up late, and an increase in the number of meals and the consumption of unhealthy food. Therefore, the COVID-19 pandemic negatively and potentially affected the lifestyle of children, but turning to E-learning can be considered a positive impact.

Reference:-

1. Surekha BC, Karanati K, Venkatesan K, Sreelekha BC, Kumar VD.E-learning during COVID-19 pandemic: A surge in childhood obesity.Indian J Otolaryngol Head Neck Surg.2021;1–7.
2. MulugetaW, Hoque L. Impact of the COVID-19 lockdown on weight status and associated factors for obesity among children in Massachusetts. *Obes Med.*2021;22(100325):100325.
3. Zemrani B, Gehri M, Masserey E, Knob C, Pellaton R. A hidden sideof the COVID-19 pandemic in children: the double burden of undernutrition and overnutrition. *Int J Equity Health.*2021;20(1):44.
4. Ruiz-Roso MB, de Carvalho Padilha P, Mantilla-Escalante DC, et al. Covid-19 Confinement and Changes of Adolescent's Dietary Trends in Italy, Spain, Chile, Colombia and Brazil. *Nutrients.* 2020;12(6):1807. Published 2020 Jun 17. doi:10.3390/nu12061807
5. Pietrobelli A, Pecoraro L, Ferruzzi A, Heo M, Faith M, Zoller T, etal. Effects of COVID-19 lockdown on lifestyle behaviors in children with obesity living in Verona, Italy: A longitudinal study. *Obesity (Silver Spring).*2020;28(8):1382–5.
6. Medrano M, Cadenas-Sanchez C, Osés M, Arenaza L, AmaseneM, Labayen I. Changes in lifestyle behaviours during the COVID-19 confinement in Spanish children: A longitudinal analysis from the MUGI project. *Pediatr Obes.*2021;16(4): e12731.
7. Ranjbar K, Hosseinpour H, Shahriarirad R, Ghaem H, Jafari K, Rahimi T, et al. Students' attitude and sleep pattern during school closure following COVID-19 pandemic quarantine: a web-based survey in south of Iran. *Environ Health Prev Med.*2021;26(1):33.
8. Chaturvedi K, Vishwakarma DK, Singh N. COVID-19 and its impact on education, social life and mental health of students: A survey. *Child Youth Serv Rev.*2021;121(105866):105866.
9. Sinha M, Pande B, Sinha R. Impact of COVID-19 lockdown on sleep-wake schedule and associated lifestyle related behavior: A national survey. *J Public Health Res.*2020;9(3):1826.
10. von Hippel PT, Workman J. From kindergarten through second grade, U.s. children's obesity prevalence grows only during summer vacations. *Obesity (Silver Spring).*2016;24(11):2296–300.
11. Al-Husseini N, Alqhtani A. COVID-19 pandemic's impact on eating habits in Saudi Arabia. *Journal of public health research.* 2020 Sep 16;9(3):jphr-2020.
12. Mattioli AV, Sciomer S, Cocchi C, Maffei S, Gallina S. Quarantine during COVID-19 outbreak: Changes in diet and physical activity increase the risk of cardiovascular disease. *Nutrition, Metabolism and Cardiovascular Diseases.* 2020 Aug 28;30(9):1409-17.

13. Popkin BM, Adair LS, Ng SW. Global nutrition transition and the pandemic of obesity in developing countries. *Nutrition reviews*. 2012 Jan 1;70(1):3-21.
14. Rakha AH, Abalkhail A, Albahadel DM. Family promotion of children's healthy lifestyles during the COVID-19 pandemic in light of Saudi Vision 2030. *Family Relations*. 2022 May 15.
15. Łuszczki E, Bartosiewicz A, Pezdan-Śliz I, Kuchciak M, Jagielski P, Oleksy Ł, Stolarczyk A, Dereń K. Children's eating habits, physical activity, sleep, and media usage before and during COVID-19 pandemic in Poland. *Nutrients*. 2021 Jul 17;13(7):2447.
16. Al-Mulla NA, Mahfoud ZR. The Impact of the COVID-19 Lockdown "Home Quarantine" on the Physical Activity and Lifestyle of Children in Qatar. *Frontiers in Public Health*. 2022;10.
17. Amini H, Habibi S, Islamoglu AH, Isanejad E, Uz C, Daniyari H. COVID-19 pandemic-induced physical inactivity: the necessity of updating the Global Action Plan on Physical Activity 2018-2030. *Environmental Health and Preventive Medicine*. 2021 Dec;26(1):1-3.
18. Joseph HB, Kuppaswamy S, Shetty AP. Children's online learning during COVID-19 pandemic: experiences and satisfaction encountered by Indian parents. *jidhealth* [Internet]. 2021 Sep. 22 [cited 2022 Aug. 27];4(Special3):443-9. Available from:<https://www.jidhealth.com/index.php/jidhealth/article/view/156>
19. Smetackova, I., &Stech, S. (2021). The first wave of the COVID-19 pandemic in primary schools in the Czech Republic: Parental perspectives. *European Journal of Education*, 56, 564–577.<https://doi.org/10.1111/ejed.12478>
20. Serra, G., Lo Scalzo, L., Giuffrè, M. et al. Smartphone use and addiction during the coronavirus disease 2019 (COVID-19) pandemic: cohort study on 184 Italian children and adolescents. *Ital J Pediatr* 47, 150 (2021). <https://doi.org/10.1186/s13052-021-01102-8>.