



Journal Homepage: - www.journalijar.com

INTERNATIONAL JOURNAL OF ADVANCED RESEARCH (IJAR)

Article DOI: 10.21474/IJAR01/22615

DOI URL: <http://dx.doi.org/10.21474/IJAR01/22615>



RESEARCH ARTICLE

CLINICAL PHOTOGRAPHY AS AN ESSENTIAL TOOL IN PLASTIC, RECONSTRUCTIVE AND AESTHETIC SURGERY DEPARTMENTS PLASTIC, RECONSTRUCTIVE AND AESTHETIC SURGERY DEPARTMENT UNIVERSITY HOSPITAL MOHAMMED VI OF TANGIER

Sahir Mehdi², El Aissaoui Imane¹, El Adak Hanane¹, Diher Issam² and Dehhaze Adil³

1. Assistant Professor, Department of Plastic, Reconstructive and Aesthetic Surgery, Center for Major Burns, CHU Mohammed VI, Tangier, Morocco.

2. Resident, Department of Plastic, Reconstructive and Aesthetic Surgery, Center for Major Burns, CHU Mohammed VI, Tangier, Morocco.

3. Professor and Head of Department of Plastic, Reconstructive and Aesthetic Surgery, Center for Major Burns, CHU Mohammed VI, Tangier, Morocco.

Manuscript Info

Manuscript History

Received: 10 November 2025

Final Accepted: 12 December 2025

Published: January 2026

Key words:-

Clinical photography; Plastic reconstructive and aesthetic surgery; Surgical documentation; Results evaluation; Patient assessment and follow-up; Medicolegal documentation; Surgical planning.

Abstract

Clinical photography plays a crucial role in modern plastic, reconstructive and aesthetic surgery because it serves as an essential tool for diagnosis, preoperative planning, postoperative evaluation, education, research, and medicolegal documentation and so on. As a visually driven specialty, plastic surgery relies on standardized, high-quality photographs to objectively assess anatomical details, track the patients progress, and evaluate their surgical results. This article highlights the central importance of medical photography within plastic surgery departments, it also discusses the challenges related to inconsistent photographic techniques or inadequate data management, and additionally, it emphasizes the need for structured protocols with proper equipment, and secure storage systems. The importance of strengthening clinical photography practices on the other hand enhances patient care and facilitates effective communication within the medical staff and the patients, it also supports scientific and academic output and brings departmental standards closer to internationally recognized practices.

"© 2026 by the Author(s). Published by IJAR under CC BY 4.0. Unrestricted use allowed with credit to the author."

Introduction:-

Photography has become an essential component in plastic surgery departments for many reasons, first of all this specialty (Plastic, Reconstructive and Aesthetic Surgery) relies heavily on visual assessment and photographic documentation plays a central role in evaluating procedures, planning surgeries and assessing postoperative outcomes. High-quality images allow surgeons to compare patient progress over time, communicate efficiently with colleagues and illustrate results for education and research purposes. Despite its importance, the use of photography in clinical practice often suffers from inconsistencies in lighting, positioning, camera settings, and image management and so on. These variations can have a bad impact on the process as it can limit the accuracy of

Corresponding Author:- Sahir Mehdi

Address:- Assistant Professor, Department of Plastic, Reconstructive and Aesthetic Surgery, Center for Major Burns, CHU Mohammed VI, Tangier, Morocco.

comparisons, reduce the reliability of the assessment of the outcome, and sometimes impact negatively the decision-making. Standardized clinical photography aims to address these challenges by providing a reproducible method for capturing images under controlled and uniform conditions. This standardization would improve the diagnostic as it would make the documentation clearer, it would also support better communication within the team, and on the other hand enhances the quality of documentation used for teaching, research, and medicolegal purposes. However, in many plastic surgery departments, standardization is not fully implemented, and practices vary widely among staff members. The purpose of this article is to shed the light on the importance of standardized clinical photography in plastic surgery departments and to demonstrate how the implementation of these protocols can improve the clinical practice. This article offers a practical framework for departments seeking to improve their photographic systems and ameliorate the quality of care through reviewing the current practices, identifying key components of standardization, and discussing the challenges involved.

Definition and Principles of Standardized Clinical Photography:-

Standardized clinical photography refers to a controlled and reproducible method of capturing medical images under uniform conditions. In plastic surgery, where visual assessment is central to diagnosis and treatment, the ability to produce consistent photographs is essential. Standardization ensures that any differences observed between images reflect actual clinical changes rather than variations caused by lighting, camera angle, distance, or patient positioning. This creates a reliable visual record that can support clinical decision-making, improve communication among healthcare providers, and enhance the quality of documentation used for teaching, research, and medicolegal purposes.

The principles of standardized photography are based on reducing uncontrolled variables during image capture. These principles include:

Consent:

Written and signed patient consent is mandatory for all medical photographs, especially when images are used for teaching, communication, research, or publication, ensuring ethical and legal compliance.

Lighting:

The lighting should be consistent and even. It should be taken in neutral and natural light; this is essential to avoid the shadows and highlight anatomical details accurately in order to minimize distortion across different sessions.



Figure1: this figure represents good lighting conditions (neutral and natural light) of the chest area from the neck to the umbilic.

Background:

A plain, neutral background (it could be white, gray or blue or green) in order to eliminate distractions and provide a clear contrast to the patient's anatomy. Another simple and practical method, is to use surgical drapes in the background.



Figure 2: This figure represents the use of surgical drape under the patient's knee for a clear evaluation of the lesion

Framing:

The anatomical area in question should be centered and should be fully visible in every image and maintain uniform composition for accurate comparisons throughout the procedures.



Figure 3: This figure represents how the framing should be of the chest area of a patient presenting a gynecomastia (from the neck to the umbilic).

Camera Settings:

The camera should be in a fixed setting that includes focal length, aperture, ISO, and white balance, to ensure consistent image quality and color reproduction.



Figure 4: The figure shows an optimal quality image that enhances color preservation for ideal anatomical assessment.

Patient Positioning:

Patient positions should be standardized and specifically taken for each anatomical area, to allow reproducible views and facilitate before and aftersurgery comparison.



Figure 5 :Before and after surgery photos of ear reconstruction surgery are taken in the same position, distance, and angles, for perfect result evaluation.

Camera Distance and Angle:

The same distance and angle for each photograph should be maintained to prevent perspective distortion and ensures consistent scale.

Data Storage:

Secure digital storage of patient's images with organized file for each procedure made into file categories to preserve data and allows easy retrieval for clinical, educational, research and other purposes. By following these principles, clinical photography becomes a reliable and objective tool within plastic surgery departments as it transforms photographs from simple visual records into precise, comparable data that support high-quality patient care and professional practice.

The Role of Photography in Plastic Surgery:-**Diagnostic Assessment:**

Photography provides an objective visual record of the patient's condition, helping surgeons identify deformities, asymmetries, and subtle anatomical features that guide clinical evaluation.

Surgical Planning:

Preoperative photographs assist in planning procedures by allowing precise marking, simulation of outcomes, and visualization of the surgical approach.

Documentation and Follow-Up:

Photographs create a consistent record over time, enabling surgeons to monitor healing, track changes, and maintain accurate patient files.

Evaluation of Outcomes:

Comparing standardized before-and-after images allows objective assessment of surgical results by both the patient and the medical staff, and the effectiveness of the techniques.

Education:

Clinical photographs serve as teaching tools for residents and students, illustrating lesions and anomalies, surgical techniques and anatomical variations in a clear, reproducible manner.



Figure 6: This figure illustrate the surgical steps in the OR of aear reconstruction for educational purposes.

Research and Publications:

High-quality images support scientific research, enhance case reports, and provide evidence for peer-reviewed publications.



Figure 8: Performing blepharoplasty surgery showing the techniques and anatomical plans with optimal zoom and quality of the image for research, education and scientific publications.

Medicolegal Documentation:

Photographs serve as objective evidence of preoperative conditions and postoperative results, protecting both patients and surgeons in legal contexts.

How Standardization Improves Clinical Practice:-

Standardizing clinical photography improves practice by ensuring that images are consistent with optimal quality, comparable, and free from technical variations that can distort clinical assessment. Uniform lighting, positioning, and camera settings allow surgeons to evaluate subtle postoperative changes accurately and make more informed decisions. Consistent photographs enhance communication among staff, support clearer documentation, and improve the quality of images used for teaching and research. Standardization also strengthens patient care by providing reliable visual records that aid in follow-up, increase transparency during consultations, and offer stronger medicolegal protection.

Building a Standardized Photography System in the Department:-

Establishing a standardized photography system requires dedicated space, appropriate equipment, and clear protocols that all staff members follow consistently. A controlled photography room with uniform lighting, a neutral background, and fixed camera positions to ensure an image quality that is reliable. Staff training is one of the essential things to maintain consistency and minimize variability between photographers. Digital storage systems must be used to archive images properly to be used as references for all the research and comparison purposes. When these elements are implemented together, the department achieves a structured workflow that supports accurate documentation, improves communication, and enhances overall patient care.

Challenges and Limitations:-

Implementing standardized clinical photography can face several challenges, including limited budgets for proper equipment, lack of dedicated space and time, and varying levels of staff training or compliance. One of the primary inconveniences is the busy schedules that may lead to shortcuts in protocol, resulting in inconsistent images. Technical issues such as inadequate lighting, camera malfunction, or poor image storage systems can also compromise quality. Additionally, another inconvenience that is related to patients is when the patient is uncomfortable and non-cooperative, or when they have difficulty maintaining the standardized positions which affect the process. Addressing these barriers is essential to achieve reliable, high-quality photographic documentation within the department.

Recommendations:-

To optimize the use of clinical photography in plastic surgery departments, the following recommendations are proposed:

- Establish standardized clinical photography protocols covering consent, lighting, background, camera settings, patient positioning, and image framing.
- Create a dedicated photography space equipped with appropriate lighting and neutral backgrounds.
- Provide regular training for medical staff to ensure consistent image acquisition.
- Implement secure digital storage systems.
- Integrate clinical photography into routine clinical workflow and surgical documentation.

Conclusion:-

Clinical photography is an indispensable component of plastic, reconstructive and aesthetic surgery. When performed in a standardized manner, it provides reliable visual documentation that supports accurate diagnosis, effective surgical planning, objective outcome evaluation, and comprehensive follow-up. Standardization reduces technical variability, improves communication among healthcare professionals, and enhances the quality of images used for education, research, and medicolegal documentation. Implementing structured clinical photography protocols within plastic surgery departments therefore contributes directly to improved patient care and professional practice. Strengthening these practices aligns departmental workflows with internationally recognized standards and supports the continuous improvement of surgical quality and academic output.

References:-

1. American Society of Plastic Surgeons. (n.d.).
2. Photographic standards in plastic surgery. American Society of Plastic Surgeons.
3. <https://www.plasticsurgery.org>
4. Parsa, S., Basagaoglu, B., Mackley, K., & Rohrich, R. J. (2021).
5. Current and future photography techniques in aesthetic surgery.
6. Swanson, E. (2024).
7. Picture perfect: Standardizing and safekeeping clinical photography in plastic surgery. *Aesthetic Surgery Journal*. Advance online publication.
8. Thomas, V. A., Rugeley, P. B., & Lau, F. H. (2015).
9. Digital photograph security: What plastic surgeons need to know.
10. Yavuzer, R., Smirnes, S., & Jackson, I. T. (2001).
11. Guidelines for standard photography in plastic surgery. *Annals of Plastic Surgery*, 46(3), 293–300.