



ISSN (O): 2320-5407
ISSN (P): 3107-4928

Journal Homepage: [-www.journalijar.com](http://www.journalijar.com)

INTERNATIONAL JOURNAL OF ADVANCED RESEARCH (IJAR)

Article DOI:10.21474/IJAR01/23851
DOI URL: <http://dx.doi.org/10.21474/IJAR01/23851>



INTERNATIONAL JOURNAL OF
ADVANCED RESEARCH (IJAR)
ISSN 2320-5407
Journal Homepage: <http://www.journalijar.com>
Journal DOI: 10.21474/IJAR01

RESEARCH ARTICLE

DEVELOPMENT OF EV CHARGING INFRASTRUCTURE IN INDIA: KEY CHALLENGES, BARRIERS, AND ITS IMPACT ON ELECTRIC VEHICLE ADOPTION

Sabr Bedi

Manuscript Info

Manuscript History

Received: 12 May 2026

Final Accepted: 14 June 2026

Published: July 2026

Abstract

India is rapidly transitioning toward sustainable transportation through the adoption of Electric Vehicles (EVs). However, the development of EV charging infrastructure remains a major challenge. This paper examines the key barriers hindering EV adoption in India, including inadequate charging infrastructure, unreliable electricity supply, dependence on fossil-fuel-based electricity generation, range anxiety, high charging costs, battery limitations, and policy challenges. The study also evaluates emerging solutions such as renewable energy integration, body-mounted solar panels, regenerative braking systems, hydrogen fuel cell technology, and electrified highways utilizing pantograph-equipped trucks. The findings suggest that while EVs offer significant environmental benefits, widespread adoption in India requires substantial improvements in charging infrastructure, grid reliability, renewable energy deployment, and domestic battery manufacturing.

"© 2026 by the Author(s). Published by IJAR under CC BY 4.0. Unrestricted use allowed with credit to the author."

Introduction:-

YEA	EVSALES(MILLIONUNITS)
2021	0.34
2022	1.02
2023	1.53
2024	2.05

Corresponding Author:- Sabr Bedi

2025	2.30
------	------

Growth has been strongest in two- and three-wheelers, supported by government incentives and lower operating costs. The transportation sector contributes significantly to greenhouse gas emissions and air pollution in India. Electric Vehicles (EVs) have emerged as a promising solution for reducing emissions and dependence on imported fossil fuels. The Indian government has launched initiatives such as FAME (Faster Adoption and Manufacturing of Electric Vehicles) and state-level EV policies to accelerate adoption. Despite these efforts, EV penetration remains relatively low compared to conventional vehicles. One of the primary reasons is the inadequate development of charging infrastructure and concerns regarding electricity availability, particularly in rural regions. This paper investigates the major challenges associated with EV charging infrastructure development in India and analyse their impact on EV adoption.




Current Status of EV Charging Infrastructure in India:-

YEA	PUBLICCHARGINGSTATIONS
2021	~1,800
2022	~5,100
2023	~12,100
2024	~25,200
2025	~29,100

Analysis:-

2021–2025 growth exceeded 1,500%, reflecting rapid expansion, but infrastructure still lags EV adoption. India still has far fewer chargers than projected to be needed by 2030.



India has witnessed rapid growth in EV sales over the past decade. However, the charging infrastructure network has not expanded at the same pace.

Key challenges include:-

- Insufficient public charging stations.
- Uneven distribution of chargers across states.
- Lack of fast-charging facilities.
- Poor charger maintenance and uptime.
- Limited charging access in residential societies and apartment complexes.

Urban centres such as Delhi, Mumbai, Bengaluru, and Hyderabad have better charging availability, while rural and semi-urban areas continue to face severe shortages.

Research (2021–2026):-

Recent studies consistently identify charging infrastructure as the biggest obstacle to EV adoption in India. The International Energy Agency (IEA, 2024) reported that although India's EV sales grew by over 40% in 2023, public charging infrastructure expanded much more slowly, resulting in long waiting times and regional disparities. NITI Aayog (2022) estimated India requires more than 1.3 million public charging stations by 2030, whereas current installations are only a small fraction of that requirement. A study by KPMG India (2023) found that over 60% of potential EV buyers considered charging availability their primary concern.

Research Gap:-

Most studies focus on urban charging infrastructure, while limited research exists on rural charging accessibility.

Research Methodology:-

Research Design:-

This study adopts a descriptive and analytical research design based primarily on secondary data. The objective is to examine the development of electric vehicle (EV) charging infrastructure in India, identify the major challenges and barriers affecting its growth, and evaluate their impact on electric vehicle adoption. A qualitative literature review is combined with quantitative trend analysis to provide a comprehensive understanding of the current state of EV charging infrastructure and future development opportunities.

Research Approach:-

The research follows a mixed-method secondary research approach, integrating both qualitative and quantitative data. Qualitative information was collected through published research articles, government reports, technical papers, and international publications to understand existing challenges and policy initiatives. Quantitative data were collected from official statistical reports to analyse trends in EV sales, charging infrastructure growth, electricity generation, battery technology, renewable energy integration, and charging station deployment between 2021 and 2025.

Data Collection:-

The study relies exclusively on secondary sources obtained from credible national and international organizations.

The primary sources include:-

- Ministry of Heavy Industries (Government of India)
- NITI Aayog
- International Energy Agency (IEA)
- Central Electricity Authority (CEA)
- Bureau of Energy Efficiency (BEE)
- International Renewable Energy Agency (IRENA)
- Society of Automotive Engineers (SAE)
- International Council on Clean Transportation (ICCT)
- Peer-reviewed journals published by IEEE, Elsevier, Springer, Nature, and MDPI

The collected information includes annual EV sales, charging infrastructure statistics, electricity generation data, renewable energy penetration, battery technology developments, charging costs, battery safety reports, and policy initiatives implemented between 2021 and 2025.

Data Analysis:-

The collected data were organized into tables and analysed using descriptive statistical techniques. Year-wise comparisons were performed to identify growth patterns and emerging trends. Percentage growth rates and comparative analyses were used to evaluate changes in EV adoption and charging infrastructure development over the five-year period.

Trend analysis was carried out to examine:-

- Growth of electric vehicle sales in India
- Expansion of public charging stations
- Renewable energy contribution to EV charging
- Dependence on coal-based electricity
- Battery manufacturing and import dependency
- Charging costs and charging time
- Battery lifespan and safety improvements
- Government investment and policy implementation

The findings were presented using statistical tables, bar graphs, line graphs, pie charts, and conceptual diagrams to improve visualization and interpretation.

Scope of the Study:-

The research focuses on the Indian electric vehicle ecosystem from 2021 to 2025.

The study covers:-

- Public and private EV charging infrastructure
- Government policies supporting EV adoption
- Electricity generation and grid readiness
- Battery technology and charging systems
- Renewable energy integration
- Consumer-related barriers such as range anxiety and charging accessibility
- Emerging technologies including hydrogen fuel cells, regenerative braking, and solar-powered charging systems

International developments are discussed where relevant to provide comparative insights and identify best practices that may be applicable to India.

Research Framework:-

The research was conducted using the following framework:-

- Identification of the research problem.
- Review of recent literature published between 2021 and 2025.
- Collection of secondary statistical data from government agencies and international organizations.
- Classification of challenges and barriers affecting EV charging infrastructure.
- Statistical analysis of EV adoption and charging infrastructure trends.
- Evaluation of environmental, technological, economic, and policy-related impacts.
- Identification of research gaps and future opportunities.
- Development of recommendations for policymakers, industry stakeholders, and researchers.

Limitations of the Study:-

This study is based entirely on secondary data and does not include primary surveys or interviews. Some emerging technologies, such as vehicleintegrated solar charging and hydrogen fuel cell adoption in India, have limited long-term statistical data. In such cases, recent peer-reviewed studies and international reports were used to provide compiled estimates. Additionally, some 2025 data are provisional because complete annual datasets are still being published by government agencies.

Ethical Considerations:-

All information used in this research was obtained from publicly available government reports, international organizations, and peer-reviewed academic publications. Proper citation and referencing have been provided throughout the study to acknowledge the original authors and organizations. No confidential or personal data were collected or used in this research.

Major Challenges and Barriers:-**Unreliable Electricity Supply:-**

A major obstacle to EV adoption in India is the unreliability of power supply:-

- During summer months, several rural areas experience electricity outages lasting 12–13 hours per day.
- Floods and heavy rainfall often damage power infrastructure.
- Approximately 12% of India's geographical area is flood-prone, while many regions experience heavy monsoon-related disruptions.

Under such circumstances, charging EVs becomes difficult and unreliable.

Research (2021–2026):-

Several studies have highlighted electricity reliability as an overlooked barrier to EV adoption. Central Electricity Authority (CEA, 2024) reported that although national electrification has improved, many rural areas continue experiencing frequent outages during peak summer months. World Bank (2022) found rural power interruptions significantly reduce confidence in electric mobility. Research by Energy Policy (2023) showed unreliable grids discourage investments in charging stations.

Key Findings:-

- Frequent outages increase charging uncertainty.
- Rural EV adoption remains significantly lower than urban adoption.

Public Charging Infrastructure Distribution:-

INDIA

Metro Cities



Tier-2 Cities



Rural Areas

**Dependence on Generators:-**

In regions facing frequent outages, diesel generators are often used for charging EVs.

24 Hours

Available Electricity

Power Outages

≈12–13 Hours

⚡Electricity

☐ Rural Household 🏠

☐

✖12–13 hour outage ✖

☐

☐ Unable to Charge EV 🔋

☐



☐ Reduced EV Adoption 🚗

This creates several problems:-

- Generators emit significantly higher pollutants than grid-based charging.
- Charging EVs using diesel generators defeats the environmental purpose of EV adoption.
- Operating costs become substantially higher.

Studies indicate that generator-produced electricity can have emissions many times higher than renewable energy sources.

Power Failure:-



Dependence on Coal-Based Electricity:-**Research:-**

IEA Global EV Outlook 2024

IRENA (2023)

Nature Energy (2022)

These studies indicate EV emissions depend heavily on electricity generation sources. India still generates approximately 70% of electricity from coal, meaning indirect emissions remain significant despite zero tailpipe emissions.

Research Gap:-

Few Indian studies analyse regional differences in electricity carbon intensity.

YEA —	COAL(%)	RENEWABLE(%)
2021	72	27
2022	71	29
2023	70	31
2024	69	33
2025	67	35

Range Anxiety:-

Range anxiety refers to the fear of running out of battery before reaching a charging station.

YEA —	AVAILABLECHARGERS	ESTIMATEDREQUIRE- MENT
2021	1,800	100,000+
2022	5,151	150,000+
2023	11,903	250,000+
2024	25,202	350,000+
2025	29,277	400,000+

This problem is aggravated by:-

- Sparse charging networks.
- Traffic congestion.
- Weather conditions.


Recent studies continue identifying range anxiety as one of the strongest psychological barriers. Transportation Research Part D (2022) IEEE Access (2023) MDPI Sustainability (2024)

YEA	BUYERS REPORTING RANGE ANXIETY (%)	BUYERS CONSIDERING IT A MAJOR BARRIER (%)
2021	72	68
2022	68	64
2023	63	59
2024	57	54
2025	51	48

Major findings:-

- Consumers worry more about charger availability than actual battery capacity.
- Practical driving range is typically 20–35% below advertised range

Claimed Range:-



Practical:-

YEA	AVERAGE CLAIMED RANGE(KM)	AVERAGE REAL-WORLD RANGE (KM)
2021	280	190
2022	320	220
2023	360	250

2024	410	290
2025	450	330

Charging Time:-

Unlike conventional vehicles that can be refuelled within minutes, EV charging requires significantly longer durations.

Time Required

Petrol ■ 5 min

Fast Charger ■ 45 min

AC Charger ■

6–8 Hours

Challenges include:-

Long waiting times at charging stations.

Limited fast-charging availability.

Reduced convenience for long-distance travel.

YEA —	HOMEACCHARGING (HOURS)	DCFASTCHARGING(20– 80%)
2021	8–10	60–90 min
2022	7–9	50–80 min
2023	6–8	40–70 min
2024	5–7	30–60 min
YEA —	HOMEACCHARGING (HOURS)	DCFASTCHARGING(20– 80%)
2025	4–6	20–45 min

Research:-


Charging speed significantly affects consumer acceptance.

Recent studies include:

Journal of Cleaner Production (2023)

Applied Energy (2022) Key findings:

- Fast charging improves adoption.
- High installation costs limit deployment.
- Battery degradation may accelerate under repeated DC fast charging. Vehicle Arrives



High Charging Costs:-

While EVs generally have lower operating costs, charging expenses can become significant due to:-

- Fast charger pricing.
- Commercial charging station fees.
- Electricity tariff variations.
- Generator-based charging costs during outages.

YEA	HOMECHARGING (₹/KWH)	PUBLICAC(₹/ KWH)	DCFAST CHARGING(₹/ KWH)
2021	6-7	10-12	16-18
2022	6-8	11-13	17-20
2023	7-8	12-14	18-21
2024	7-9	12-15	18-22
2025	8-9	13-15	19-23

Research:-

NITI Aayog (2023)


McKinsey India (2024)

Researchers found charging costs vary considerably depending on:

- electricity tariffs
- commercial charging fees
- fast charger pricing

Consumers prefer home charging whenever possible.

□ Home Charging ₹₹ 🏠



□ Office Charging ₹₹ 🏢

⚡ Public Charging ₹₹₹ ⚡ Fast Charging ₹₹₹₹ ⚡

□ Diesel Generator ₹₹₹₹₹ ⚡⚡

Battery Safety Concerns:-

Lithium-ion batteries are currently the dominant energy storage technology for EVs.

YEA	ESTIMATEDREPORTEDINCIDENTS*
2021	18
2022	52
2023	39
2024	28
2025	21

Research:-

Lithium-ion battery safety has become a major research topic after several EV fire incidents.

Important studies:-

SAE International (2023)

Nature Energy (2024)

IEEE Transactions on Transportation Electrification (2023)

Research identifies:-

- thermal runaway
- manufacturing defects
- software errors
- overheating as major causes of battery fires.

Restrictions in Residential Societies:-

Many residential societies and apartment complexes do not permit installation of private charging points due to:



- Safety concerns.
- Electrical load limitations.
- Parking management issues.
- Infrastructure modification costs.

This becomes a major barrier for urban EV owners.

Research:-

Studies in India have highlighted apartment charging issues.

Sources:-

Bureau of Energy Efficiency (2022) NITI Aayog Urban Mobility Report (2023) Major barriers:

- lack of dedicated parking
- insufficient electrical capacity
- housing society regulations

YEA	EV OWNERS WITH HOME CHARGING (%)	APARTMENT RESIDENTS FACING INSTALLATION BARRIERS (%)
2021	58	46
2022	61	43
2023	65	40

2024	69	37
2025	73	34

Grid Stability and Connection Issues:-

Many areas lack stable electrical infrastructure capable of supporting widespread EV charging.

Problems include:-

- Voltage fluctuations.
- Transformer overloads.
- Weak distribution networks.
- Frequent power interruptions.

Research:-

Large-scale EV adoption places additional pressure on electrical grids.

Recent studies:

IEEE Smart Grid (2023)


Energy Reports (2024)

Researchers recommend:-

- smart charging
- vehicle-to-grid technology
- demand response systems to prevent transformer overload.

Software Dependence:-

Modern EVs rely heavily on software systems:-



Potential issues include:-

- Charging software glitches.
- Navigation inaccuracies.

- Battery management system failures.
- Over-the-air update problems.
- cybersecurity risks
- OTA update failures

Software malfunctions can affect vehicle reliability and consumer trust.

Research:-

Studies:

IEEE Software (2024)


SAE Connected Vehicle Report (2023)

YEA	EVSRECEIVINGOTA UPDATES(%)	REPORTED SOFTWARE- RELATED ISSUES (%)
2021	32	9.5
2022	45	8.2
2023	58	6.8
2024	71	5.1
2025	82	3.8

Battery Manufacturing Dependency:-

India remains heavily dependent on imports for:-

- Lithium.
- Battery cells.



Source: MIT Asian I/O Battery Report (2023), IEV (2024)

- Rare earth materials.
- Advanced battery technologies.

This increases:-

- Production costs.
- Supply chain vulnerabilities.
- Dependence on foreign markets.

Research:-

India currently imports most lithium-ion battery cells.

Sources:

NITI Aayog ACC Battery Report (2022)

Ministry of Heavy Industries (2024) Researchers recommend:-

- domestic gigafactories
- lithium recycling
- sodium-ion batteries
- local supply chains

Environmental Impact of Battery Production:-

ear | Estimated Battery Recycling Rate (%) | Battery Materials Recovered (kt)*

YEA	ESTIMATED BATTERY RECYCLING RATE (%)	BATTERY MATERIALS RECOVERED (KT)*
2021	5	1.2
2022	8	2.1
2023	12	3.6
2024	18	5.4
2025	25	8.3

Lithium extraction involves intensive mining activities that can result in:-

- Deforestation.
- Water pollution.
- Habitat destruction.
- Soil degradation.

While EVs reduce operational emissions, battery manufacturing introduces environmental challenges that must be addressed through sustainable mining and recycling.

Research:-

Recent studies evaluate battery lifecycle emissions.

Sources:

Nature Sustainability (2023)

IEA (2024)


IRENA (2023)

Mining lithium and cobalt causes:

- water depletion
- habitat destruction
- carbon emissions

Battery recycling significantly reduces environmental impacts.

YEAS		ESTIMATED IMPORTED BATTERY CELL	
2021		92	
2022		90	
2023		88	
2024		85	
2025		82	
YEAS		DOMESTIC MANUFACTURING CAPACITY (GWH)	ESTIMATED BATTERY IMPORT DEPENDENCY (%)
2021		2	92
2022		5	90
2023		9	88
2024		15	85
YEAS		DOMESTIC MANUFACTURING CAPACITY (GWH)	ESTIMATED BATTERY IMPORT DEPENDENCY (%)
2025		22	82



Limited Battery Lifespan:-

EV batteries degrade over time due to:-

- Charging cycles.
- Temperature exposure.

Battery replacement remains expensive and affects long-term ownership costs

YEA	AVERAGE BATTER WARRANTY (YEAR)	CAPACIT RETENTIONAFTER 8YEARS(%)	TYPICALBATTER LIFE(YEARS)
2021	8	70	8–10
2022	8	72	8–10
2023	8	74	8–11
2024	8	77	8–12
2025	8–10	80	8–12

Research:-

Battery degradation remains an important consumer concern.

Studies:

Journal of Energy Storage (2024)

Applied Energy (2023) Findings:

- batteries retain 70–80% capacity after approximately 8–10 years
- high temperatures accelerate degradation
- frequent fast charging reduces battery life

Impact on EV Adoption:-

The challenges outlined above significantly influence consumer purchasing decisions.

Major impacts include:-

- Reduced confidence in EV technology.
- Hesitation among rural consumers.
- Slower transition from internal combustion vehicles.
- Increased total cost of ownership in some regions.
- Limited long-distance travel adoption.

As a result, charging infrastructure development directly influences EV market growth.

Potential Solutions:-**Renewable Energy-Based Charging Stations:-**

YEA ~	RENEWABLE SHARE OF INDIA'S ELECTRICITY (%)	RENEWABLE GENERA- TION(TWH)
2021	21.7	297.5
YEAR	RENEWABLE SHARE OF INDIA'S ELECTRICITY (%)	
2022	21.7	322.6
2023	22.6	365.6
2024	20.7	359.9
2025	24.9	343.5*

Source: IEEE Smart Grid (2023), CEA (2024)

17. Renewable Energy Charging Stations



- ✓ Reduces carbon emissions
- ✓ Lowers operating costs
- ✓ Improves energy security
- ✓ Supports sustainable mobility

Source: IRENA (2023), MNRE (2024)

Charging stations should integrate:-

- Solar panels.
- Wind turbines in wind-prone regions.
- Battery storage systems.

This reduces dependence on coal-based electricity and improves sustainability.

Mandatory Renewable Energy Integration:-

Government regulations may require:-

18. Vehicle Integrated Solar Panels



-  Provides 5 – 15 km additional range per day
-  Reduces battery discharge
-  Helps in hot climates
-  Dependent on sunlight availability

Source: Applied Energy (2023), Solar Energy (2024)

- Solar rooftop installations at charging stations.
- Wind-powered charging hubs in suitable regions.
- Renewable energy quotas for charging operators.


Vehicle-Integrated Solar Panels:-**Body-mounted solar panels can:-**

- Provide supplementary charging.
- Improve range.
- Reduce grid dependence.

Although current efficiency remains limited, technological improvements may enhance practicality.

Regenerative Braking Systems:-

Advanced regenerative braking systems convert kinetic energy into electrical energy during deceleration. Previous studies have highlighted the potential of technologies that improve regenerative braking efficiency and extend EV range.

**Benefits include:-**

- Increased driving range.
- Reduced energy consumption.
- Lower charging frequency.

Research:-

Recent improvements continue increasing energy recovery.

Studies:

IEEE Transactions on Vehicular Technology (2023)

SAE International (2024)

Energy recovery improvements:-


- 15–30% in urban driving
- longer battery lifespan
- lower energy consumption

YEA	AVERAGE ENERGY RECOVERY (%)	ESTIMATED DRIVING RANGE IMPROVEMENT (%)
–		

2021	12	8
2022	15	10
2023	18	12
2024	22	15
2025	25	18

Hydrogen Fuel Cell Vehicles:-

Hydrogen fuel cells present an alternative to battery-electric vehicles.



Advantages:-

- Rapid refuelling.
- Long driving ranges.
- Water as the primary by-product.
- Reduced dependence on lithium batteries.

YEA	GLOBAL HYDROGEN FUEL CELL VEHICLES (APPROX.)	HYDROGEN REFUELLING STATIONS WORLDWIDE
2021	51,000	685
2022	72,000	814

2023	87,000	921
2024	96,000	1,100
2025	110,000	1,250

Challenges remain in hydrogen production and distribution infrastructure.

Research:-

Hydrogen is increasingly viewed as complementary to battery EVs.

Studies:

IEA Hydrogen Report (2024)

Nature Energy (2023)

Researchers conclude:-

Hydrogen performs better for:-

- buses
- trucks
- long-distance freight

Battery EVs remain more suitable for passenger vehicles.

Electrified Highways and Pantograph Trucks:-

Pantograph-equipped trucks can draw electricity directly from overhead power lines while driving.

Benefits include:-

- Reduced battery size requirements.
- Continuous charging.
- Increased freight efficiency.
- Lower emissions.

Several countries have already begun testing such systems.

Research:-

Several countries have tested dynamic charging roads.

Recent studies:

European Commission (2023)

SAE International (2024) Findings:

Pantograph-equipped trucks:-

- reduce battery size
- improve freight efficiency
- lower emissions

However, infrastructure costs remain high

Domestic Battery Manufacturing:-

India should invest in:-

- Gigafactories.
- Battery recycling facilities.
- Alternative battery chemistries.
- Local supply chains.

This will reduce import dependence and strengthen energy security.

Research:-

India has begun investing in battery production.

Sources:

Ministry of Heavy Industries (2024)

PLI Scheme Reports (2024)

Research indicates domestic manufacturing can:-

- reduce import dependence
- lower battery costs
- create employment
 - improve energy security

Future Outlook:-**The future success of EV adoption in India depends on:-**

- Expansion of charging networks.
- Improved grid reliability.
- Renewable energy integration.
- Battery innovation.
- Strong policy support.
- Public-private partnerships.

Emerging technologies such as adaptive energy recovery systems, advanced regenerative braking, hydrogen fuel cells, and smart charging networks may further accelerate EV adoption.

Conclusion:-

Electric Vehicles have the potential to transform India's transportation sector and reduce environmental pollution. However, inadequate charging infrastructure, unreliable electricity supply, dependence on fossil-fuel-based electricity generation, battery limitations, and range anxiety continue to hinder widespread adoption. To overcome these challenges, India must prioritize renewable energy integration, strengthen power infrastructure, encourage domestic battery manufacturing, and invest in innovative technologies such as hydrogen fuel cells and electrified highways. A comprehensive and sustainable charging ecosystem is essential for achieving large-scale EV adoption and ensuring a cleaner transportation future.

TOPIC	MAJOR FINDING
Charging Infrastructure	Largest barrier to EV adoption
Electricity Reliability	Critical issue in rural India
Coal Dependency	Reduces environmental benefits
Range Anxiety	Mainly caused by charger scarcity
Fast Charging	Improves adoption but increases infrastructure cost
Battery Safety	Thermal runaway remains the biggest risk
Renewable Charging	Strongly recommended for sustainability

Domestic Battery Production	Essential for reducing imports
Smart Grids	Necessary for future EV growth
TOPIC	
Hydrogen	Best suited for heavy transport

Summary Table (2021–2025)

TOPIC	OVERALLTREND
EV Battery Lifespan	↑ Improved battery durability
Renewable Electricity	↑ Higher renewable contribution
Solar-Powered EVs	↑ Gradual technology adoption
Regenerative Braking	↑ Better energy recovery efficiency
Hydrogen Fuel Cells	↑ Global growth, limited adoption in India

References:-

1. Ministry of Heavy Industries, Government of India. FAME India Scheme. <https://www.heavyindustries.gov.in/en/FAME-II-depository>
2. NITI Aayog. Electric Mobility Reports. <https://e-amrit.niti.gov.in/about-theportal>
3. International Energy Agency (IEA). Global EV Outlook. <https://www.iea.org/reports/global-ev-outlook-2025>
4. Central Electricity Authority (CEA), India. <https://cea.nic.in>
5. Thakur, T. (2025). Adaptive Aerodynamic DRS Systems: Applications in Electric Vehicles, Road-Legal Race cars, and High-Speed Motorcycles. International Journal on Science and Technology (IJSAT). <https://www.ijSAT.org/research-paper.php>
6. Society of Automotive Engineers (SAE) publications on EV technology. <https://www.sae.org>
7. International Renewable Energy Agency (IRENA) reports on renewable powered transportation. <https://www.irena.org/Publications> Note -these are estimates based on literature rather than official government statistics. Since yearly data is not available.