



ISSN (O): 2320-5407
ISSN (P): 3107-4928

Journal Homepage: www.journalijar.com

INTERNATIONAL JOURNAL OF ADVANCED RESEARCH (IJAR)

Article DOI:10.21474/IJAR01/24105
DOI URL: <http://dx.doi.org/10.21474/IJAR01/24105>



INTERNATIONAL JOURNAL OF
ADVANCED RESEARCH (IJAR)
ISSN: 2320-5407
Journal Homepage: <http://www.journalijar.com>
Journal DOI:10.21474/IJAR01

RESEARCH ARTICLE

EMOTIONAL EXPRESSION AS PREVENTIVE MEDICINE: AN AYURVEDIC PERSPECTIVE ON ASHRU VEGA DHARANA

Dr Trushali D. Kumbhalkar¹ and Dr Archana R. Belge²

1. PG Scholar, Department of Swasthavritta and Yoga, Shri Ayurved Mahavidyalaya, Nagpur, Maharashtra, India.
2. Professor & H.O.D., Department of Swasthavritta and Yoga, Shri Ayurved Mahavidyalaya, Nagpur, Maharashtra, India.

Manuscript Info

Manuscript History

Received: 04 July 2026

Final Accepted: 08 August 2026

Published: September 2026

Keywords:-

Adharaniya Vega, Ashru, Hridroga, Shiroroga, Stress hormones, Udana Vayu, Vyana Vayu.

Abstract

Background: Ashru (crying) is recognised as a vital behavioural risk factor in cardiovascular health. Traditional Ayurveda identifies Hridaya (the heart) as the seat of Vyana Vayu (circulation), Manas (mind) and Sadhaka Pitta (emotional consciousness). Inhibiting Adharaniya Vegas (natural urges), specifically Ashru Vega Dharana (tear suppression), causes Hridroga (heart disease) and Shiroroga (cranial disease). This study synthesizes classical Ayurvedic texts with modern neurochemistry and clinical epidemiology to investigate this pathophysiological link.

Methods: This cross-disciplinary comparative review analysed Brihat Trayi (classical Ayurvedic texts) alongside contemporary biomedical literature from PubMed, PMC, Google Scholar and JAMA. Search queries focused on emotional tearing, vagal activation, chemical composition of tears, and clinical cardiovascular risks.

Results: Suppressing tears disrupts Udana Vayu (emotional expression) and Vyana Vayu (circulation), causing Udavarta (retrograde energy flow) that blocks cardiac Srotas (channels), resulting in Hridroga (heart diseases), Pratishyaya/Peenasa (rhinitis) and Shiroruk (headaches). Biochemically, suppressing emotional lacrimation prevents the Mala-Visarga (excretion) of stress hormones (cortisol, ACTH), prolactin and manganese. This blocks parasympathetic activation via the vagal brake, trapping the body in sympathetic dominance (reduced HRV, coronary spasm and arterial shear stress). Clinically, Baspavegadharana (tear suppression) increases Coronary Artery Disease (CAD) odds 4.47-fold ($p < 0.01$).

Conclusion: Significant biophysical convergence exists between Ayurvedic concepts and autonomic regulation. Swapna (sleep), Madya (relaxing preparations) and Priyaah Kathaah (soothing conversations) directly align with modern parasympathetic activation methods. Healthy emotional expression is a vital preventive medicine modality.

"© 2026 by the Author(s). Published by IJAR under CC BY 4.0. Unrestricted use allowed with credit to the author."

Corresponding Author:- Dr Trushali D. Kumbhalkar

Address:- PG Scholar, Department of Swasthavritta and Yoga, Shri Ayurved Mahavidyalaya, Nagpur, Maharashtra, India.

Introduction:-

THE HRID-MANAS connection:-

We talk about the “head” and the “heart” like two different countries in the body’s geography. Modern hospitals have created a very clear, administrative boundary between the cardiac ward and the psychiatric department. Yet, patients don’t lead their lives separated. It took clinical medicine centuries to understand this fact. We know now that cardiovascular disorders and psychological problems maintain an endless reciprocal relationship with each other. Chronic depression makes a person much more susceptible to coronary heart disease, while acute fear and distress following a heart attack are common. Mind-muscle barriers begin to disappear.^[1,2]

The Concept of the Vega:-

However, mind-body continuity has never been a discovery. This concept was the core of Ayurvedic practice for more than three thousand years. In classical Ayurvedic medicine, the term “Vega” means an automatic and instinctual urge and “Dharana” means its conscious inhibition.^[3] The classical Ayurvedic approach doesn’t consider these urges an annoyance of the body. These urges serve as pressure release valves. This is how the nervous system gets rid of metabolic waste and releases emotional stress to maintain internal balance.^[4]

These impulses can be split into two categories according to classical doctrine:-

1. **Dharaniya Vegas** (The Suppressible): Mind-based impulses that need to be suppressed and inhibited—Dharaniya Vegas mentioned by Acharya Charaka include Lobha (greed), Shoka (grief), Bhaya (fear), Krodha (anger), Maana (vanity), Lajja (shamelessness), Ershya (jealousy), Atiraga (too much attachment) and Abhidhya (malice).^[5,6] These are the factors that determine ethical health.

Table No.1: Dharaniya Vegas according to Acharya

Category	Charaka Samhita	Ashtanga Hridayam / Vagbhata
Manasika (Mental Urges)	Must suppress Lobha (greed), Shoka (grief), Bhaya (fear), Krodha (anger), Mana (vanity/ego), Nairlajya (shamelessness), Irshya (jealousy), Atiraga (excessive attachment) and Abhidhya (malice/coveting others' wealth). ^[5]	Must suppress greed, grief, fear, anger, ego, shamelessness, jealousy, excessive attachment and desiring things possessed by others. ^{[7][8]}
Vachika (Verbal Urges)	Must suppress Parusha (harsh talks), Atimatra (excessive talking), Suchaka (backbiting/slandering), Anrita (lying) and Akalyukta (untimely/inappropriate speech). ^[5]	Must suppress harsh words, backbiting, lying and the use of untimely words. ^[7]
Kayika (Physical Urges)	Must suppress Parapida (physical actions that harm or trouble others), Stribhoga (illicit sex/adultery), Steya (stealing) and Himsa (violence). ^[5]	Must suppress doing work beyond one's capacity, violence, stealing and adultery/desire for other women. ^[7]

2. **Adharaniya Vegas** (The Non-Suppressible): Physical reflexes that must never be stopped. These are the reflexes of basic biological functions like sneezing, hunger, sleep, defecation and very importantly, the reflex for crying (Ashru or Baashpa).^[9,10,11,12]

Table No.2: Adharaniya Vegas according to Acharya

S. No.	Urge	Charaka Samhita ^[9]	Sushruta Samhita ^[10]	Ashtanga Hridayam / Vagbhata ^[11]
1.	Mutra (Urination)	Yes	Yes	Yes
2.	Purisha / Vit (Defecation)	Yes	Yes	Yes
3.	Retas / Shukra (Ejaculation)	Yes	Yes	Yes
4.	Apana Vayu/ Vata (Flatus)	Yes	Yes	Yes
5.	Chardi (Vomiting)	Yes	Yes	Yes
6.	Kshavathu / Kshava (Sneezing)	Yes	-	Yes
7.	Udgara (Belching / Eructation)	Yes	Yes	-
8.	Jrumbha (Yawning)	Yes	Yes	Yes
9.	Kshudha / Kshudh (Hunger)	Yes	Yes	Yes
10.	Trishna / Pipasa / Trt (Thirst)	Yes	Yes	Yes
11.	Bashpa / Ashru (Tears/ Lacrimation)	Yes	Yes	Yes
12.	Nidra (Sleep)	Yes	Yes	Yes
13.	Shrama-nihshwasa / Shrama-shwasa (Exertion-induced rapid breathing)	Yes	Yes	Yes
14.	Kasa (Coughing)	-	-	Yes

Why does suppression of tears harm the physical heart? Because in Ayurveda, our internal anatomy is charted in such a way that our physical heart is the supreme crossroads of all physiological pathways. The Hridaya is both the point of departure for the circulation of physical blood and lymph or VyanaVayu and also the seat of our emotional intelligence, Sadhaka Pitta and our mind, Manas.^[1,13,14] Due to the direct confrontation of physical vessels with our

emotional self within our heart, any emotional turmoil and any behavioural mistakes that stop its expression create instant turbulence in our cardiac circulation.^[15]

Textual Evidence: Cracking The Classical Code:-

If we examine Sanskrit verses of the Brihat Trayi, it becomes clear that the cautions about the hazards of tear suppression are extremely detailed and precise. Far from warning about just a vague imbalance of emotions, they describe a highly specific symptom cluster:

The Core Textual Directives:-

In the Charaka Samhita (Sutrasthana 7/22), the warning of Acharya Agnivesha about tear containment (Baashpa-nigraha) is condensed into a single verse couplet:^[16]

प्रतिश्यायोऽक्षिरोगश्चहृद्रोगश्चरुचिभ्रमः।बाष्पनिग्रहणात्तत्रस्वप्नोमद्यंप्रियाःकथाः॥

Writing many years later, Acharya Vagbhata builds upon and further expands on this statement in Ashtanga Hridaya (Sutrasthana 4/6) by adding a couple of more somatic indicators to the list:^[17]

पीनसाक्षिशिरोहृद्बुद्ध्यास्तम्भारुचिभ्रमाः।सगुल्माबाष्पतस्तत्रस्वप्नोमद्यंप्रियाःकथाः॥

Deconstructing the Pathology:-

The moment you sit next to a person exhibiting such symptoms, the ancient names immediately describe very tangible neurovascular and mechanical phenomena as follows:-

- **Pratishyaya / Peenasa** (Congested Nasal Passages): Every time a person cries, tears run down from his eyes into the nose through a special nasolacrimal duct. If this passage were forcibly closed, tears would accumulate in the duct, causing mucosal oedema and congestion.^[18]
- **Akshiroga** (Ocular Strain): The lack of tears – a natural eye-lubricant rich in immunological substances – makes the eye susceptible to irritation and visual fatigue.^[19]
- **Shiroruk & Manyastambha** (Cranial Tension & Stiff Neck): Try to picture the amount of physical strain that goes into preventing yourself from crying. In order to do so, one needs to clench the jaws, stiffen the neck and tighten the throat area. Such a strain pattern can result in neck spasms and tension headaches.^[20]
- **Aruchi** (Loss of Appetite): Emotional repression leads to a hard-hitting sympathetic “shut down” of the digestive system that paralyses the production of gastric secretions and results in severe gastroparesis.^[21]
- **Hridroga** (Cardiac Angina and Distress): Emotions lead to an intense release of adrenaline into the coronary arteries, causing vasospasm, myocardial ischemia and a familiar feeling of physical constriction in the middle of the chest area.^[22]

Tears and the Pathology of the Head (Shiroroga):-

In order to demonstrate the profound extent to which classical Ayurveda considered the repression of tears as a physically toxic process, Vagbhata even takes it a step further in Ashtanga Hridaya (Uttarasthana 23/1-3). In this work, he clearly lists Baashpa-nigraha (suppression of tears) along with other environmental toxins like inhalation of heavy soot (Dhuma) or being exposed to the harsh midday sun (Atapa) as a cause of diseases of the brain:

धूमातपतुषाराम्बु-क्रिडातिस्वप्नजागरैः॥उत्स्वेदाधिपुरोवात-बाष्पनिग्रह-रोदनैः॥

It becomes clear from the above literature that, from the perspective of the great masters, the act of suppressing tears was not only a social faux pas. It was a violent physical intervention which destabilised the functions of both the heart and the brain.^[23]

Methods:-

This study follows a systematic comparative review methodology in which classical Ayurvedic literature is reviewed and compared to contemporary scientific literature. This research was carried out in two separate domains:

Classical Literature Retrieval and Selection:-

The key texts from Brihat Trayi and Laghu Trayi have been analysed to find all the mentions of tear suppression and crying:-

- **Charaka Samhita (c. 1000 BCE - 200 CE):** Especially scrutinised the Sutrasthana Chapter 7 (Navegandharaniya Adhyaya) for extracting the main Sanskrit verses about the manifestations and treatment of Baashpa suppression.

- **Ashtanga Hridaya (c. 600 CE):** Scrutinised the Sutrasthana Chapter 4 (Roganutpadaniya Adhyaya) in search of the additional set of symptoms accompanying Baashpa suppression and Uttarasthana Chapter 23 (Shiroroga Vijnaniya) to define the causes of head and neck diseases (Shiroroga).
- **Sushruta Samhita & Bhavaprakash:** Analysed the sections about the physical structure of tears (Ashru) and its cellular origin.

Contemporary Scientific Literature Retrieval:-

Key biomedical resources (PubMed, PubMed Central, Google Scholar and Journal of the American Medical Association - JAMA) have been searched by means of a specially constructed query matrix:-

- **Biochemistry of Tears and their Excretion:** The keywords were "emotional tears," "psychic crying," "William Frey," "chemical constituents of tear fluid," "excretion of cortisol" and "ACTH tears".
- **Autonomic Regulation of Cardiovascular System:** The keywords used for searching included "self-soothing by crying," "parasympathetic activation," "vagal nerve stimulation," "heart rate variability during crying," "autonomic brake by vagus nerve" and "sympathetic inhibition by stress".
- **Clinical and Epidemiological Evidence:** The keywords were "Nifina Krishnan case-control," "crying suppression in coronary artery disease," "emotional repression and cardiovascular risk" and "urge suppression in Hridroga".

Synthesis and Translation Matrix:-

In order to facilitate a strong comparative analysis, the collected information was integrated into a common pathophysiological pathway. Energetic theories of classical times (directional flows of Udana Vayu, Vyana Vayu and Udavarta) were correlated with modern neurological pathways (hypothalamo-pituitary-adrenal axis activation, sympathetic-parasympathetic balance and vagal regulation mechanisms).

Results:-

Thus, this cross-disciplinary study demonstrated three closely related fields of evidence:

Ayurvedic Literature Analysis and Symptomatology:-

These classical texts detail the specific, organic symptoms associated with Ashru Vega Dharana in highly coordinated verses.

Charaka Samhita (Sutrasthana, Chapter 7, Navegandharaniya Adhyaya):

प्रतिश्यायोऽक्षिरोगश्चहृद्दोगश्चरुचिर्भ्रमः।बाष्पनिग्रहणात्तत्रस्वप्नोदप्रियाःकथाः॥

Refusal to shed tears, especially when in a mood of sadness, can be a causative factor in various health conditions like rhinitis, eye diseases, heart disorders, poor appetite and vertigo. Treatment should involve proper rest and sleep, along with ways to make the person feel good emotionally, like drinking some wine (when appropriate culturally or in the circumstances) and having nice conversations.^[24]

Ashtanga Hridaya (Sutrasthana, Chapter 4, Roganutpadaniya Adhyaya): Acharya Vagbhata in his formulation further explains the same:

पीनसाक्षिशिरोहृद्द्रुङ्गन्यास्तम्भारुचिभ्रमः।सगुल्माबाष्पतस्तत्रस्वप्नोदप्रियाःकथाः॥

When there is suppression of tears, chronic rhinitis, pain in the eyes, head, heart (chest), neck stiffness, poor appetite, vertigo and Gulma (lumpiness in the abdomen) might develop. Sleep (rest) and wine (Asava, Arishta), along with pleasing conversation, are the treatments recommended here.^[25]

Moreover, to prove that suppression of emotions leads to Shiroroga (head and neck disorders), Acharya Vagbhata in Ashtanga Hridaya (Uttarasthana Chapter 23, Shiroroga Vijnaniya) mentions Baashpa-nigraha (suppression of tears) as one of the direct causes of head disorders:^[26]

धूमातपतुषाराम्बु-क्रिडातिस्वप्नजागरेः॥उत्स्वेदाधिपुरोवात-बाष्पनिग्रह-रोदनैः॥अत्यम्बुमद्यपानेनकृमिभिर्वेगधारणैः॥

Ayurvedic Pathophysiology: The Biophysics of Suppression:-

Structure of Ashru (Tears):-

According to the classical literature, Ashru or tears have a complicated structure, which is made up of several dhatus (vital tissues) and Mahabhutas (elements)^[27]:-


- **Rasa Dhatu (Water Layer):** Consisting of the main water constituent of the tears, this layer comes from Rasa Dhatu (plasma) and is affected by Jala Mahabhuta (water element).^[27,28]
- **Meda Dhatu (Oily Layer):** The oil-based secretion that prevents tear evaporation is fed by Meda Dhatu (fatty tissue).^[27]
- **Majja Dhatu (Mucus Layer):** The cellular mucus secretion, traditionally called Akshivita (waste material of the eye), is formed by Majja Dhatu (bone marrow and nerve tissues). The eyelids have young bones (Tarunasthis), suggesting a link between the tears and bone marrow.^[27,29]
- **Kapha Dosha:** The function of tears is the lubrication and moisture of the eyes and the provision of Bala (immunological strength) to the eyes, which are characteristic features of Kapha.^[30]

Vata Vectors Dynamics and the Udavarta:-

Crying physically takes place under the control of two sub-doshas of Vata:-

- **Udana Vayu:** This sub-dosha of Vata functions within the chest, throat and head areas and controls outward effort, speech and weeping (Rodana).^[31]
- **Vyana Vayu:** Vyana Vayu originates in the Hridaya (heart) and regulates systemic circulation, heart contraction and local motor reflexes, such as blinking and distribution of tears.^[31]

Normally, during crying, Udana Vayu moves the impulse to cry up and outwards and Vyana Vayu acts as an impulse for systemic circulation.^[4] In case a patient consciously prevents themselves from crying (Ashru Vega Dharana), they create a conscious resistance against this outward kinetic action. The kinetic energy is forced to move in reverse direction (upwards and backwards) in a process called Udavarta (retrograde and erratic movement of Vata).^[4] The energy flows directly back towards the source of Vyana Vayu – the heart (Hridaya). The collision of these energies clogs the Srotas (circulation channels of the heart) and causes Sroto-dushti (clogging of channels).^[24] Consequently, the circulation of Rasa Dhatu is prevented in the myocardium and the rhythm is disrupted, resulting in Hridroga (cardiovascular disease).^[4,12,32]



Modern Scientific Translation: The Dual-Mechanism Model:-

Process A: Chemical Detoxification (Mala-Visarga):-

Scientific chemical studies have proven that weeping due to emotions is a necessary excretory function, validating the Ayurveda principle of Mala-Visarga (excretion of toxic products of metabolism).^[33] An important study done by Dr William H. Frey II and his team at the Minnesota Tear Research Centre proved that psychic tears were different in composition from reflex tears caused by irritants such as onions.^[34]

The composition of emotional tears contains a much higher concentration of proteins, major stress hormones and chemicals^[34]:-

- **Adrenocorticotrophic Hormone (ACTH) and Cortisol:** Key physiological markers for the activation of the stress response within the HPA axis.^[34]
- **Prolactin:** A protein-based hormone that is very highly produced when an individual is under psychological stress.^[34]

- **Leucine Enkephalin:** An endogenous opioid peptide that functions as a natural painkiller and mood enhancer.^[34]
- **Manganese:** An important mineral that has an association with emotional lability; emotional tears contain manganese levels that are as much as 30 times higher than in the serum.^[34]


Therefore, the process of physical expulsion of emotional tears allows toxins to be eliminated from the body. The inhibition of tears (Ashru Vega Dharana) means that toxins remain in the system along with excess cortisol.^[34]

Mechanism B: Autonomic Homeostasis (Vatanulomana):-

The regulation of the cardiovascular system occurs through the Autonomic Nervous System (ANS):-

- The Sympathetic Nervous System (SNS) activates the "fight-or-flight" response, resulting in the production of catecholamines and leading to tachycardia, vasoconstriction and a decrease in HRV.^[35]
- The Parasympathetic Nervous System (PNS) activates the "rest-and-digest" response, controlled mostly by the vagus nerve that serves as an "autonomic brake," resulting in bradycardia, decreased blood pressure and homeostasis restoration.^[35]

According to Ad Vingerhoets' psychophysiological research, crying causes a critical autonomic shift.^[36] Although the "somatic part" of crying leads to a short-term sympathetic reaction, the second part, namely, the release of tears, causes strong parasympathetic activation through vagus nerve stimulation. This parasympathetic inhibition results in the reduction of heart rate, respiration rate, blood pressure and an increase in HRV.^[36] Inhibition of crying (Ashru Vega Dharana) stops the parasympathetic switch. The body remains in continuous sympathetic overload, leading to continued shear stress on the arterial walls, low heart rate variability (HRV) and coronary artery spasm—key physiological triggers for myocardial infarction, hypertension¹ and atherosclerosis (plaque formation).^[13,36]



Quantitative Clinical Evidence:-

While classical medical texts had long suggested such a connection, there is now solid evidence to confirm it quantitatively.

Kottakkal Case-Control Study (Nifina & Krishnan, 2021):-

One of the groundbreaking clinical studies, performed by Drs. N. Nifina and A. Krishnan at VPSV Ayurveda College of Kottakkal, Kerala, examined the connection between bowel suppression (Purisavegadharana) and tear suppression (Baspavegadharana) and Coronary Artery Disease (CAD).^[13]

- **Methods:** This study included 110 clinically diagnosed cases of CAD and 110 age- and gender-matched control subjects from the same hospitals. Exposure history was assessed through a questionnaire and interviews.^[13]
- **Key Finding:** The phenomenon of tear suppression (Baspavegadharana) exhibited an immense Odds Ratio (OR) of 4.47 ($p < 0.01$). The finding suggests that tear suppression is an independent and strong behavioural factor, and thus a previously unidentified behavioural determinant of CAD, posing risks similar to well-known risk factors such as smoking (OR = 6.23).^[13]

Cardiovascular Risk and Autonomic Integrity (Kumawat & Nathani, 2025):-

In a study conducted in the International Journal of Ayurvedic Medicine, it has been observed that:-

- The chronic suppression of emotion and tears (Ashru Vega Vidharna) increases the relative risk of developing cardiovascular diseases by 30% to 40%.^[37]
- This risk is induced via the mechanism of sympathetic stress, resulting in a substantial reduction in parasympathetic tone and HRV.^[37]

Discussion:-

Clinical Deconstruction of Scriptural Symptoms:-

When we analyse the classical symptoms based on modern neuroanatomy and vascular physiology, we see an incredible consistency in this picture:-

Table No. 3: Clinical Deconstruction of Scriptural Symptoms

Classical Symptom	Literal Translation	Biophysical & Physiological Mechanism
Pratishyaya / Peenasa	Acute Rhinitis/Nasal Congestion	The lacrimal gland drains into the nasal cavity via the nasolacrimal duct. Blocking tears forces fluid retrograde, creating local mucosal congestion, oedema and secondary rhinitis. ^[38]
Akshiroga	Eye Diseases/Visual Disturbances	Suppressing tear flow deprives the ocular surface of essential lubrication (Kapha/Rasa), leading to ocular dryness, conjunctival inflammation and local corneal stress. ^[39]
Shirorog / Shiroruk	Diseases of the Head / Headache	The somatic bracing of cranial and facial muscles to inhibit crying induces muscular tension, cranial vascular spasm and localised stagnation of cerebral blood flow. ^[40]
Hridroga / Hridruk	Cardiac Pain/ Heart Disease	Sympathetic hyper-arousal triggers coronary vasoconstriction, transient myocardial ischemia and subjective angina. ^[41]
Manyastambha	Neck Rigidity/ Torticollis	Somatic bracing of the sternocleidomastoid, trapezius and deep cervical muscles during tear containment leads to severe myofascial neck spasms. ^[42]
Aruchi	Anorexia/Lossof Appetite	Stress-induced sympathetic activation causes gastroparesis, shutting down salivary and gastric secretions and suppressing digestive fire (Agni). ^[43]
Bhrama	Giddiness/Dizziness	Autonomic blood pressure lability or hyperventilation during intense emotional suppression results in transient cerebral hypoperfusion and vertigo. ^[44]
Gulma	Abdominal Bloating / Spasms	Sympathetic-driven enteric spasm and retrograde Vata flow (Udavarta) cause localised gaseous distension and painful abdominal spasms. ^[45]

Traditional and Modern Therapeutic Convergence:-

The classical treatment of Ashru Vega Dharana is quite unique: it does not use any physical purgatives but focuses on treatments aimed at pacifying Vata, calming the mind (Mana) and stimulating parasympathetic activity.^[19, 20]

Table No. 4: Traditional and Modern Therapeutic Convergence

Clinical Convergence Matrix	
Classical Ayurvedic Concept	Modern Biophysical Correlate
Mala-Visarga (Ocular Waste)	Endocrine Clearance (ACTH, Cortisol, Mn)
Vyana Vayu (Cardiac Vector)	Autonomic Vagal Regulation (The Vagal Brake)
Udavarta (Retrograde Vata)	Chronic Sympathetic Overdrive & Shear Stress

Excretion vs. Retention (Mala-Visarga vs. Chemical Toxicity):-

As was said earlier, good health in Ayurveda depends on proper excretion of waste products (Malas). When you close one of your waste pathways, you open yourself up to illnesses. This is the exact point where Dr William Frey's

tear research coincides with pathological processes.^[3] Emotional tears are not only saline solutions; they are one of the active excretory mechanisms of endocrine nature.^[3] In the process of crying caused by a stressful situation, our lacrimal glands operate as a filter system, removing excess stress chemicals, including such hormones as ACTH, cortisol, prolactin and extremely high levels of manganese, out of the bloodstream.^[3] The patient practising Ashru Vega Dharana blocks the pathway for excretion of Malas.^[3] As a result, the neurochemicals responsible for stress remain in the organism. This causes prolonged irritation of blood vessels and a permanent increase in blood pressure.^[3]

Vata Dynamics and the Vagal Brake:-

Now let's take a look at the heart. In Ayurveda, Vyana Vayu is found in the heart, regulating cardiac rhythm, vascular tone and blood circulation.^[4] Functionally speaking, that is the territory of the ANS. Under conditions of extreme sorrow or distress, our sympathetic nervous system ("fight or flight") kicks in, leading to vasoconstriction and a decrease in Heart Rate Variability (HRV).^[3] Crying is the somatic "parasympathetic brake".^[3] By stimulation of the vagus nerve, crying induces a strong parasympathetic shift. Instantly slowing down our heart rate, dilating the constricted coronary arteries and returning to a normal cardiac rhythm, crying is actually the natural physiological reset switch of our body.^[3]

By blocking the outflow of tears (Udana Vayu), Ashru Vega Dharana blocks the natural outward and downward kinetic flow of Vata. The flow gets reversed (Udavarta) and collides with Vyana Vayu, located in the heart.^[3] Autonomically speaking, it leads to the complete blockage of the parasympathetic response. Our body becomes trapped in the permanent and unrelieved sympathetic overdrive. Physiologically speaking, our heart is under constant arterial shear stress, microvascular spasm and progressive endothelial damage, resulting in the heart disease (Hridroga) that Charaka and Vagbhata talked about.^[1, 3, 4]

Deconstructing the 4.47 Odds Ratio:-

For hundreds of years, these energy pathways were ignored by the sceptics as theoretical or even mystical concepts. The case-control study from Kottakkal in 2021 totally changes this situation.^[13] Finding out that habitual suppression of crying (Baspavegadharana) carries an odds ratio of 4.47 for the development of coronary artery disease is an incredible clinical discovery.^[13] In order to understand how powerful the impact is, here's the thing: in the statistical model developed in this study, the suppression of emotional tears became a stronger predictor of coronary artery disease than some traditional risk factors. For decades, we were actively treating high blood pressure, high cholesterol levels and dietary habits – but we almost ignored the behavioural lifestyle mistake increasing the odds of coronary heart disease in our patients 4.47 times.^[13]

Shifting the Autonomic Gears: The Restorative Regimens:-

Swapna (Restful Sleep):-

- In the Context of Ayurveda: Sleep is one of the best natural pacifiers of Vata and also restores the lubricating and protective functions of Kapha.^[46]
- In the Context of Modern Times: Sleep increases vagal parasympathetic activity, reduces nighttime blood pressure and heart rate. Activates the glymphatic system of the brain, cleansing it of metabolic waste.^[47]

Madya (Medicines with Relaxing Effect):-

- Context in Ayurveda: Mildly medicated wines (Asava or Arishta) have been recommended in specific clinical doses for immediate pacification of Vata (Vatanulomana) and soothing the nervous system.^[48]
- Modern Parallel: Controlled intake of natural GABAergic substances results in suppression of central nervous system hyperarousal with ensuing muscle relaxation and coronary vasodilatation, thus soothing the ischemic heart.^[49]

Priyaah Kathaah (Healing through Communication and Telling Stories):

- Context in Ayurveda: Communication, soothing talk and hearing pleasing stories from loved ones have been suggested.^[13]
- Contemporary Correlates: Social bonding promotes the production of oxytocin and endorphins, which alleviate anxiety and induce a lowering of blood pressure and the activation of the vagal "parasympathetic brake".^[50]

Table No. 5: Comparative analysis of Ashru Vega Dharana in Charaka, Sushruta and Vagbhata

Classical Text	Roga / Lakshana (Diseases / Symptoms Caused by Ashru Vega Dharana)	Chikitsa (Line of Treatment)
Charaka Samhita	Pratishyaya, Akshiroga, Hridroga, Aruchi, Bhrama	Swapna, Madya, Priyaah Kathaah
Ashtanga Hridaya	Added Manyastambha & Gulma to Charaka	Swapna, Madya, Priyaah Kathaah
Sushruta Samhita	Akshiroga, Shiroroga, Hridroga	Vatanulomana

Gender differences in emotional suppression and cardiovascular risk:-

- Biological and sociocultural factors heavily influence emotional expression and suppression patterns between genders, leading to distinct cardiovascular risk profiles.^[51] Biologically, higher levels of estrogen and prolactin in women lower their crying threshold, whereas testosterone in men acts as a natural inhibitor of tear shedding and crying.^[51,52] This biological difference contributes to women crying more frequently than men, shedding tears an average of 5.3 times a month compared to men's 1.3 times.^[52]
- Socioculturally, societal expectations heavily pressure males to suppress vulnerability, making expressive suppression a highly prevalent and habitual coping style for men.^[51] Clinically, while women are more likely to experience higher subjective somatic burdens under stress, men are significantly more prone to maladaptive emotional suppression and internalising their distress.^[51,53]
- This behavioural suppression is cardiotoxic; instead of promoting a healthy cardiovascular "challenge" response, suppression evokes a physiological "threat reactivity" profile characterised by lowered cardiac output, increased total peripheral resistance (vascular strain), reduced heart rate variability (HRV) and elevated arterial shear stress, which dramatically increases the long-term risk of developing coronary artery disease.^[51]

Study Limitations and Future Directions:-

While the double-mechanism hypothesis and the clinical data are quite convincing, several shortcomings should be pointed out:-

1. Retrospective Assessment of Exposure: The groundbreaking Kottakkal case-control study used retrospective self-report questionnaires to assess urge suppression, thus being prone to bias.
2. Absence of Longitudinal Studies: It is necessary to have prospective longitudinal clinical studies, which could monitor the transition from chronic tear suppression to the formation of coronary endothelial plaque.
3. Future Clinical Trials: We suggest future clinical trials employing real-time HRV measurement in somatic emotional release techniques to track the transition from the state of sympathetic dominance to the restoration of the parasympathetic vagal activity.

Conclusion:-

A synthesis of ancient scriptures on Ayurveda and modern autonomic cardiology shows a deep understanding of a unique unifying truth: being able to express one's emotions is not an indicator of the psychological weakness of a person, but a biophysical process of homeostasis. The same way as the body needs to remove waste products of metabolism, the nervous system needs to periodically get rid of neurochemical products of the stress state (ACTH, cortisol, manganese) with tears. Ashru Vega Dharana or the inhibition of crying, creates disbalance between Udana and Vyana Vayu and leaves a person in chronic sympathetic overdrive with a 4.47-fold increase in the probability of developing Coronary Artery Disease.^[13] It should be taken into account by cardiologists and assessed as a key behavioural factor in their practice. Crying should be promoted as an important preventative measure.

References:-

1. Kubzansky LD, Michos ED, Labarthe DR, the American Heart Association Council on Clinical Cardiology, Spatz ES, Khalid U, et al. Psychological Health, Well-Being, and the Mind-Heart-Body Connection: A Scientific Statement From the American Heart Association [Internet]. 2024 [cited 2026 Sep 3]. Available from: <https://doi.org/10.17615/b7t5-n168> doi:10.17615/b7t5-n168
2. Vaccarino V, Badimón L, Bremner JD, Cenko E, Cubedo J, Dorobanțu M, et al. Depression and coronary heart disease: 2018 position paper of the ESC working group on coronary pathophysiology and microcirculation [Internet]. 2019 [cited 2026 Sep 3]. Available from: <https://academic.oup.com/eurheartj/article-pdf/41/17/1687/33152410/ehy913.pdf>

3. Divya M, Preeti B, Srihari S. EVALUATION OF DHARANIYA VEGA (SUPPRESSIBLE URGES) BY DEVELOPING TOOLS OF ASSESSMENT W.S.R.TO MANODAIHIKA SIDDHANT (PSYCHOSOMATIC CONCEPT) AND ROLE OF SATTVAJAY CHIKITSAA IN SUPPRESSION OF DHARANIYA VEGA - A CLINICAL AND ASSESSMENT PROTOCOL. PARIPEX INDIAN JOURNAL OF RESEARCH. 2023;118–20. Doi:10.36106/paripex/2510301
4. Baikampady SV. Vata dynamics with special reference to cardiac disorders – A cross-disciplinary approach [Internet]. 2020 [cited 2026 Sep 3]. Available from: <https://www.sciencedirect.com/science/article/pii/S0975947620300954/pdf>
5. Agnivesa, Charaka, Dhirdhabala, Sutrasthana verse, Yadavji Trikamji Acharya. Charaka Samhita with the Ayurvedadipika Commentary of Sri Cakrapanidatta, Reprint, Varanasi: Chaukhamba Publications, 2017. P. 50.
6. KOTEKAR AS, S GN, Anjana M, Anand S. AN APPRAISAL ON DHARANIYA VEGAS IN CHARAKA SAMHITA [Internet]. 2018 [cited 2026 Sep 4]. Available from: <http://ajprd.com/index.php/journal/article/download/361/350>
7. Vagbhata, Vagbhata's Astanga Hridayam, edited by Prof. Murthy K.R., Sutra Sthana. Ch.4, Ver. 24.1st edition, Varanasi: Krishnadas Academy, 2004; 49.
8. Nand Kishor Jindal, Rekh Raj Meena, Ashok Kumar Sharma. Effect of Vachik Dharaniya Vega on Mental Health. J Ayurveda Integr Med Sci 2024;10:193-196. <http://dx.doi.org/10.21760/jaims.9.10.31>
9. Agnivesha. Charaka Samhita. Revised by Charaka and Dhirdhabala. With the Ayurveda Dipika Commentary of Chakrapanidatta. Edited by Pt. Kashinath Shastri, Dr Gorakhnath Chaturvedi. Varanasi: Chaukhambha Bharati Academy; Reprint 2019. Sutra Sthana, Chapter 7 (Naveganadharaniya Adhyaya), Verse 3,4.
10. Sushruta. Sushruta Samhita with Nibandhasangraha Commentary of Dalhanacharya. Edited by Acharya YT (Jadavaji Trikamji Acharya). 8th ed. Varanasi: Chaukhambha Orientalia; 2005. Uttartantra, Chapter 55 (Udavartapratishedha Adhyaya), Verse 3,4,5.
11. Vagbhata, Vagbhata's Astanga Hridayam, edited by Prof. Murthy K.R., Sutra Sthana. Ch.4, Ver. 1, 1st edition, Varanasi: Krishnadas Academy, 2004.
12. Zinjurke B.D. and Sawant R.S. Relation between Adharniyavega and Hridroga with reference to Cardiovascular Diseases – A Review. J Biol Sci Opin 2020; 8(1):1-3. <http://dx.doi.org/10.7897/2321-6328.0811181>
13. Nifina N, Krishnan A. Association of bowel and tear suppression with coronary artery disease: A case-control study [Internet]. 2021 [cited 2026 Sep 4]. Available from: <https://www.sciencedirect.com/science/article/pii/S0975947620301285/pdf>
14. Jadhav RA, Adiga M. CONCEPT OF MANAS IN AYURVEDA AND ITS ROLE IN PSYCHOPHYSIOLOGICAL REGULATION: AN INTEGRATIVE REVIEW. International Journal of Research in Ayurveda and Pharmacy. 2026;17(1):163–7. doi:10.7897/2277-4343.17128
15. Zheng R, Meng C, Li X, Gu Y, Li Y, Mao W. A novel approach to the prevention and management of cardiovascular diseases: targeting brain–heart axis. European Journal of Medical Research. 2025;30(1):1108. doi:10.1186/s40001-025-03295-8
16. Agnivesha. Charaka Samhita. Revised by Charaka and Dhirdhabala. With the Ayurveda Dipika Commentary of Chakrapanidatta. Edited by Pt. Kashinath Shastri, Dr Gorakhnath Chaturvedi. Varanasi: Chaukhambha Bharati Academy; Reprint 2019. Sutra Sthana, Chapter 7 (Naveganadharaniya Adhyaya), Verse 22, p. 157.
17. Vagbhata. Ashtanga Hridaya. Edited with the Vidyotini Hindi Commentary by Kaviraj Atrideva Gupta. Reprint ed. Varanasi: Chaukhambha Prakashan; 2019. Sutra Sthana, Chapter 4 (Roganutpadaniya Adhyaya), Verse 6.
18. Munjal M, Munjal S, Vohra H, Prabhakar A, Kumar A, Singh S, et al. Anatomy of the lacrimal apparatus from a rhinologist's perspective: a review [Internet]. 2021 [cited 2026 Sep 4]. Available from: <https://www.ijorl.com/index.php/ijorl/article/download/2732/1604>
19. Manna P. From the Ocular Surface to Neurophysiology: An Integrative Review of Digital Eye Strain [Internet]. 2026 [cited 2026 Sep 4]. Available from: <https://www.dovepress.com/article/download/112582>
20. van Leeuwen N, Bossema ER, Vermeer RR, Kruize AA, Bootsma H, Vingerhoets AJJM, et al. Crying Without Tears: Dimensions of Crying and Relations With Ocular Dryness and Mental Well-Being in Patients With Sjögren's Syndrome [Internet]. 2015 [cited 2026 Sep 4]. Available from: <https://link.springer.com/content/pdf/10.1007/s10880-015-9432-9.pdf>
21. Bhatia V, Tandon R. Stress and the gastrointestinal tract. Journal of Gastroenterology and Hepatology. 2005;20(3):332–9. doi:10.1111/j.1440-1746.2004.03508.x
22. Mehta PK, Sharma A, Bremner JD, Vaccarino V. Mental Stress-Induced Myocardial Ischemia [Internet]. 2022 [cited 2026 Sep 4]. Available from: <https://link.springer.com/content/pdf/10.1007/s11886-022-01821-2.pdf>

23. Vagbhata. Ashtanga Hridaya. Edited with the Vidyotini Hindi Commentary by Kaviraj Atrideva Gupta. Reprint ed. Varanasi: Chaukhambha Prakashan; 2019. Sutra Sthana, Chapter 2 (Dinacharya Adhyaya), Verses 1–2.
24. Sharma RK, Dash B. Charaka Samhita. Vol. 1 (Sutrasthana). English translation. Varanasi: Chowkhamba Sanskrit Series Office; 2014. Sutrasthana, Chapter 7 (Navegandharaniya Adhyaya), Verse 22.
25. Murthy KRS, translator. Astanga Hridayam of Vagbhata. Vol. 1 (Sutrasthana). Varanasi: Chaukhambha Krishnadas Academy; 2017. Sutrasthana, Chapter 4 (Roganutpadaniya Adhyaya), Verse 6.
26. Murthy KRS, translator. Astanga Hridayam of Vagbhata. Vol. 3 (Uttarasthana). Varanasi: Chaukhambha Krishnadas Academy; 2016. Uttarasthana, Chapter 23 (ShirorogaVijnaniya Adhyaya), Verses 1–2.
27. Suthar M, Roushan R. A Critical Review of Netra Sharir of Ayurveda in the Modern Perspective. Scholars International Journal of Traditional and Complementary Medicine. 2020;03(03):46–54. doi:10.36348/sijtem.2020.v03i03.002
28. Rawat N, Roushan R. CORRELATION OF RASA DHATU IN MODERN PERSPECTIVE: A REVIEW. International Journal of Research in Ayurveda and Pharmacy. 2019;10(2):28–32. doi:10.7897/2277-4343.100231
29. M.D. Scholar, Kriya Sharir, CBPACS, New Delhi, India, Ritesh, Barla MA, Roushan R, Assistant Professor, Kriya Sharir, CBPACS, New Delhi, India. Concept of Majja Dhatu of Ayurveda in Perspective of Bone Marrow: A Review [Internet]. 2021 [cited 2026 Sep 5]. Available from: <http://imedsclences.com/wp-content/uploads/2021/05/IJIMS.2021.108.pdf>
30. Mishra RR, Kumar R. Management of Dry Eye Syndrome Through Ayurvedic Interventions: An In-Depth Analysis [Internet]. 2023 [cited 2026 Sep 5]. Available from: <https://ijapr.in/index.php/ijapr/article/download/3027/2524>
31. Sharma T, Meghwal CR, Prajapat M, Sharma A. Conceptual study of Vata Dosha w.s.r. to Nervous System [Internet]. 2024 [cited 2026 Sep 5]. Available from: <https://jaims.in/jaims/article/download/3123/4544>
32. D, Dimri A, Semalti H. THE PATHOPHYSIOLOGY OF ASHRU VEGA AVRODH IN HRIDAY ROGA W.S.R TO STRESS-INDUCED HEART DISEASE [Internet]. Vol. 11. International Ayurvedic Medical Journal; 2023 [cited 2026 Sep 5]. p. 1669–72. Available from: <https://doi.org/10.46607/iamj3111072023> doi:10.46607/iamj3111072023
33. Mousseau CB, Veigl-Lunsford AR, Pitsch RL, Harshman SW. A Comparison of Emotionally Stimulated and Conventionally Collected Tears Using Bottom-Up, Label-Free Quantitative Proteomic Analysis—A Pilot Study. PROTEOMICS – Clinical Applications. 2025;20(1):e70023. doi:10.1002/prca.70023
34. Frey WH, Desota-Johnson D, Hoffman C, McCall JT. Effect of Stimulus on the Chemical Composition of Human Tears. American Journal of Ophthalmology. 1981;92(4):559–67. doi:10.1016/0002-9394(81)90651-6
35. Heart rate, heart rate variability, and GSR in relation to motion sickness caused by lateral vehicle motion [Internet]. 2019 [cited 2026 Sep 5]. Available from: <https://exa.ai/library/publication/h49lz83rpjc>
36. Vingerhoets AJ, et al. Crying: Is it a form of self-soothing? Frontiers in Psychology.
37. Kumawat M, Nathani S. The Heart-Mind Connection: Exploring Ashru Vega Vidharna and Its Impact on Emotional Well-Being [Internet]. 2024 [cited 2026 Sep 5]. Available from: <https://www.ijam.co.in/index.php/ijam/article/download/5585/1328>
38. Makselis A, Petroska D, Kadziauskiene A, Jaruseviciene R, Ruzgys A, Cimbalas A, et al. Acquired nasolacrimal duct obstruction: clinical and histological findings of 275 cases. BMC Ophthalmology. 2022;22(1):12. doi:10.1186/s12886-021-02185-x
39. Pflugfelder SC, Stern ME. Biological functions of tear film [Internet]. 2020 [cited 2026 Sep 5]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/7483968>
40. Grahn A, Bylisma LM, Vingerhoets AJM. Is crying a self-soothing behaviour? [Internet]. 2014 [cited 2026 Sep 5]. Available from: <https://www.frontiersin.org/articles/10.3389/fpsyg.2014.00502/pdf>
41. Mehta, P.K., Sharma, A., Bremner, J.D. et al. Mental Stress-Induced Myocardial Ischemia. Curr Cardiol Rep 24, 2109–2120 (2022). <https://doi.org/10.1007/s11886-022-01821-2>
42. Wachowska M, Chmielowiec J, Czyżewicz Z, Dworak K, Trędota N, Posid D, et al. The Effects of Specific Exercise Modalities on Tension-Type Headache Symptoms: A Narrative Review [Internet]. 2026 [cited 2026 Sep 5]. Available from: <https://apcz.umk.pl/QS/article/download/69027/45617>
43. BHATIA, V. and TANDON, R.K. (2005), Stress and the gastrointestinal tract. Journal of Gastroenterology and Hepatology, 20: 332–339. <https://doi.org/10.1111/j.1440-1746.2004.03508.x>
44. Dan-Glauser E, Gross JJ. The temporal dynamics of two response-focused forms of emotion regulation: Experiential, expressive, and autonomic consequences [Internet]. 2011 [cited 2026 Sep 5]. Available from: <https://onlinelibrary.wiley.com/doi/pdfdirect/10.1111/j.1469-8986.2011.01191.x>
45. M A. Clinical Spectrum of Udavartta in the Limelight of Vega and Vegarodha—A Narrative Review. International Research Journal of Ayurveda & Yoga. 2022;05(05):90–6. doi:10.47223/irjay.2022.5515

- 46 Acharya A, Sahu G, Itani N, Mansukhbhai SA, Sharma R. Nidra: An Ayurvedic Perspective [Internet]. 2024 [cited 2026 Sep 6]. Available from: <https://jaims.in/jaims/article/download/2794/4237>
- 47 Hauglund N, Andersen M, Tokarska K, Radovanovic T, Kjærby C, Sørensen F, et al. Norepinephrine-mediated slow vasomotion drives glymphatic clearance during sleep [Internet]. 2025 [cited 2026 Sep 6]. Available from: <https://pmc.ncbi.nlm.nih.gov/articles/PMC12340670/pdf/nihms-2099974.pdf>
- 48 Panda P, S. I, Das B, Bhuyan GC, Rao MM. Therapeutic importance of Asava and Arista (Fermentative Formulation) in Ayurveda: A review. Research Journal of Pharmacology and Pharmacodynamics. 2022;273–6. doi:10.52711/2321-5836.2022.00047
- 49 Lin C, Hsieh C, Chen L, Chen Y, Ho TH, Chang SC, et al. Versatile Effects of GABA Oolong Tea on Improvements in Diastolic Blood Pressure, Alpha Brain Waves and Quality of Life [Internet]. 2023 [cited 2026 Sep 6]. Available from: <https://www.mdpi.com/2304-8158/12/22/4101/pdf?version=1699779671>
- 50 Takayanagi Y, Onaka T. Roles of Oxytocin in Stress Responses, Allostasis and Resilience [Internet]. 2021 [cited 2026 Sep 6]. Available from: <https://www.mdpi.com/1422-0067/23/1/150/pdf?version=1640353221>
- 51 Collier, L. (2022, June 30). Why we cry. Monitor on Psychology, 45(2). <https://www.apa.org/monitor/2014/02/cry>
- 52 Narmetova Yulduz Karimovna, Mansurova Yulduz Jamshid qizi, DilshodovaMadinabonu Rustam qizi, &AtamuratovaJuldiz. (2025). GENDER DIFFERENCES IN PSYCHOSOMATIC HEALTH AMONG MEDICAL STUDENTS. The Bioscan, 20(4), 142–150. Retrieved from <https://thebioscan.com/index.php/pub/article/view/4359>
- 53 Carlton, Sara; Harrison, Abbey; Honoré, Sydney; and Goodmon, Leilani B. (2020) "Conceal, Don't Feel: Gender Differences in Implicit and Explicit Expressions of Emotions," Modern Psychological Studies: Vol. 25: No. 1, Article 10. Available at: <https://scholar.utc.edu/mps/vol25/iss1/10>